

FLAMEMASTER CORP THE CHEM SEAL DIV -- CS 3204 PART A -- 8030-00-753-5005

=====  
Product Identification  
=====

Product ID:CS 3204 PART A

MSDS Date:01/20/1992

FSC:8030

NIIN:00-753-5005

MSDS Number: BSFPY

=== Responsible Party ===

Company Name:FLAMEMASTER CORP THE CHEM SEAL DIV

Address:11120 SHERMAN WAY

City:SUN VALLEY

State:CA

ZIP:91352-4949

Country:US

Info Phone Num:818-982-1650 FAX 818-765-5603

Emer

gency Phone Num:818-982-1650

Preparer's Name:HERBERT MOORE

CAGE:14439

=== Contractor Identification ===

Company Name:FLAMEMASTER CORP THE CHEM SEAL DIV

Address:11120 SHERMAN WAY

Box:City:SUN VALLEY

State:CA

ZIP:91352-4949

Country:US

Phone:818-982-1650

CAGE:14439

=====  
Composition/Information on Ingredients  
=====

Ingred Name:LIQUID POLYSULFIDE POLYMER

CAS:68611-50-7

Other REC Limits:NONE SPECIFIED

Ingred Name:VOC: 9 GRAMS/LITER

RTECS #:9999999VO

Other REC Limits:NONE SPECIFIE

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:NOT ESTABLISHED. POSSIBLE SKIN  
IRRITATION AFTER PROLONGED CONTACT, WITH RESULTING DERMATITIS. NOT  
CONSIDERED TO BE A PRIMARY SKIN IRRITANT.  
Effects of Overexposure:SKIN OR EYE IRRITATION  
Medical Cond Aggravated by Exposure:NONE KNOWN

=====  
First Aid Measures  
=====

First Aid:EYES: FLUSH WITH LARGE AMOUNTS OF WATER. CONSULT A PHYSICIAN.  
SKIN: WASH WITH SOAP & WATER. INGESTION: INDUCE VOMITING, CONSULT A  
PHYSICIAN.

=====  
Fire Fighting Measures  
=====

Flash Point Method:TCC  
Flash Point:>200F,>93C  
Extinguishing Media:DRY CHEMICAL, FOAM, CO2, WATER  
Fire Fighting Procedures:NONE  
Unusual Fire/Explosion Hazard:NONE

=====  
Accidental Release Measures  
=====

## Spill Releas

e Procedures:SCOOP UP & TRANSFER TO CONTAINER FOR REACTION  
WITH CURING AGENT. CLEAN UP RESIDUE WITH 1,1,1-TRICHLOROETHANE THEN  
WITH SOAP & WATER.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:STORE IN COOL, DRY AREA AWAY FROM  
STRONG ACIDS.  
Other Precautions:WASH HANDS BEFORE EATING, SMOKING, OR DRINKING AFTER  
HANDLING THIS PRODUCT.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:

NOT REQUIRED

Ventilation:LOCAL EXHAUST, AIR; MECHANICAL GENERAL, FAN.

Protective Gloves:RUBBER

Eye Protection:SAFETY GLASSES

Other Protective Equipment:APPROPRIATE TO AVOID PROLONGED CONTACT

Work Hygienic Practices:TRAIN EMPLOYEES IN SAFE HANDLING OF THIS PRODUCT

Supplemental Safety and Health

KEY1:N1.

===== Physical/Chemical Properties =====

HCC:B3

Melt/Freeze Pt:M.P/F.P Text:LIQ @RMTEMP

Vapor Pres:NIL

Vapor Density:NIL

Spec Gravity:1.52 (WATER=1)

pH:8.5

Viscosi

ty:12,000 POISES

Evaporation Rate & Reference:NIL

Solubility in Water:NEGLIGIBLE

Appearance and Odor:WHITE PASTE, POLYSULFIDE ODOR

Percent Volatiles by Volume:3.0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

AVOID STRONG OXIDIZING AGENTS AND STRONG ACIDS

Stability Condition to Avoid:OPEN FLAME

Hazardous Decomposition Products:H2S, CO, CO2, SO2, SMOKE

===== Disposal Considerations =====

Waste

Disposal Methods:REACT WITH CURING AGENT & DISPOSE AS SOLID WASTE PER LOCAL, STATE & FEDERAL REGULATIONS. INCINERATION OR LAND DISPOSAL, IF NOT MIXED WITH PART B DISPOSE AS NON-HAZARDOUS WASTE.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all lia

bility for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.