

NATIONAL STARCH AND CHEMICAL CORPORATION -- PERMA-LOK (R) HL 126 P/N 78-4290 --
8030-00-111-2762

===== Product Identification =====

Product ID:PERMA-LOK (R) HL 126 P/N 78-4290

MSDS Date:12/31/1991

FSC:8030

NIIN:00-111-2762

MSDS Number: BSHRC

=== Responsible Party ===

Company Name:NATIONAL STARCH AND CHEMICAL CORPORATION

Address:10 FINDERNE AVENUE

Box:6500

City:BRIDGEWATER

State:NJ

ZIP:08807

Countr

y:US

Info Phone Num:908-685-5000

Emergency Phone Num:908-685-5000

Preparer's Name:PHILIP A. TOSCANO

CAGE:85091

=== Contractor Identification ===

Company Name:NATIONAL STARCH AND CHEMICAL CORP

Address:10 FINDERNE AVE

Box:6500

City:BRIDGEWATER

State:NJ

ZIP:08807

Country:US

Phone:908-685-5379; FAX:908685-5306

CAGE:85091

===== Composition/Information on Ingredients =====

Ingred Name:TETRAETHYLENEGLYCOL DIMETHACRYLATE

CAS:109-17-1

Fraction by Wt: > 1%

Other REC Limits:NONE SPECIFI

ED

Ingred Name:HYDROXETHYL METHACRYLATE

CAS:868-77-9

RTECS #:OZ4725000

Fraction by Wt: > 1%

Other REC Limits:NONE SPECIFIED

Ingred Name:CUMENE HYDROPEROXIDE (SARA 313)

CAS:80-15-9

RTECS #:MX2450000

Fraction by Wt: > 1%

Other REC Limits:NONE SPECIFIED

EPA Rpt Qty:10 LBS

DOT Rpt Qty:10 LBS

Ingred Name:VOC: 0.09 LBS/GAL - 10 G/L

RTECS #:9999999VO

Other REC Limits:NONE SPECIFIED

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:UNKNOWN IARC:UNKNOWN OSHA:NO

Health Hazards Acute and Chronic:EYES: IRRITATING, & MAY INJURE EYE

TISSUE IF NOT REMOVED PROMPTLY. SKIN: FREQUENT OR PROLONGED CONTACT MAY IRRITATE & CAUSE DERMATITIS. MAY CAUSE SKIN SENSITIZATION, A PARTIAL OR WHOLE-BODY DERMATITIC RASH EXPERIENCED AFTER EXPOSURE, HOWEVER MINIMAL. INHALATION: BASED ON ITS LOW VOLATILITY, PRODUCT IS NOT CONSIDERED

Effects of Overexposure:TO BE A RESPIRATORY HAZARD UNDER NORMAL

CONDITIONS OF USE. IRRITATING &/OR TOXIC VAPORS MAY BE RELEASED AT ELEVATED TEMPERATURES. INGESTION: INGESTION EFFECTS NOT EVALUATED BUT ARE ASSUMED TO CAUSE NAUSEA & VOMITING. IN CERTAIN INDIVIDUALS, SENSITIZATION MAY OCCUR CAUSING DERMATITIS WITH EVEN MINIMAL CONTACT.

Medical Condition Aggravated by Exposure:DUE TO SKIN ABSORPTION WITH EXCESSIVE CONTACT PRODUCT MAY PRODUCE NERVOUS SYSTEM EFFECTS, I.E.; ATAXIA. TARGET ORGANS: SKIN; EYES.

=====

First Aid Measures =====

First Aid:EYES: IMMED FLUSH WITH WATER 15 MINUTES, OPENING EYELIDS OCCASIONALLY. GET MED AID. SKIN: FLUSH W/SOAP & WATER UNTIL CHEMICAL REMOVED. INHALATION: FIRST AID NOT NORMALLY REQUIRED. REMOVE TO FRESH AIR. RESTORE BREATHING. GET MED AID. INGESTION: DO NOT INDUCE VOMITING. IF CONSCIOUS, GIVE MILK/WATER TO DILUTE STOMACH. KEEP WARM & QUIET. GET PROMPT MED AID. NOTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

=====

=== Fire Fighting Measures =====

Flash Point Method:SCC
Flash Point:230F,110C
Extinguishing Media:CO2, DRY CHEMICAL, FOAM, WATER FOG
Fire Fighting Procedures:FIRE FIGHTERS SHOULD BE EQUIPPED WITH SELF-CONTAINED BREATHING APPARATUS (SCBA) TO PROTECT AGAINST POTENTIALLY TOXIC & IRRITATING FUMES.
Unusual Fire/Explosion Hazard:COOL EXPOSED EQUIPMENT WITH WATER SPRAY. POLYMERIZATION MAY TAKE PLACE AT ELEVATED TEMPERATURES.

===== Accidental Release Measures =====

Spill Release Procedures:WEAR PROTECTIVE CLOTHING. STOP LEAK, IF SAFE. SMALL SPILLS: TAKE UP W/SAND OR OTHER INERT MATERIAL. PLACE IN CONTAINER FOR LATER DISPOSAL. LRG SPILL: PRODUCT ABSORBED ON INERT MATERIAL MAY POLYMERIZE GENERATING HEAT & PRESSURE. VENT CONTAINER.

===== Handling and Storage =====

Handling and Storage Precautions:STORAGE TEMPERATURE - ROOM TEMP. AVOID EXCESSIVE HEAT. STORE OUT OF DIRECT SUNLIGHT IN A DRY AREA. MAXIMUM STORAGE TEMPERATURE IS 100F.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED UNDER NORMAL HANDLING CONDITIONS. USE NIOSH APPROVED RESPIRATOR IF VAPOR OR MIST LEVELS ARE IRRITATING.
Ventilation:GENERAL
Protective Gloves:IMPERVIOUS GLOVES
Eye Protection:SAFETY GLASSES, GOGGLES OR FACE SHIELD
Work Hygienic Practices:WASH HANDS BEFORE EATING,SMOKING,DRINKING,USING RESTROOM FACILITIES. REMOVE & WASH CON

TAMINATED CLOTHING BEFORE
REUSE.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:POLYMERIZES

Vapor Pres:0.01 @ 77F

Vapor Density:1.01 AIR=1

Spec Gravity:1.070 (WATER=1)

Viscosity:15 CPS

Evaporation Rate & Reference:NOT NOTED

Solubility in Water:INSOLUBLE

Appearance and Odor:GREEN LIQUID; MILD PLEASANT ODOR

Percent Volatiles by Volume:< 1 %

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

METALS & THEIR SALTS, PERMA-LOK(R) ANAEROBIC SURFACE CONDITIONERS.

Stability Condition to Avoid:NOTE! PERMA-LOK(R) PRODUCTS ARE ANAEROBIC
& POLYMERIZE IN THE ABSENCE OF AIR. SUNLIGHT, EXCESSIVE HEAT, &
CONTAMINATION-

Hazardous Decomposition Products:THERMAL DECOMPOSITION COULD PRODUCE
CARBON MONOXIDE, CARBON DIOXIDE AND UNIDENTIFIED ORGANIC COMPOUNDS.

Conditions to Avoid Polymerization:-BY METALS OR ANAEROBIC SURFACE
CONDITIONER IN LAR

GE QUANTITIES, WILL ALSO CAUSE POLYMERIZATION.

===== Disposal Considerations =====

Waste Disposal Methods:WASTE DISPOSAL SHOULD BE IN ACCORDANCE WITH
EXISTING LOCAL, STATE & FEDERAL ENVIRONMENTAL REGULATIONS. CAN
CAREFULLY SOLIDIFY WITH AN AEROBIC SURFACE CONDITIONER AND DISPOSE
OF AS SOLID WASTE.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense.

The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.