

ISP MANAGEMENT CO INC -- PREPRITE COATING REMOVER -- 6850-01-383-0780

===== Product Identification =====

Product ID:PREPRITE COATING REMOVER

MSDS Date:08/06/1993

FSC:6850

NIIN:01-383-0780

MSDS Number: BSJCB

=== Responsible Party ===

Company Name:ISP MANAGEMENT CO INC

Address:1361 ALPS ROAD

City:WAYNES

State:NJ

ZIP:07470-3688

Country:US

Info Phone Num:201-628-3383

Emergency Phone Num:201-628-3383

C

AGE:0SXX1

=== Contractor Identification ===

Company Name:GAF CHEMICALS CORP, SUB OF GAF CORP

Address:1361 APLS RD

Box:City:WAYNE

State:NJ

ZIP:07470

Country:US

Phone:201-628-3341

CAGE:46575

Company Name:ISP MANAGEMENT CO INC

Address:1361 ALPS RD

Box:City:WAYNE

State:NJ

ZIP:07470-3688

Country:US

Phone:201-628-3383

CAGE:0SXX1

===== Composition/Information on Ingredients =====

Ingred Name:1-METHYLPYRROLIDONE

CAS:872-50-4

RTECS #:UY5790000

Fraction by Wt: 60-100%

Other REC Limits:

100 PPM

===== Hazards Identification =====

LD50 LC50 Mixture:LD50 ORAL >5000 MG/KG (MALE RAT)

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:NO EFFECTS EXPECTED FROM INGESTION

EXPOSURE. NO EFFECTS OF INHALATION EXPOSURE EXPECTED. IF MISTED AT HIGH CONCENTRATIONS, MAY CAUSE PALLOR, NAUSEA, ANESTHETIC OR NARCOTIC EFFECTS. PROLONGED OR REPEATED SKIN CONTACT CAUSES

IRITATION

REDNESS, SWELLING, CRACKING. VAPORS CAUSE SLIGHT EYE DISCOMFORT. SPLASHES IN EYES IRRITATING.

Explanation of Carcinogenicity:THIS COMPOUND CONTAINS NO INGREDIENTS AT CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS.

Effects of Overexposure:PALLOR, NAUSEA, ANESTHETIC/NARCOTIC EFFECTS, REDNESS/SWELLING/CRACKING OF THE SKIN, EYE IRRITATION, PAINFUL BURNING OR STINGING OF THE EYES AND EYELIDS, WATERING OF EYES, CONJUNCTIVITIS.

Medical Conditions

and Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:INGESTION: INDUCE VOMITING IMMEDIATELY BY GIVING TWO GLASSES OF WATER AND STICKING FINGER DOWN THROAT. NEVER GIVE ANYTHING BY MOUTH IF UNCONSCIOUS. CALL A PHYSICIAN. INHALATION: REMOVE TO FRESH AIR. IF NOT BREATHING OR BREATHING IS DIFFICULT, CALL A PHYSICIAN. SKIN: WASH WITH SOAP AND WATER. CALL A PHYSICIAN. EYES: IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. CALL A PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point Method:SCC

Flash Point:193F,89C

Lower Limits:NOT GIVEN

Upper Limits:NOT GIVEN

Extinguishing Media:WATER, ALCOHOL FOAM, DRY CHEMICAL, CARBON DIOXIDE

Fire Fighting Procedures:FIRE FIGHTERS SHOULD WEAR POSITIVE PRESSURE, FULL FACE, SELF-CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard:AFT

ER FIRE IS EXTINGUISHED, MATERIAL
VAPORS COULD ACCUMULATE, TRAVEL TO SOURCE OF IGNITION AND FLASH
BACK. FIRE HAZARD WHEN EXPOSED TO HEAT, SPARKS OR FLAMES.

===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE SOURCES OF IGNITION. ABSORB WITH
EARTH, SAND OR SIMILAR INERT MATERIAL AND DISPOSE OF ACCORDING TO
FEDERAL, STATE AND LOCAL REGULATIONS. FLUSH SPILL AREA WITH A WATER
SPRAY.

Neutralizing Agent:NONE SPECIFIED BY MANUFACT
URER.

===== Handling and Storage =====

Handling and Storage Precautions:AVOID CONTACT WITH EYES, SKIN AND
CLOTHING. WASH THOROUGHLY AFTER HANDLING. AT HIGH CONCENTRATIONS,
USE WITH ADEQUATE VENTILATION. KEEP CLOSED.

Other Precautions:WASH EQUIPMENT THOROUGHLY WITH STEAM OR WARM WATER
UNTIL CLEAN. CHECK FOR FLAMMABLES WITH AN EXPLOSION METER AND ALSO
CHECK THE OXYGEN LEVEL WITH OXYGEN METER. IN ALL CASES, FOLLOW GOOD
INDUSTRIAL SAFETY PRACTICES BEFORE ENTERING EQUIPMENT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH-APPROVED RESPIRATOR, WHERE TLV OR PEL MAY
BE EXCEEDED.

Ventilation:AT HIGH CONCENTRATIONS, USE WITH ADEQUATE VENTILATION.

Protective Gloves:LATEX, NEOPRENE

Eye Protection:CHEMICAL GOGGLES.

Other Protective Equipment:EMERGENCY EYEWASH STATION AND SHOWER.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING.

Supplemental Safety and Health

KEEP CONTAINER AND VAPO

RS FROM THIS CONTAINER AWAY FROM HEAT, SPARKS

AND FLAME. WASH CONTAMINATED CLOTHING BEFORE REUSE.

===== Physical/Chemical Properties =====

HCC:B3

Boiling Pt:B.P. Text:396F,202C

Melt/Freeze Pt:M.P/F.P Text:-11F,-24C

Vapor Pres:< 0.30

Vapor Density:3.00

Spec Gravity:1.02-1.04

pH:8-9

Evaporation Rate & Reference:< 1 (BUTYL ACETATE=1)

Solubility in Water:SOLUBLE

Appearance and Odor:CLEAR LIQUID, AMINE ODOR

Percent Volatiles by Volume:NIL

===== Sta

bility and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

STRONG OXIDIZERS

Stability Condition to Avoid: HEAT, FIRE, IGNITION SOURCES

Hazardous Decomposition Products: CARBON DIOXIDE, CARBON MONOXIDE,
OXIDES OF NITROGEN, SMOKE

===== Disposal Considerations =====

Waste Disposal Methods: PREVENT WASTE FROM CONTAMINATING SURROUNDING
ENVIRONMENT. DISCARD ANY PRODUCT, RESIDUE, DISPOSAL CONTAINER OR
LINER IN ACCORDANCE WITH ALL
FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this
information to their
particular situation.