

LUBRICATING SPECIALITIES TECHN -- MIL-L-9000H 9250 LUBE OIL

=====

MSDS Safety Information

=====

FSC: 9150  
NIIN: 00-181-8097  
MSDS Date: 05/27/1992  
MSDS Num: BSKTD  
Product ID: MIL-L-9000H 9250 LUBE OIL  
MFN: 02  
Responsible Party  
Cage: 2X769  
Name: LUBRICATING SPECIALITIES CO TECHNOLUBE PRODUCTS  
Address: 8015 PARAMOUNT  
BLVD  
City: PICO RIVERA CA 90660-4888  
Info Phone Number: 213-928-3311  
Emergency Phone Number: 213-928-3311  
Preparer's Name: RICHARD J, EBERHARDT  
Review Ind: Y  
Published: Y

=====

Contractor Summary

=====

Cage: 1DL10  
Name: NAUGHTON ENERGY CORP  
Address: RT 940  
Box: 709  
City: POCONO PINES PA 18350-0709  
Phone: 570-646-0422  
Cage: 2X769  
Name: TECHNOLUBE PRODUCT COMPANY  
Address: 8015 PARAMOUNT BLVD.  
City  
: PICO RIVERA CA 90660-4811  
Phone: 562 776-4000 GEN: 562-776-4000

=====

Item Description Information

=====

Item Manager: S9G  
Item Name: LUBRICATING OIL,ENGINE  
Specification Number: MIL-L-9000  
Type/Grade/Class: GRADE 9250  
Unit of Issue: DR  
Quantitative Expression: 00000000055GL  
UI Container Qty: 1  
Type of Container: DRUM

=====

Ingredients

=====

=====

Cas: 64741-96-4  
Name: SOLVENT REFINED PETROLEUM BASE STOCK  
% Wt: <88  
Other REC Limits: NOT ESTABLISHED  
OSHA PEL: 5MG/M3 (OIL MIST)  
ACGIH TLV: 5MG/M3 (OIL MIST)

=====

Health Hazards Data

=====

LD50 LC50 Mixture: TLV = 5 MG/M3 AS OIL MIST.

Route Of Entry Inds - Inhalation: NO

Skin: NO

Ingestion: NO

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

E

Effects of Exposure: ACUTE:INGESTION/EYE/SKIN-NOT NORMALLY EXPECTED TO CAUSE ANY ILL EFFECTS EXCEPT IN VERY SENSITIVE INDIVIDUALS. INHALATION-NO SIGNIFICANT ADVERSE HEALTH EFFECTS ARE EXPECTED TO OCCUR ON SHORT TERM EXPOSURE. CHRONIC: PROLONGED OR REPEATED SKIN CONTACT MAY CAUSE IRRITATION OR INFLAMMATION.

Explanation Of Carcinogenicity: CARCINOGENIC INGREDIENTS/OSHA/NTP/IARC: NONE.

Signs And Symptoms Of Overexposure: SKIN-PROLONGED AND/OR REPEATED CONTACT MAY PRODUCE MILD SKIN IRRITATION AND INFLAMMATION.

Medical Cond Aggravated By Exposure: PERSONNEL WITH PRE-EXISTING SKIN DISORDER SHOULD AVOID CONTACT.

First Aid: INGESTION-DO NOT INDUCE VOMITING. CONSULT PHYSICIAN.

INHALATION-REMOVE FROM CONTAMINATED AREA. APPLY ARTIFICIAL RESPIRATION. IF CONSCIOUS CONSULT PHYSICIAN. EYE-FLUSH WITH COPIOUS AMOUNTS OF WATER. IF IRRITATION DEVELOPS CONSULT PHYSICIAN.SKIN-WASH WITH SOAP AND WATER. CONSULT PHYSICIAN IF IRRITATION OR INFLAMMATION DEVELOPS.

=====

=====

Handling and Disposal

=====

Spill Release Procedures: STOP FLOW, WIPE OR MOP UP OR ABSORB WITH DIATOMACEOUS EARTH OR OTHER INERT MATERIAL. STORE IN APPROPRIATE CONTAINER FOR DISPOSAL.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Handling And Storage Precautions: AVOID STORAGE NEAR OPEN FLAME OR OTHER SOURCE OF IG

NITION. EXCESSIVE MISTING MAY CAUSE SLIPPERY FLOORS. PROPER FOOTWARE  
REQUIRED.  
Other Precautions: WASH OR TAKE SHOWERS IF GENERAL CONTACT OCCURS. REMOVE  
OIL-SOAKED CLOTHING AND LAUNDER BEFORE REUSE. DISCARD CONTAMINATED LEATHER  
GLOVES AND SHOES.

=====  
Fire and Explosion Hazard Information  
=====

Flash Point Method: COC  
Flash Point Text: 410F,210C  
Lower Limits: UNKNOWN  
Upper Limits: UNKNOWN  
E  
xtinguishing Media: CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER FOG.  
Fire Fighting Procedures: DO NOT ENTER ANY ENCLOSED OR CONFINED AREA WITHOUT  
PROPER PROTECTIVE EQUIPMENT & SELF-CONTAINED BREATHING APPARATUS.  
Unusual Fire/Explosion Hazard: SLIGHTLY COMBUSTIBLE, WHEN HEATED ABOVE  
FLASHPOINT WILL RELEASE FLAMMABLE VAPORS WHICH CAN BURN OR BE EXPLOSIVE IN  
CONFINED SPACES IF EXPOSED TO IGNITION SOURCE

=====  
Control Measures  
=====

=====  
Respiratory Protection: NONE NORMALLY REQUIRED.  
Ventilation: SUFFICIENT TO MAINTAIN ATMOSPHERE BELOW TLV LIMIT.  
Protective Gloves: RECOMMENDED.  
Eye Protection: REQUIRED.  
Other Protective Equipment: CHEMICALLY RESISTANT BOOTS & APRON RECOMMENDED.  
Work Hygienic Practices: WASH HANDS WITH SOAP AND WATER BEFORE EATING,  
DRINKING, OR SMOKING.  
Supplemental Safety and Health: NONE.

=====  
Physical/Chemical Properties  
=====

HCC: V6  
B.P. Text: >572F,>300C  
M.P/F.P Text: UNKNOWN  
Decomp Text: UNKNOWN  
Vapor Pres: <0.01 MMHG  
Vapor Density: >1  
Spec Gravity: 0.907  
Viscosity: NA  
Solubility in Water: NEGLIGIBLE  
Appearance and Odor: BROWN, OILY LIQUID. PETROLEUM ODOR.  
Percent Volatiles by Volume: NIL  
Corrosion Rate: UNKNOWN

=====  
Reactivity Data  
=====

St

ability Indicator: YES  
Stability Condition To Avoid: DO NOT HEAT ABOVE FLASH POINT.  
Materials To Avoid: STRONG OXIDIZING AGENTS.  
Hazardous Decomposition Products: CARBON MONOXIDE AND ASPHYXIANTS.  
Hazardous Polymerization Indicator: NO  
Conditions To Avoid Polymerization: NONE.

=====

Toxicological Information

=====

=====

Ecological Information

=====

=====  
=====

=====

MSDS Transport Information

=====

=====

Regulatory Information

=====

=====

Other Information

=====

=====

=====

=====

Transportation Information

=====

Responsible Party Cage: 2X769  
Trans ID NO: 54453  
Product ID: MIL-L-9000H 9250 LUBE OIL  
MSDS Prepared Date: 05/27/1992  
Review Date: 10/12/1994  
MFN: 2  
Net Unit Weight: 412.2 LBS  
AF MMAC Code: NR  
Multiple KIT Number: 0  
Review IND: Y  
Unit Of Issue: DR  
Container QTY: 1  
Type Of Container: DRUM

=====

Detail DOT Information

=====

=====

DOT PSN Code: ZZZ

DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

Detail IMO Information

=====

IMO PSN Code: ZZZ

IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION

=====

Detail IATA Information

=====

IATA PSN Code: ZZZ

IATA

Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

Detail AFI Information

=====

AFI PSN Code: ZZZ

AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

HAZCOM Label

=====

Product ID: MIL-L-9000H 9250 LUBE OIL

Cage: 2X769

Company Name: TECHNOLUBE PRODUCT  
COMPANY

Street: 8015 PARAMOUNT BLVD.

City: PICO RIVERA CA

Zipcode: 90660-4811

Health Emergency Phone: 213-928-3311

Date Of Label Review: 10/12/1994

Status Code: C

Label Date: 10/12/1994

Origination Code: F

Chronic Hazard IND: Y

Eye Protection IND: YES

Skin Protection IND: YES

Signal Word: CAUTION

Health Hazard: None

Contact Hazard: Slight

Fire Hazard: Slight

Reactivity Hazard: None

Hazard And Precautions: SLIGHTLY COMBUSTIBLE, WHEN HEATED ABOVE FLASHPOINT WILL  
RELEASE FLAMMABLE VAPORS WHICH C

AN BURN OR BE EXPLOSIVE IN CONFINED SPACES IF  
EXPOSED TO IGNITION SOURCE IN CASE OF SPILL: STOP FLOW, WIPE OR MO P UP OR  
ABSORB WITH DIATOMACEOUS EARTH OR OTHER INERT MATERIAL. STORE IN APPROPRIATE  
CONTAINER FOR DISPOSAL. FIRST AID: INGESTION-DO NOT INDUCE VOMITING. CONSULT  
PHYSICIAN. INHALATION-REMOVE FROM CONTAMINATED AREA. APPLY ARTIFICIAL  
RESPIRATION. IF CONSCIOUS CONSULT PHYSICIAN. EYE- FLUSH WITH COPIOUS AMOUNTS  
OF WATER. IF IRRITATION DEVELOPS CONSULT PHYSICIAN. SKIN-WASH WITH  
H SOAP AND  
WATER. CONSULT PHYSICIAN IF IRRITATION OR INFLAMMATION DEVELOPS.

=====

Disclaimer (provided with this information by the compiling agencies): This  
information is formulated for use by elements of the Department of Defense.  
The United States of America in no manner whatsoever expressly or implied  
warrants, states, or intends said information to have any application, use or  
viability by or to any person or persons outside the  
Department of Defense  
nor any person or persons contracting with any instrumentality of the United  
States of America and disclaims all liability for such use. Any person  
utilizing this instruction who is not a military or civilian employee of the  
United States of America should seek competent professional advice to verify  
and assume responsibility for the suitability of this information to their  
particular situation regardless of similarity to a corresponding Department  
of Defense  
or other government situation.