

VERSATEC(A XEROX COMPANY) -- CE-PROCESS BLACK TYPE H, PART NO. 4405-32 --
6850-01-173-3992

===== Product Identification =====

Product ID:CE-PROCESS BLACK TYPE H, PART NO. 4405-32

MSDS Date:09/25/1991

FSC:6850

NIIN:01-173-3992

MSDS Number: BSSKT

=== Responsible Party ===

Company Name:VERSATEC(A XEROX COMPANY)

Address:5833 RUE FERRARI AVE.

City:SAN JOSE

State:CA

ZIP:95138

Country:US

Info Phone Num:8

00-828-6571

Emergency Phone Num:716-422-2177(HEALTH) -1230(TRANS)

Preparer's Name:MSDS ID A-2011

CAGE:MO494

=== Contractor Identification ===

Company Name:VERSATEC INC

Box:City:SANTA CLARA

State:CA

Country:US

CAGE:1AU05

Company Name:VERSATEC INC (REPLACED BY XES INC,VERSATEC PROD.)

Address:2710 WALSH AVE.

Box:City:SANTA CLARA

State:CA

ZIP:95051-0905

Country:US

Phone:716-422-2177 (XEROX CORP, NY)

CAGE:50804

Company Name:VERSATEC(A XEROX CO).

Address:2805 BOWERS AVE.

City:SANTA CLARA

State:CA

ZIP:

95051
Phone:800-828-6571
CAGE:MO494

===== Composition/Information on Ingredients =====

Ingred Name:ISOPARAFFINIC HYDROCARBON SOLVENT (HYDROTREATED HEAVY NAPHTHA)

CAS:64742-48-9

Fraction by Wt: >98%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:400 PPM (NAPHTHA)

ACGIH TLV:400 PPM (NAPHTHA)

Ingred Name:POLYMER(TRADE SECRET)

Other REC Limits:NONE RECOMMENDED

Ingred Name:PIGMENT-TRADE SECRET

Other REC Limits:NONE RECOMMENDED

Ingred Name:VOLATILE ORGANIC COMPOUNDS

RTECS #:9999

999VO

Fraction by Wt: 73%

Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:LD50 (RABBIT) ORAL >10,000 MG/KG.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INGEST:MAY CAUSE LUNG DAMAGE IF VOMITED AFTER INGESTING.INHAL:INTENTIONAL INHALATION MAY CAUSE HEART ARRYTHMIA, RESPIRATORY ARREST. NOTE:THIS ITEM IS TOXIC TO THE C

ENTRAL NERVOUS SYSTEM. SKIN:MAY CAUSE IRRITATION AND DERMATITIS UPON PROLONGED CONTACT.

Explanation of Carcinogenicity:THERE ARE NO INGREDIENTS ABOVE 0.1% WHICH ARE IDENTIFIED AS CARCINOGENS BY NTP,IARC OR OSHA.

Effects of Overexposure:INGESTION:CENTRAL NERVOUS DEPRESSION.

Medical Cond Aggravated by Exposure:NONE WHEN USED AS DESCRIBED BY PRODUCT LITERATURE.

===== First Aid Measures =====

First Aid:EYES: FLUSH THOROUGHLY WITH WATER. SKIN: REM

OVE CONTAMINATED

CLOTHING;WASH THOROUGHLY WITH SOAP AND WATER. INHAL: REMOVE TO FRESH AIR.GIVE OXYGEN OR ARTIFICIAL RESPIRATION IF NEEDED.

INGESTION: IF CON SCIOUS,DILUTE STOMACH CONTENTS BY DRINKING WATER. DO NOT INDUCE VOMITING. GET PROMPT QUALIFIED MEDICAL ASSISTANCE.

===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:102-107F/39-42C

Lower Limits:0.8%

Upper Limits:7.0%

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOA M, OR DRY

CHEMICAL.

Fire Fighting Procedures:USE A SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT.COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard:FIRE CONDITIONS MAY EVOLVE TOXIC FUMES.

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE IGNITION SOURCES. RECOVER FREE LIQUID WITH ABSORBANT (VERMICULITE, SAWDUST, FIRE RETARDANT, ETC.);PLACE IN AN APPROPRIATE CONTAINER FOR DISPOSAL.

CLEAN SPILL AREA TO AVOID SLIPPERINESS.

Neutralizing Agent:NONE

===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINER CLOSED. AVOID HEAT, STRONG LIGHT, SPARKS, OPEN FLAMES, STRONG OXIDANT.

Other Precautions:AVOID BREATHING VAPORS. AVOID PROLONGED OR REPEATED SKIN CONTACT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED WHEN USED AS INTENDED WITH VERSATEC (XER

OX) PRODUCTS.
Ventilation:PROVIDE MECHANICAL (GENERAL/LOCAL EXHAUST) VENT TO MAINTAIN