GENERAL ELECTRIC CO SILICONE PRODUCT DIV. -- SILICONE COMPOUND -- 6850-01-046-3643

Product ID:SILICONE COMPOUND

MSDS Date:02/12/1993

FSC:6850

NIIN:01-046-3643

MSDS Number: BSTYK === Responsible Party ===

Company Name: GENERAL ELECTRIC CO SILICONE PRODUCT DIV.

Address: HUDSON RIVER ROAD

City:WATERFORD

State:NY ZIP:12188 Country:US

Info Phone Num:518-237-3330

Emergency Phone Num:518-237-3330 Preparer's Name:D A POLISINELLI

CAGE:0 1139

=== Contractor Identification ===

Company Name: GENERAL ELECTRIC CO, SILICONE PRODUCTS BUSINESS DEPT

Address:260 HUDSON RIVER RD

Box:City:WATERFORD

State:NY ZIP:12188 Country:US

Phone:518-237-3330/800-332-3390

CAGE:01139

Company Name: THE SMITH GROUP INC.

Address:811 E. CAYUGA STREET

Box:City:PHILADELPHIA

State:PA

ZIP:19124-3893 Country:US

Phone:215-743-8200

CAGE:2B613

======= Composition/Information on Ingredients ========

Ingred Name:ZINC OXIDE

CAS:1314-13-2

RTECS #:ZH4810000

Fraction by Wt: 60-80% % Other REC Limits: NONE RECOMMENDED OSHA PEL:15 MG/M3 TDUST ACGIH TLV:10MG/M3 TDUST; 9394 Ingred Name: POLYDIMETHYL SILOXANE CAS:9016-00-6 RTECS #:TQ2690000 Fraction by Wt: 10-30% % Other REC Limits: NONE RECOMMENDED =========== Hazards Identification ========================== Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: MAY CAUSE MILD SKIN IRRITATION. A DUST HAZA RD MAY BE CREATED IF, UNDER CONDITIONS OF USE, SOLID PARTICLES ARE SEPERATED FROM THE POLYMERIC MATRIX. CAUSES MODERATE EYE IRRITATION. SUBCHRONIC (TARGET OR GAN) EFFECTS: METAL FUME FEVER. Explanation of Carcinogenicity: THIS COMPOUND CONTAINS NO INGREDIENTS AT CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS. Effects of Overexposure: EYE IRRITATION, RESPIRATORY TRACT IRRITATION, SKIN IRRITATION. Medical Cond Aggravated by Exposure: NONE SPECIFIED B Y MANUFACTURER. First Aid:INGESTION: RINSE MOUTH SEVERAL TIMES WITH WATER. SKIN: WASH WITH SOAP AND WATER. INHALATION: MOVE PERSON TO FRESH AIR. EYES:

IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION IF IRRITATION PERSISTS.

=========== Fire Fighting Measures ================

Flash Point Method:COC Flash Point:>500F,>260C Lower Limits: NOT GIVEN Upper Limits:N

OT GIVEN Extinguishing Media:ALL STANDARD FIREFIGHTING MEDIA Fire Fighting Procedures:NONFLAMMABLE. USE PROCEDURES SUITABLE FOR SURROUNDING FIRE. Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.
======== Accidental Release Measures ==========
Spill Release Procedures:WIPE, SCRAPE OR SOAK UP IN AN INERT MATERIAL AND PUT IN A CONTAINER FOR DISPOSAL. WASH WALKING SURFACES WITH DETERGENT AND WATER TO REDUCE SLIPPING HAZARD. WEAR PROPER PROTECTIVE EQ UIPMENT AS SPECIFIE D IN PROTECTIVE EQUIPMENT SECTION. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.
============== Handling and Storage ==============
Handling and Storage Precautions:AVOID CONTACT WITH EYES. Other Precautions:PRODUCT CONTAINS METHYLPOLYSILOXENES WHICH CAN GENERATE FORMALDEHYDE AT APPROXIMATELY 300F AND ABOVE IN ATMOSPHERES WHICH CONTAIN OXYGEN. FORMALDEHYDE IS A SKIN AND RESPIRATORY SENSTIZER AND EYE AND T HROAT IRRITANT AND ACUTE TOXICA NT.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NONE SPECIFIED BY MANUFACTURER. Ventilation:NONE SPECIFIED BY MANUFACTURER. Protective Gloves:CLOTH GLOVES Eye Protection:SAFETY GLASSES Other Protective Equipment:EYEWASH STATION Work Hygienic Practices:WASH WITH SOAP AND WATER AFTER HANDLING PRODUCT AND BEFORE EATING DRINKING OR SMOKING. Supplemental Safety and Health AN MSDS FOR FORMALDEHYDE IS AVAILABLE FROM GE SILICONES.
======================================
HCC:N1 Boiling Pt:B.P. Text:>600F,>316C Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN Vapor Pres:< 1 Vapor Density:NIL Spec Gravity:2.6 Evaporation Rate & amp; Reference:NIL Solubility in Water:INSOLUBLE Appearance and Odor:WHITE SOLID, ODORLESS Percent Volatiles by Volume:< 1

========= Stability and Reactivity Data =========

Stability Indicator/Materials to Avoid:YES OXIDIZING AGENTS

Stability Condition to Avoid: NONE SPECIFIED BY MAN

UFACTURER.
Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE, SILICON DIOXIDE, FORMALDEHYDE

======= Disposal Considerations ==========

Waste Disposal Methods:PREVENT WASTE FROM CONTAMINATING SURROUNDING ENVIRONMENT. DISCARD ANY PRODUCT, RESIDUE, DISPOSAL CONTAINER OR LINER IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for us e by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.