

COX INDUSTRIES -- CI-2000 CARBON REMOVING COMPOUND TY II -- 6850-00-281-3042

===== Product Identification =====

Product ID:CI-2000 CARBON REMOVING COMPOUND TY II

MSDS Date:10/19/1993

FSC:6850

NIIN:00-281-3042

MSDS Number: BSYYC

=== Responsible Party ===

Company Name:COX INDUSTRIES

Address:1503 LIPSCOMB RD

City:WILSON

State:NC

ZIP:27894

Country:US

Info Phone Num:919-291-8782

Emergency Phone Num:919-291-8782

Preparer's Name:J SHANE COX

CAGE:0VK78

=== Contractor

Identification ===

Company Name:COX INDUSTRIES

Address:1503 LIPSCOMB ROAD

Box:City:WILSON

State:NC

ZIP:27894

Country:US

Phone:800-849-8781

CAGE:0VK78

===== Composition/Information on Ingredients =====

Ingred Name:ETHYLENE GLYCOL MONOBUTYL ETHER

CAS:111-76-2

RTECS #:KJ8575000

Fraction by Wt: 9-10%

Other REC Limits:NONE RECOMMENDED

Ingred Name:DIETHYLENE GLYCOL MONOBUTYL ETHER

CAS:124-17-4

RTECS #:KJ9275000

Fraction by Wt: 4-5%

Other REC Limits:NONE RECOMMENDED

Ingred Name:DI

ETHYLENE GLYCOL MONOETHYL ETHER  
CAS:111-90-0  
RTECS #:KK8750000  
Fraction by Wt: 6-7%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:MONOETHYLANOLAMINE  
CAS:141-43-5  
RTECS #:KJ5775000  
Fraction by Wt: 21-22%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:SODIUM SILICATE  
CAS:1344-09-8  
Fraction by Wt: 1-2%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:TME (TRADE SECRET)  
Fraction by Wt: 2-3%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:AMPHOTERIC DETERGENT  
CAS:68298-20-4  
Fraction by Wt: 2-3%  
Other R  
EC Limits:NONE RECOMMENDED

Ingred Name:WATER  
CAS:7732-18-5  
RTECS #:ZC0110000  
Fraction by Wt: 50-55%  
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

Health Hazards Acute and Chronic:REPEATED SKIN CONTACT MAY CAUSE A  
PERSISTENT IRRITATION OR DERMATITIS. REPEATED INHALATION MAY CAUSE  
IRRITATION.  
Effects of Overexposure:EYE IRRITANT. SKIN IRRITANT  
Medical Cond Aggravated by Exposure:BECAUSE OF ITS IRRITATING  
PROPERTIES, SKIN CONTA

CT MAY AGGRAVATED AN EXISTING DERMATITIS  
(SKIN CONDITION).

===== First Aid Measures =====

First Aid:EYES: FLUSH WITH WATER (15 MINUTES). IF IRRITATION PERSISTS,  
CALL PHYSICIAN. SKIN: FLUSH WITH WATER. IF IRRITATION PERSISTS,  
CALL PHYSICIAN. INGESTION: DRINK LARGE VOLUMES OF MILK OR WATER.  
CALL PHYSICIAN. DO NOT INDUCE VOMITING, NEVER GIVE ANYTHING BY  
MOUTH TO AN UNCONSCIOUS OR CONVULSING PERSON.

===== Fire Fighting Measures =====

Flash Point:NO FLASH AT BOIL

Extinguishing Media:ACCORDING TO NFPA GUIDE, USE WATER SPRAY, DRY  
CHEMICAL, FOAM, OR CARBON DIOXIDE. WATER OR FOAM MAY CAUSE  
FROTHING.

Fire Fighting Procedures:USE WATER TO COOL FIRE-EXPOSED CONTAINERS. IF  
LEAK/SPILL NOT IGNITED, USE WATER SPRAY TO DISPERSE VAPOR & PROVIDE  
PROTECTION FOR PERSONS ATTEMPTING TO STOP LEAK

Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:SMALL SPILL: WIPE UP, RINSE SOILED AREA WITH  
WATER DOWN DRAIN. LARGE SPILLS: STOP LEAK AT SOURCE AND COLLECT  
INTO A SUITABLE CONTAINER THEN TREAT AS A SMALL SPILL.

===== Handling and Storage =====

Handling and Storage Precautions:ALWAYS STORE UNUSED PORTION IN  
ORIGINAL CONTAINER WITH CAP SECURE. AVOID TEMPERATURE EXTREMES.

Other Precautions:AS WITH ALL CHEMICALS USE DUE CARE ACCORDING TO LABEL  
INSTRUCTIONS AND PRECAUTIONS. ALWAYS STORE UNUSED PORTION IN  
ORIGINAL CONTAINER WITH CAP SECURE. AVOID TEMPERATURE EXTREMES.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED.

Ventilation:LOCAL OR MECHANICAL TO PROVIDE CLEAN WORK ROOM AIR.

Protective Gloves:PROLONG/DIRECT CONTACT:IMPERVIOUS RUBBER

Eye Protection:SAFETY GLASSES

Other Protective Equipment:NONE REQUIRED

Supplemental Safety and Health

===== Physical/Chemical Properties =====

=====

HCC:B2

Boiling Pt:B.P. Text:212F,100C

Melt/Freeze Pt:M.P/F.P Text:22.0F,-5.6C

Vapor Pres: