

AMERICAN ELECTRICAL HEATER COMPANY -- DRI-WICK FINE DESOLDERING BRAID --  
3439-00-372-3480

===== Product Identification =====

Product ID:DRI-WICK FINE DESOLDERING BRAID  
MSDS Date:01/01/1987  
FSC:3439  
NIIN:00-372-3480  
MSDS Number: BTGFB  
=== Responsible Party ===  
Company Name:AMERICAN ELECTRICAL HEATER COMPANY  
Address:6110 CASS AVENUE  
City:DETROIT  
State:MI  
ZIP:48202  
Country:US  
Info Phone Num:313-875-2  
505 OR 313-875-2516(FAX)  
Emergency Phone Num:313-875-2505  
CAGE:02105  
=== Contractor Identification ===  
Company Name:ASSEMBLY TECHNOLOGIES INTL INC  
Address:1177 WEST MAPLE ROAD  
Box:City:CLAWSON  
State:MI  
ZIP:48017  
Country:US  
Phone:800-550-2510, EXT 112  
CAGE:02105

===== Composition/Information on Ingredients =====

Ingred Name:COPPER (BRAIDED) (SARA III)  
CAS:7440-50-8  
RTECS #:GL5325000  
Other REC Limits:NONE RECOMME  
OSHA PEL:0.1MG/M3 FUME/1 DUST  
ACGIH TLV:0.2 MG/M3 FUME; 9394  
EP

A Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:ROSIN  
Other REC Limits:NONE RECOMME

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:MATERIAL DOES NOT ENTER BODY.  
HMIS:NORMAL SOLDERING FUMES/VAPORS MAY BE ENCOUNTERED. THERMAL  
BURNS MAY OCCUR.  
Explanation of Carcinogenicity:MFR LISTED NO INFORMATION ABOUT THE  
CARCINO  
GENICITY OF THIS MATERIAL. HMIS DOES NOT EXPECT IT TO BE  
CARCINOGENIC.  
Effects of Overexposure:HMIS:NO SIGNS/SYNMPTOMS EXPECTED.  
Medical Cond Aggravated by Exposure:NO INFORMATION GIVEN ON MSDS BY  
MFR.

===== First Aid Measures =====

First Aid:NO SPECIAL FIRST AID PROCEDURES. HMIS:USE NORMAL FIRST AID  
FOR BURNS AND/OR INHALATION OF FUMES.

===== Fire Fighting Measures =====

Flash Point Method:SCC  
Flash Point:N  
ON-FLAMMABLE  
Lower Limits:NONE  
Upper Limits:NONE  
Extinguishing Media:PRODUCT IS NON FLAMMABLE. EXTINGUISH FIRE WITH  
MEDIA APPROPRIATE FOR SOURCE OF FIRE.  
Fire Fighting Procedures:NO SPECIAL PROCEDURES REQUIRED.  
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:SWEEP UP & DISCARD AS METALLIC SOLID.  
Neutralizing Agent:NO INFORMATION GIVEN ON MSDS BY MFR.

===== Handling and Storage =====

=====

Handling and Storage Precautions:KEEP DRY & CLEAN.  
Other Precautions:NO INFORMATION GIVEN ON MSDS BY MFR.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED  
Ventilation:GENERAL MECHANICAL VENTILATION IS ADEQUATE  
Protective Gloves:HMIS:AS NEEDED FOR BURN PROTECTION.  
Eye Protection:HMIS:SAFETY GLASSES  
Other Protective Equipment:HMIS:AS NEEDED FOR BURN PROTECTION.  
Work Hygienic Practices:MFR: ? HMIS:USE GOOD INDUSTRIAL HYGIENE  
PR  
ACTICE. AVOID UNNECESSARY CONTACT. WASH THOROUGHLY BEFORE EATING  
OR DRINKING.  
Supplemental Safety and Health  
NONE

===== Physical/Chemical Properties =====

HCC:N1  
NRC/State Lic Num:NONE  
Solubility in Water:NEGLIGIBLE  
Appearance and Odor:ANNEALED COPPER BRAID, COATED W/ROSIN FLUX, WOUND  
ON A PLASTIC SPOOL

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
NONE  
Stability Condition to Avoid:NONE  
Hazar  
dous Decomposition Products:METAL OXIDES WILL FORM ON INCINERATION  
Conditions to Avoid Polymerization:WILL NOT OCCUR

===== Disposal Considerations =====

Waste Disposal Methods:CONSULT LOCAL, STATE & FEDERAL REGULATORY  
ORDINANCES FOR DISPOSAL OF NON-COMBUSTIBLE METALLIC SOLIDS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of Americ

a in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.