

LUBRICATING SPECIALTIES CO -- DEXRON IIE AUTO TRANSMISSION FLUID, PROD CODE

=====

MSDS Safety Information

=====

FSC: 9150
NIIN: 01-114-9968
MSDS Date: 04/09/1993
MSDS Num: BTHPG
Product ID: DEXRON IIE AUTO TRANSMISSION FLUID, PROD CODE:D0210
MFN: 01
Responsible Party
Cage: 2X769
Name: LUBRICATING SPECIALTIES CO
Address: 8015 PARA
MOUNT BLVD
City: RICO RIVERA CA 90660-4888
Info Phone Number: 213-928-3311
Emergency Phone Number: 310-928-3311/800-424-9300(CHEMTREC)
Preparer's Name: RICHARD J. EBERHARDT
Review Ind: Y
Published: Y

=====

Preparer Co. when other than Responsible Party Co.

=====

Cage: 2X769
Name: TECHNOLUBE PRODUCT COMPANY
Address: 8015 PARAMOUNT BLVD.
City: PICO RIVERA CA 90660-4811

=====

=====

Contractor Summary

=====

Cage: 8Y842
Name: LUBRICATING SPECIALTIES CO. TECHNOLUBE PRODUCTS DIV
Address: 3365 E. SLAUSON AVE
City: LOS ANGELES CA 90058
Phone: 562-776-4033; FAX:562-776-4003
Cage: 2X769
Name: TECHNOLUBE PRODUCT COMPANY
Address: 8015 PARAMOUNT BLVD.
City: PICO RIVERA CA 90660-4811
Phone: 562 776-4000 GEN: 562-776-4000

=====

Item Description Information

==

=====

Item Manager: S9G
Item Name: HYDRAULIC FLUID,AUTOMATIC TRANSMISSION
Specification Number: NONE
Type/Grade/Class: NONE
Unit of Issue: DR
Quantitative Expression: 00000000055GL
UI Container Qty: 0
Type of Container: DRUM

=====

Ingredients

=====

Cas: 64742-65-0
RTECS #: PY8038500
Name: MINERAL OIL, PETROLEUM DISTILLATES, SOLVENT-DEWAXED HEAVY PAR
AFFINIC
% Wt: <90
Other REC Limits: NONE RECOMMENDED
OSHA PEL: 5 MG/M3 AS OIL MIST
ACGIH TLV: 5 MG/M3 AS OIL MIST

Name: ZINC SALT OF DIAKYL DITHIOPHOSPHORIC ACID
Other REC Limits: NONE RECOMMENDED
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: NOT ESTABLISHED

=====

Health Hazards Data

=====

LD50 LC50 Mixture: TLV=5MG/M3 AS OIL MIST.
Route Of Entry Inds - Inhalation: YES
Sk
in: YES
Ingestion: YES
Carcinogenicity Inds - NTP: NO
IARC: NO
OSHA: NO
Effects of Exposure: ACUTE:EYE/SKIN/INGEST:NOT NORMALLY EXPECTED TO CAUSE ANY
ILL EFFECTS EXCEPT IN VERY SENSITIVE INDIVIDUALS. INHAL:NO SIGNIFICANT
ADVERSE HEALTH EFFECTS EXPECTED FOR SHORT TERM EXPOSURE. CHRONIC:SKIN:PR
OLONGED/REPEATED CONTACT MAY PRODUCE MILD SKIN IRRIT & INFLAMMATION.
Signs And Symptions Of Overexposure: SKIN:REDNESS, INFLAMMATION.
Medical Cond Aggravated By Exposure: PRE-EXISTING SKIN DISORDE

R SHOULD AVOID

CONTACT AND VERY SENSITIVE INDIVIDUALS.

First Aid: INGEST:DO NOT INDUCE VOMIT. CONSULT PHYSICIAN. INHAL:REMOVE FROM CONTAMINATED AREA. APPLY ARTIFI RESP. IF UNCONSCIOUS CONSULT PHYSICIAN. EYE:FLUSH W/CUPIOUS AMTS OF WATER. IF IRRIT DEVELOPS CONSULT PH YSICIAN. SKIN:WASH W/SOAP & WATER. CONSULT PHYSICIAN IF IRRIT OR INFLAMMATION DEVELOPS.

=====
Handling and Disposal
=====

==
Spill Release Procedures: STOP FLOW. WIPE OR MOP UP OR ABSORB W/DIATOMACEOUS EARTH OR OTHER INERT MATERIAL. STORE IN APPROPRIATE CONTAINER FOR DISPOSAL.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Handling And Storage Precautions: AVOID STORAGE NEAR OPEN FLAME OR OTHER SOURCES OF IGNITION. EXCESSIVE MISTING MAY CAUSE SLIPPERY FLOORS. PROPER FOOTWEAR REQUIRED.

Other Precautions: WASH OR TAKE SHOWER IF GENERAL CONTACT OCCURS. REMOVE OIL-SOAKED CLOTHING AND LAUNDRER BEFORE REUSE. DISCARD CONTAMINATED LEATHER GLOVES AND SHOES.

=====
Fire and Explosion Hazard Information
=====

Flash Point Method: COC

Flash Point Text: >392F,>200C

Extinguishing Media: CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATERFOG.

Fire Fighting Procedures: DO NOT ENTER ANY ENCLOSED OR CONFINED AREA WITHOUT

PROPER PROTECTIVE EQUIPMENT & SELF CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard: SLIGHTLY COMBUSTIBLE WHEN HEATED ABOVE FLASH PT. WILL RELEASE FLAMM VAPORS WHICH CAN BURN IN OPEN OR BE EXPLOSIVE IN CONFINED SPACES IF EXPOSED TO SOURCE OF IGN

=====
Control Measures
=====

Respiratory Protection: NONE NORMALLY REQUIRED. IF TLV IS EXCEEDED WEAR NIOSH-APPROVED RESPIRATORY FO

R OIL MIST.
Ventilation: SUFFICIENT TO MAINTAIN ATMOSPHER BELOW TLV LIMIT.
Protective Gloves: IMPERVIOUS RECOMMENDED.
Eye Protection: SAFETY GLASSES OR FACE SHIELDS.
Other Protective Equipment: CHEMICALLY RESISTANT BOOTS AND APRONS RECOMMENDED.
Work Hygienic Practices: WASH HANDS THOROUGHLY AFTER HANDLING & PRIOR TO
EAT/SMOKE/DRINK.

Physical/Chemical Properties

HCC: V6
B.P. Text: >617F,>325C
Vapor Pres: <0.01
Vapor Density: >AIR
Spec Gravity: 0.863
Solubility in Water: INSOLUBLE.
Appearance and Odor: RED, OILY LIQUID WITH A PETROLEUM ODOR.
Percent Volatiles by Volume: NIL

Reactivity Data

Stability Indicator: YES
Stability Condition To Avoid: DO NOT HEAT ABOVE FLASH POINT.
Materials To Avoid: STRONG OXIDIZING AGENTS.
Hazardous Decomposition Products:
CARBON MONOXIDE AND ASHPYXIANTS.
Hazardous Polymerization Indicator: NO
Conditions To Avoid Polymerization: NOT RELEVANT.

Toxicological Information

Ecological Information

MSDS Transport Information

Regulatory Information

Other Information

Transportation Information

Responsible Party Cage: 2X769
Trans ID NO: 108406
Produc

t ID: DEXRON IIE AUTO TRANSMISSION FLUID, PROD CODE:D0210
MSDS Prepared Date: 04/09/1993
Review Date: 05/10/1994
MFN: 1
Multiple KIT Number: 0
Review IND: Y
Unit Of Issue: DR
Container QTY: 0
Type Of Container: DRUM

=====
Detail DOT Information
=====
DOT PSN Code: ZZZ
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

Det
ail IMO Information
=====
IMO PSN Code: ZZZ
IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION
=====

Detail IATA Information
=====
IATA PSN Code: ZZZ
IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

Detail AFI Information
=====
=====
AFI PSN Code: ZZZ
AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

HAZCOM Label
=====
Product ID: DEXRON IIE AUTO TRANSMISSION FLUID, PROD CODE:D0210
Cage: 2X769
Company Name: TECHNOLUBE PRODUCT COMPANY
Street: 8015 PARAMOUNT BLVD.
City: PICO RIVERA CA
Zipcode: 90660-4811
Health Emergency Phone: 310-928-3311/800-424-9300(CHEMTREC)
Label R

equired IND: Y
Date Of Label Review: 05/10/1994
Status Code: C
Label Date: 05/10/1994
Year Procured: 1994
Origination Code: F
Eye Protection IND: YES
Skin Protection IND: YES
Signal Word: CAUTION
Respiratory Protection IND: YES
Health Hazard: Slight
Contact Hazard: Slight
Fire Hazard: None
Reactivity Hazard: None
Hazard And Precautions: ACUTE:EYE/SKIN/INGEST:NOT NORMALLY EXPECTED TO CAUSE
ANY ILL EFFECTS EXCEPT IN VERY SENSITIVE PEOPLE. INHAL:NO SIGNIFICANT ADVERSE
HEALTH EFFECTS EXPECTED FO
R SHORT TERM EXPOSURE. CHRONIC:SKIN:PROLONG /REPEAT
CONTACT MAY PRODUCE MILD SKIN IRRIT & INFLAMM. TARGET ORGANS:SKIN.
1STAID:INGEST:DO NOT INDUCE VOMIT. SEE DOCTOR. INHAL:REMOVE FROM CONTAMINATED
AREA. APPLY ARTIFI RESP. IF UNCONSCIOUS SEE DOC TOR. EYE:FLUSH W/CUPIOUS AMTS
OF WATER. IF IRRIT DEVELOPS SEE DOCTOR. SKIN:WASHW/SOAP & WATER. SEE
DOCTOR IF IRRIT OR INFLAMM DEVELOPS. EXCESSIVE MISTING MAY CAUSE SLIPPER
FLOORS.

=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.