

CANON U S A INC -- CANON TONER CYAN FOR CLC 200/300 -- 6850-01-353-4464

===== Product Identification =====

Product ID:CANON TONER CYAN FOR CLC 200/300

MSDS Date:12/01/1991

FSC:6850

NIIN:01-353-4464

MSDS Number: BTNBP

=== Responsible Party ===

Company Name:CANON U S A INC

Address:ONE CANON PLAZA

City:LAKE SUCCESS

State:NY

ZIP:11042

Country:US

Info Phone Num:516-488-6700

Emergency Phone Num:516-488-6700/800-424-9300(CHEMTREC)

CAGE:1BA63

=== Contractor Identifica

tion ===

Company Name:CANON USA INC

Address:ONE CANON PLAZA

Box:City:LAKE SUCCESS

State:NY

ZIP:11042

Country:US

Phone:516-328-5600

CAGE:1BA63

Company Name:PAPERGRAPHICS INC

Address:5210 CAPITOL DRIVE

Box:City:WHEELING

State:IL

ZIP:60090-6483

Country:US

Phone:800-323-5006

CAGE:5X817

===== Composition/Information on Ingredients =====

Ingred Name:BISPHENOL A PROPYLENE OXIDE FUMARATE

CAS:39382-25-7

Fraction by Wt: 85-95%

Other REC Limits:NONE RECOMMENDED

Ingred Name:PIGMENT

Frac

tion by Wt: 3-10%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:SALICYLIC ACID CHELATE  
CAS:72869-85-3  
Fraction by Wt: 1-5%  
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:ORAL LD50 (RAT) IS >5.0 G/KG  
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:INHALATION-TONER IS FINELY DIVIDED  
SOLID. DO NOT BREATHE DUST. EYE CONTACT-NO S  
PECIFIC HAZARD KNOWN.  
HOWEVER, ANY MATERIAL THAT CONTACTS THE EYE MAY BE IRRITATING. SKIN  
CONTACT-LOW HAZARD FOR INDUSTRIAL HANDLING.  
Effects of Overexposure:NONE SPECIFIED BY MANUFACTURER.  
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:INHALATION-REMOVE FROM EXPOSURE TO FRESH AIR. EYE  
CONTACT-OPEN EYE AND FLUSH WITH PLENTY OF WATER. IF IRRITATION  
PERSISTS, GET MEDICAL ATTENTION  
. SKIN-WASH WITH SOAP & WATER.  
INGESTION-DRINK SEVERAL GLASSES OF WATER. CALL A PHYSICIAN.

===== Fire Fighting Measures =====

Extinguishing Media:CARBON DIOXIDE, WATER, DRY CHEMICALS.  
Fire Fighting Procedures:NONE.  
Unusual Fire/Explosion Hazard:THIS MATERIAL, LIKE MOST ORGANIC MATERIAL  
IN POWDER FORM, IS CAPABLE OF CREATING A DUST EXPLOSION.

===== Accidental Release Measures =====

Spill Release Procedures:SWEEP MATERIAL ON  
TO PAPER AND PLACE IN FIBER  
CARTON.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP OUT OF REACH OF CHILDREN. KEEP  
AWAY FROM CONTACT WITH OXIDIZING MATERIALS. STORE IN THE ROOM BELOW  
40C.  
Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED.  
Ventilation:GOOD GENERAL VENTILATION SHOULD BE SUFFICIENT.  
Protective Gloves:NONE REQUIRED.  
Eye Protection:N

ONE REQUIRED.  
Other Protective Equipment:NONE REQUIRED.  
Work Hygienic Practices:NONE REQUIRED.  
Supplemental Safety and Health  
NONE

===== Physical/Chemical Properties =====

HCC:N1  
Melt/Freeze Pt:M.P/F.P Text:100-200C  
Vapor Pres:NEGLIGIBLE  
Spec Gravity:1.0-1.2  
Evaporation Rate & Reference:NEGLIGIBLE  
Solubility in Water:NEGLIGIBLE  
Appearance and Odor:TONER IS A FINE POWDER, WITH SLIGHT ODOR.  
Percent Volatiles by Volume:NEGLIE

===== Stability and React  
ivity Data =====

Stability Indicator/Materials to Avoid:YES  
STRONG OXIDIZERS.  
Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.  
Hazardous Decomposition Products:AS WITH ANY OTHER ORGANIC MATERIAL  
DECOMPOSITION WILL PRODUCE CARBON DIOXIDE AND CARBON MONOXIDE.

===== Disposal Considerations =====

Waste Disposal Methods:THE WASTE TONER COULD BE CONSIDERED AS PLASTIC  
WASTE. FOR INCINERATION, PACKAGE TONER ADEQUATELY. DO NOT DISPERSE  
THE TONER INTO FIRE. DISPOSE IN ACCORDANCE WITH FEDERAL, STATE  
AND/OR LOCAL REGULATION S.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to veri

fy and  
assume responsibility for the suitability of this information to their  
particular situation.