

WESTERN DUPLICATING SUPPLIES -- R-64-1001 EPL LASER TYPE TONER -- 6850-01-321-0640

===== Product Identification =====

Product ID:R-64-1001 EPL LASER TYPE TONER

MSDS Date:03/01/1991

FSC:6850

NIIN:01-321-0640

MSDS Number: BTRRT

=== Responsible Party ===

Company Name:WESTERN DUPLICATING SUPPLIES

Address:5602 2ND AVE SOUTH

Box:80351

City:SEATTLE

State:WA

ZIP:98108

Country:US

Info Phone Num:206-767-5323

Emergency Phone Num:206-767-5323

CAGE:OJPG6

=== Contractor Ide

ntification ===

Company Name:WESTERN DUPLICATING SUPPLIES

Address:5602 2ND AVE SOUTH

Box:80351

City:SEATTLE

State:WA

ZIP:98108

Country:US

Phone:206-767-5323

CAGE:OJPG6

===== Composition/Information on Ingredients =====

Ingred Name:CARBON BLACK

CAS:1333-86-4

RTECS #:FF5800000

Fraction by Wt: 5%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:3.5 MG/M3

ACGIH TLV:3.5 MG/M3; 9394

Ingred Name:THE MANUFACTURER STATES THAT OTHER INGREDIENTS NOT
CONSIDERED HAZARDOUS UNDER THE FED HAZ

COMMUNICATIONS REGULATIONS.
RTECS #:9999999ZZ
Fraction by Wt: 95%
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:NOT KNOWN.
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EXCESSIVE INHALATION CAN CAUSE
IRRITATION TO THE RESPIRATORY SYSTEM.
Effects of Overexposure:IRRITATION OF THE RESPIRATORY SYSTEM:COUGHING,
TIGHTNESS
IN CHEST.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:EYE:FLUSH WITH WATER. SKIN:WASH WITH SOAP AND WATER.
INGEST:RINSE MOUTH WITH WATER. CONSULT PHYSICIAN FOR MEDICAL
ADVICE. INHAL:REMOVE FROM EXPOSURE TO FRESH AIR.

===== Fire Fighting Measures =====

Extinguishing Media:FOAM, DRY CHEMICAL, CARBON DIOXIDE.
Fire Fighting Procedures:NONE. HOWEVER USE
APPROPRIATE SAFETY
EQUIPMENT.
Unusual Fire/Explosion Hazard:MATERIAL IS COMBUSTIBLE IN A MIXTURE WITH
AIR.

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE ANY SOURCE OF IGNITION. MAY BE SWEEP
UP. AVOID DUST INHALATION (USE DUST MASK IF NECESSARY).
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY PLACE.
Othe

r Precautions:NONE KNOWN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NORMALLY NONE REQUIRED. IF NEED BE USE OSHA
APPROVED DUST MASK OR RESPIRATOR.
Ventilation:NORMALLY NONE REQUIRED. HOWEVER USE LOCAL EXHAUST SYSTEM.
Protective Gloves:NORMALLY NONE REQUIRED.
Eye Protection:NORMALLY NONE REQUIRED.
Other Protective Equipment:NONE.
Work Hygienic Practices:WASH HANDS AFTER HANDLING MATERIAL.
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1
Spec Gravity:1.5-1.7
Solubility in Water:NEGLIGIBLE
Appearance and Odor:FINE BLACK POWDER, MILD RESINOUS ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDANTS.
Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.
Hazardous Decomposition Products:POSSIBLE CARBON MONOXIDE AND CARBON
DIOXIDE DURING THERMAL DECOMPOSITION.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF MATERIAL IN ACCORDANCE WITH LOCAL,
STATE AND FEDERAL REGULATIONS (GOVERNMENTAL REGULATIONS).

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person uti

lizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.