

AMERICAN BRAIDING AND MFG CORP -- STYLE 303 I VALVE PACKING -- 5330-00-197-8493

===== Product Identification =====

Product ID:STYLE 303 I VALVE PACKING

MSDS Date:05/25/1990

FSC:5330

NIIN:00-197-8493

MSDS Number: BTRTQ

=== Responsible Party ===

Company Name:AMERICAN BRAIDING AND MFG CORP

Address:247 OLD TAVERN ROAD

City:HOWELL

State:NJ

ZIP:07731

Country:US

Info Phone Num:908-938-6333

Emergency Phone Num:908-938-6333

CAGE:4R345

=== Contractor Identification ===

Company Name:AMERICAN BRAIDING AND MFG CORP

Address:247 OLD TAVERN ROAD

Box:City:HOWELL

State:NJ

ZIP:07731

Country:US

Phone:732-938-6333 ...FAX 6377

CAGE:4R345

===== Composition/Information on Ingredients =====

Ingred Name:ASBESTOS, CHRYSOTILE

CAS:12001-29-5

RTECS #:CI6478500

Fraction by Wt: >30%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:0.2 FIBERS/CC

ACGIH TLV:2 FIBERS/CC; A1;9394

===== Hazards Identification =====

LD50 LC50 Mixture:NON

E SPECIFIED BY MANUFACTURER.  
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES  
Health Hazards Acute and Chronic:RESPIRATORY.  
Explanation of Carcinogenicity:CONTAINS ASBESTOS (CHRYSTOTILE) HIGH IS LISTED BY NTP AND IARC AND REGULATED BY OSHA AS A CARCINOGEN.  
Effects of Overexposure:LONG TERM EXPOSURE TO ASBESTOS CAN CAUSE MESOTHELIOMA, A LUNG DISEASE. LONG TERM EXPOUSRE REQUIRED.  
Medical Cond Aggravated by Exposure:RESPIRATORY.

===== First Aid Measures =====

First Aid:PER MSDS NONE REQUIRED.

===== Fire Fighting Measures =====

Flash Point:NON-FLAMMABLE  
Extinguishing Media:PER MSDS NONE REQUIRED HOWEVER USE APPROPRIATE FIRE EXTINGUISHING MEDIA FOR SURROUNDING FIRES.  
Unusual Fire/Explosion Hazard:NON-FLAMMABLE.

===== Accidental Release Measures =====

Spill Release Procedures:NONE REQUIRED OTHER THAN NORMAL CLEAN UP.  
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:NONE REQUIRED. AVOID CREATING DUST BY SANDING OR GRINDING THE PRODUCT.  
Other Precautions:AVID SITUATIONS THAT MIGHT CREATE DUST.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:SELECT APPROPRIATE RESPIRATORY PROTECTION FROM TABLE I OF 1910.1001 BASED ON EMPLOYEE EXPOUSRE.  
Ventilation:NOT REQUIRED.  
Protective Gloves:NOT REQUIRED.  
Eye Protection:NOT REQUIRED.  
Other Protective Equipment:NOT REQUIRED.  
Work Hygienic Practices:WASH HANDS AFTER HANDLING.  
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:T6  
Vapor Pres:N/NA  
Spec Gravity:1.5  
Solubility in Water:INSOLUBLE  
Appearance and Odor:BLACK SHINY BRAIDED ROPE

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
STRONG

ACIDS AND ALKALI.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER HOWEVER

AVOID SITUATIONS THAT CAN MAKE THE ASBESTOS PRESENT AIRBORNE.

Hazardous Decomposition Products:NONE.

===== Disposal Considerations =====

Waste Disposal Methods:IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL  
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense.

The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.