Product ID:MOBILGARD 446

MSDS Date: 09/25/1990

FSC:9150

NIIN:00-135-2634 MSDS Number: BTSVJ === Responsible Party ===

Company Name: MOBIL OIL CORP

Address:150 E 42ND ST

City:NEW YORK

State:NY

ZIP:10017-5612 Country:US

Info Phone Num:703-849-3265 OR 800-662-4525 Emergency Phone Num:212-883-4411/609-737-4411 Preparer's Name:ENVIR HEAL & SAFETY DEPT

**CAGE:1E969** 

=== Contractor Iden

tification ===

Company Name: MOBIL CHEMICAL CO., CHEMICAL COATINGS DIV.

Address:RT 27 AND VINEYARD RD.

Box:250 City:EDISON State:NJ

ZIP:08818-0250

Country:US

Phone:609-737-4411 OR 800-424-9300

CAGE:77988

Company Name: MOBIL OIL CORP

Address:530 EAST SWEDESFORD ROAD

Box:1031

City: VALLEY FORGE

State:PA ZIP:19482 Country:US

Phone:703-849-3265

**CAGE:1E969** 

Company Name: MOBILE OIL COMPANY, LTD IN ENGLAND

CAGE:0AHKO

======= Composition/Information on Ingredients ========

Ingred Name:THE MAN

UFACTURER STATES THAT NO HAZARDOUS INGREDIENTS ARE PRESENT IN THIS PRODUCT. RTECS #:9999999ZZ Fraction by Wt: NONE Other REC Limits: NONE RECOMMENDED Ingred Name: BASE OILS ARE SEVERELY SOLVENT REFINED &/OR SEVERELY **HYDROTREATED** Fraction by Wt: UNK Other REC Limits: NONE RECOMMENDED =========== Hazards Identification ========================== LD50 LC50 Mixture:LD50 (ORAL,RATS) >5G/KG, SLIGHTLY TOXIC Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO Reports of Carcinogenicity: NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: INHAL/INGEST: NOT EXPECTED TO BE A PROBLEM, EYE/SKSIN: EXPECTED TO BE NON-IRRITATING, TOXICOLOGY BASED ON TESTING OF SIMILAR PRODUCTS &/OR COMPONENTS. DERMAL LD50 (RABBITS) >2G/KG SLIGHTLY TOXIC (ESTIMA TED). Explanation of Carcinogenicity: PER MSDS INGREDIENTS NOT LISTED IN NTP. IARC, OSHA CARCINOGENIC LISTINGS. Effects of Overexposure:PER MSDS EFFECTS OR OVEREXPOSURE:NOT EXPECTED TO BE A PROBLEM. Medical Cond Aggravate d by Exposure: NONE SPECIFIED BY MANUFACTURER. First Aid:EYE:FLUSH W/WATER. SKIN:WASH CONTACT AREAS W/SOAP & WATER. INHAL/INGEST:NOT EXPECTED TO BE A PROBLEM. HOWEVER IF >1/2LITER(PT) INGESTED IMMED GIVE 1-2 GLASSES OF WATER & CALL PHYSICIAN, HOPITAL EMERGE NCY ROOM OR POISON CONTROL CENTER FOR ASSISTANCE. DO NOT INDUCE VOMITING OR GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. ====== Fire Fi ghting Measures ========== Flash Point Method:COC Flash Point:>450F,>232C Lower Limits:0.6 Upper Limits:7.0 Extinguishing Media: CARBON DIOXIDE, FOAM, DRY CHEMICAL AND WATER FOG. Fire Fighting Procedures: H2O/FOAM CAUSE FROTHING. FIRES IN ENCLOSED AREAS USE SCBA.USE H2O SPRAY TO COOL CONTAINERS & FLUSH SPILLS AWAY FROM EXPOSURE.PREVENT RUNOFF ENTER STREAM/DRINK WA Unusual Fire/Explosion Hazard:NONE. ========= Accidental Release Measures ============

Spill Rel

ease Procedures:REPORT SPILLS AS REQUIRED TO APPROPRIATE AUTHORITIES.ADSORB ON FIRE RETARDANT TREATED SAWDUST, DIATONACEOUS EARTH, ETC. SHOVEL UP. DISPOSE OF @ APPROPRIATE WASTE DISPOSAL FACILITY IAW CURRENT APPLICABLE L AWS & REGS & MATRL CHARACTERISTICS @ TIME OF DISPO Neutralizing Agent: NONE APPLICABLE.
======================================
Handling and Storage Precautions:NO SPECIAL PRECAUTIONS REQUIRED. Other Precautions:NONE SPECIFIED BY MANUFACT URER.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NO SPECIAL REQUIREMENTS UNDER ORDINARY CONDITIONS OF USE AND WITH ADEQUATE VENTILATION.  Ventilation:NO SPECIAL REQUIREMENTS UNDER ORDINARY CONDITONS OF USE AND WITH ADEQUATE VENTILATION.  Protective Gloves:NO SPECIAL EQUPMT REQUIRED.  Eye Protection:NO SPECIAL EQUPMT REQUIRED.  Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.  Work Hygienic Practices:GOOD PERSONAL HYGIENE PRACTICES SH OULD ALWAYS BE FOLLOWED.  Supplemental Safety and Health
=========== Physical/Chemical Properties ============

HCC:V6
Boiling Pt:B.P. Text:>600F,>316C
Vapor Pres: