View NSN Online: https://aerobasegroup.es/nsn/6850-01-235-0873

EZE PRODUCTS, INC -- EZE 458 -- 6850-01-235-0873

Product ID:EZE 458

MSDS Date:08/21/1992

FSC:6850

NIIN:01-235-0873

MSDS Number: BTTVF

=== Responsible Party ===

Company Name: EZE PRODUCTS, INC

Address:603 HIGH TECH CT

Box:5744 City:GREER State:SC

ZIP:29606 Country:US

Info Phone Num:803-879-7100

Emergency Phone Num:803-879-7100 OR 404-842-0430

CAGE:8Z357 === Contrac

tor Identification ===

Company Name: EZE PRODUCTS, INC

Address:603 HIGH TECH CT

Box:5744

City:GREENVILLE

State:SC ZIP:29606 Country:US

Phone:803-242-1002 OR 803-879-7100

CAGE:8Z357

Company Name: SILVER SALES

Address:5115 DOUGLAS FIR RD SUITE C

Box:City:CALABASES

State:CA ZIP:91302 Country:US

Phone:818-591-0788 WAS IN TX

CAGE:0WG65

======= Composition/Information on Ingredients ========

Ingred Name: PETROLEUM HYDROCARBON

CAS:64742-47-8 RTECS #:OA5504000 Fraction by Wt: 10-20%

Other

REC Limits:NONE RECOMMENDED

Ingred Name:2-BUTOXYETHANOL

CAS:111-76-2

RTECS #:KJ8575000 Fraction by Wt: 1-7%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:S, 50 PPM

ACGIH TLV:S, 25 PPM; 9394

Ingred Name: HEXYLENE GLYCOL

CAS:107-41-5

RTECS #:SA0810000 Fraction by Wt: 1-7%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:C 25 PPM

ACGIH TLV:C 25 PPM; 9394

Ingred Name: VOLATILE ORGANIC CONTENT: 266.4 GRAMS/LITER.

RTECS #:9999999VO

Other REC Limits: NONE RECOMMENDED

on =========

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: IRRITANT; SLIGHTLY TOXIC WHEN INHALED OR INGESTED. CAN CAUSE BURNS TO EXPOSED TISSUE. CHRONIC: SLIGHTLY TOXIC IF INHALED OR INGESTED.

Explanation of Carcinogenicity:NO INGREDIENTS OF A CONCENTRATION OF 0.1% OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.


Effects of Overexposure: EYES: IRRITATION,

CORNEA DAMAGE. SKIN: BURNS.

INHALED: HEADACHE, DIZZINESS, NAUSEA, IRRITATION OF UPPER RESPIRATORY TRACT. INGESTED: NAUSEA, VOMITING, DIARRHEA.

Medical Cond Aggravated by Exposure: NONE SPECIFIED BY MANUFACTURER.

First Aid:EYES-FLUSH WITH LOTS OF WATER FOR 15 MINUTES, LIFT LIDS. GET MEDICAL ATTENTION. SKIN-REMOVE CONTAMINATED CLOTHES. WASH WITH SOAP & WATER. INHALED-REMOVE TO FRESH AIR. GET MEDICAL ATTENTION IF



IN I
Boiling Pt:B.P. Text:212F,100C
Melt/Freeze Pt:M.P/F.P Text:6F,-14C
Vapor Density:>1
Spec Gravity:0.98
pH:9.9
Solubility in Water:FORMS AN EMULSION
Appearance and Odor: OPAQUE VISCOUS LIQUID, SOLVENT ODOR

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING OR REDUCING AGENTS
Stability Condition to Avoid:AVOID TEMPERATURE EXTREMES AND
INCOMPATIBLE MATERIAL.
Hazardous Decomposition Products:BURNING CAN PRODUCE OXIDE
S OF CARBON.

======= Disposal Considerations ===========

Waste Disposal Methods:DISPOSAL SHOULD BE MADE IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS AND REGULATIONS.

CONTAMINATED ABSORBENT MAY BE DEPOSITED IN A LANDFILL OR WASTE MAY BE INCINERATED. NO RCRA WAST E CODE IS APPLICABLE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. Th

e United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.