Product ID:ADHESIVE, PART 2

MSDS Date:07/08/1993

FSC:8040

NIIN:00-138-7982

Kit Part:Y

MSDS Number: BTVWJ === Responsible Party ===

Company Name: DELTA PLASTICS CO Address: 280 SOUTH MAIN STREET

Box:489 City:PIXLEY State:CA ZIP:93256 Country:US

Info Phone Num:209-757-2010

Emergency Phone Num:209-757-2010

Preparer's Name: ERIC SKIFF

CAGE:DO191

=== Contractor Identification

===

Company Name: DELTA DPC, INC

Address:983 E. LEVIN AVE.

Box:City:TULARE

State:CA ZIP:93274 Country:US

Phone:209-686-1644

CAGE:0ND20

Company Name: DELTA PLASTICS CO. Address: 280 MAIN ST. PO BOX 489

Box:489 City:PIXLEY State:CA ZIP:93256

Phone:209-757-2010

CAGE:DO191

======= Composition/Information on Ingredients ========

Ingred Name: POLYAMINE EPOXY HARDENER

Fraction by Wt: 100%

Other REC Limits: NONE RECOMMENDED

Ingred Name: VOC: 0 LB/GAL; 0 GRAMS/LITER

RTECS #:9999999VO

Other REC

Limits:NONE RECOMMENDED
======================================
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:IRRITATION, SENSITIZATION, DERMATITIS Effects of Overexposure:IRRITATION, SENSITIZATION, DERMATITIS Medical Cond Aggravated by Exposure:ALLERGY, ECZEMA OR SKIN CONDITIONS
======================================
First Aid:EYES: IMMEDIATELY FLUSH EYES WITH WATER FOR AT LEAST 15 MINUTES . CALL A PHYSICIAN. SKIN: PROMPTLY WASH WITH MILD SOAP AND WATER. INGESTION: IF CONSCIOUS, GIVE LARGE QUANTITIES OF WATER. GET MEDICAL AT TENTION. INHALATION: REMOVE TO FRESH AIR. GIVE OXYGEN IF BREATHING IS DIFFICULT. OTHER: PROMPTLY REMOVE WET CONTAMINATED NON-IMPERVOIUS CLOTHING. WASH BEFORE REUSE.
======================================
Flash Point:205F,96C Extinguishing Media:CARBON DIOXIDE, FOAM, DRY CHEMICAL, WATER SPRAY Fire Fighting Procedu res:USE SELF-CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard:AVOID HEAT, OPEN FLAMES, AND ELECTRIC SPARKS.
========= Accidental Release Measures ==========
Spill Release Procedures:SOAK UP IN ABSORBENT MATERIAL AND FLUSH THE AREA WITH PLENTY OF WATER.
=========== Handling and Storage =============
Handling and Storage Precautions: CAUTION: THIS SYSTEM CONTAINS AN EPOXY RESIN WITH AN AMINE HARDNER. IN CASE OF CONTACT, WASH IMMEDI ATELY WITH SOAP AND WATER. Other Precautions: FOR EYES, FLUSH W/PLENTY OF WATER 15 MIN & CONSULT PHYSICIAN. AVOID SKIN/EYE CONTACT. AVOID INHALATION OF VAPOR. USE GOOD VENT, PARTICULARLY IF HEATED/SPRAYED. THESE MATERIAL MAY CAUSE SKIN OR OTHER AL LERGIC OR OTHER ALLERGIC RESPONSES.
===== Exposure Controls/Personal Protection ========
Pospiratory Protection: AIP MASK IS IN CONSINSO AREA

Respiratory Protection:AIR MASK IF IN CONFINED AREA Ventilation:LOCAL EXHAUST VENTILATION RECOMMENDED Protective Gloves:IMPERVIOUS R

ALDEHYDES, AMMONIA

======= Disposal Considerations ===========

Waste Disposal Methods: INCINERATE IN FURNACE OR BURY IN LANDFILL IN ACCORDANCE WITH FEDERAL, STATE, OR LOCAL REGULATION.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, war

rants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.