

MCGEAN-ROHCO INC,CEE-BEE CHEMICAL DIV -- CEE-BEE A-477 -- 8010-01-374-4337

===== Product Identification =====

Product ID:CEE-BEE A-477

MSDS Date:03/16/1994

FSC:8010

NIIN:01-374-4337

MSDS Number: BVBST

==== Responsible Party ===

Company Name:MCGEAN-ROHCO INC,CEE-BEE CHEMICAL DIV

Address:9520 E CEE BEE DR

City:DOWNEY

State:CA

ZIP:90241-5501

Country:US

Info Phone Num:216-441-4900

Emergency Phone Num:2

16-441-4900/ 800-424-9300

Preparer's Name:GLENN T CARNINE

CAGE:71361

==== Contractor Identification ===

Company Name:MCGEAN-ROHCO INC

Address:9520 E CEE BEE DR

Box:City:DOWNEY

State:CA

ZIP:90241-5501

Country:US

Phone:562-803-4311/FAX: 562-803-6701

CAGE:71361

===== Composition/Information on Ingredients =====

Ingred Name:MONOETHANOLAMINE

CAS:141-43-5

RTECS #:KJ5775000

Fraction by Wt: 42%

Other REC Limits:TWA:8 MG/CUBIC METER

Ingred Name:VOC: 844 GM/LITER

RTECS #:9999999VO

Othe

r REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE EFFECTS: CORROSIVE TO SKIN AND EYES. IRRITATING TO RESPIRATORY SYSTEM. CHRONIC EFFECTS: AFFECT TARGET ORGANS. (TARGET ORGANS: SKIN, EYES, LIVER, KIDNEYS)

Effects of Overexposure:EYE: BURNING SENSATION. SKIN: STINGING OR BURNING SENSATION. INHALATION: DIZZINESS, HEADACHE. EXPOSURE OF THIS NA

TURE UNLIKELY BECAUSE OF ODOR. INGESTION: IRRITATION OR BURNING OF MOUTH AND THROAT.

Medical Cond Aggravated by Exposure:DERMATITIS.

===== First Aid Measures =====

First Aid:EYE: FLUSH WITH WATER FOR 15 MIN. GET MEDICAL ATTENTION.

SKIN: FLUSH WITH WATER FOR 15 MIN. REMOVE CONTAMINATED CLOTHING. IF ANY SYMPTOMS OCCUR, GET MEDICAL ATTENTION. INHALATION: REMOVE TO FRESH AIR. IF NOT BREATHING, GIVE ARTIF RESPIRATION. IF BREATHING DIFFICULT,

GIVE OXYGEN. GET MEDICAL ATTENTION. INGESTION: IF CONSCIOUS, GIVE TWO GLASSES OF WATER TO DILUTE. DON'T INDUCE VOMITING. GET MED AID.

===== Fire Fighting Measures =====

Flash Point:NONE

Extinguishing Media:WHATEVER IS APPLICABLE TO TYPE OF FIRE.

Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE GEAR SHOULD BE WORN.

Unusual Fire/Explosion Hazard:NONE KNOWN.

===== Accidental Release Measures =====

=====

Spill Release Procedures:SOAK UP WITH SAWDUST, SAND, OIL DRY, OR OTHER ABSORBENT MATERIAL. FLUSH AREA WITH WATER

===== Handling and Storage =====

Handling and Storage Precautions:STORE INSIDE @ 32-90F IN WELL VENTILATED AREA. KEEP CONTAINERS TIGHTLY CLOSED.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF TWA IS EXCEEDED, MUST BE NIOSH OR MSHA APPROVED.

Ventilation:SUFFICIENT TO KEEP BELOW TWA

LIMIT.

Protective Gloves:NEOPRENE OR POLYETHYLENE

Eye Protection:CHEMICAL GOGGLES

Other Protective Equipment:SUFFICIENT TO PREVENT SKIN CONTACT. EYE  
WASH. SAFETY SHOWER.

Supplemental Safety and Health

\* PHYSICAL DATA CONT'D: THIS IS FOR THE LOWER LAYER, PAINT REMOVER, AND  
NOT THE INERT OIL SEAL.

===== Physical/Chemical Properties =====

HCC:B2

Boiling Pt:B.P. Text:149F,65C \*

Melt/Freeze Pt:M.P/F.P Text:-4F,-20C\*

Vapor Pres:0.2-0.3 \*

Vapor Density:>1

Spec Gra

vity:1.05 \*

pH:12-13\*

Evaporation Rate & Reference:< BUTYL ACETATE

Solubility in Water:COMPLETE \*

Appearance and Odor:2-PHASE STRAW COLORED LIQUID, AMINE ODOR

Corrosion Rate:NONE

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS, ACIDS.

Hazardous Decomposition Products:OXIDES OF CARBON AND NITROGEN.

===== Disposal Considerations =====

Waste Disposal Methods:SEND TO AN APPROVED WA

STE DISPSOAL FACILITY, OR

INCINERATE. FOLLOW ALL LOCAL, STATE, AND FEDERAL REGULATIONS. RCRA  
# (IF DISPOSED AS RECEIVED): D002.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should see

k competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.