

CONOCO INC -- PARAFFINIC/NAPHTHENIC SOLVENT, CONOSOL C-200 -- 6850-01-377-1809

=====  
Product Identification  
=====

Product ID: PARAFFINIC/NAPHTHENIC SOLVENT, CONOSOL C-200

MSDS Date: 09/05/1993

FSC: 6850

NIIN: 01-377-1809

MSDS Number: BVBSV

=== Responsible Party ===

Company Name: CONOCO INC

Box: 2197

City: HOUSTON

State: TX

ZIP: 77252

Country: US

Info Phone Num: 713-293-5550

Emergency Phone Num: 800-441-3637/800

-424-9300(CHEMTREC)

CAGE: 5R396

=== Contractor Identification ===

Company Name: CONOCO INC

Address: 5 GREENWAY PLAZA E

Box: 2197

City: HOUSTON

State: TX

ZIP: 77252

Country: US

Phone: 713-293-5550 PRODUCT/ 800-4413637 MED

CAGE: 5R396

Company Name: HOC INDUSTRIES, INC

Address: 3511 N. OHIO

Box: 2609

City: WICHITA

State: KS

ZIP: 67219

Country: US

Phone: 316-838-4663

CAGE: 0A9L8

=====  
Composition/Information on Ingredients  
=====

Ingred Name: CYCLOPARAFFINIC, ISOPARAFFINIC & NORMAL PARAFFINIC  
HYDRO

CARBONS

CAS:64742-47-8

RTECS #:OA5504000

Fraction by Wt: >99%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3 (OIL MIST)

ACGIH TLV:5 MG/M3 (OIL MIST)

=====  
===== Hazards Identification =====

LD50 LC50 Mixture:TLV FOR OIL MIST IS 5 MG/M3.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:TARGET ORGANS:EYE, SKIN, CNS,

RESPIRATORY & GI TRACTS. ACUTE- MAY CAUSE EYES, SKIN,  
LUNGS

IRRITATION. EXTREME OVEREXPOSURE OR ASPIRATION INTO THE LUNGS MAY  
CAUSE LUNG DAMAGE OR DEATH. MAY CAUSE CNS EFFECTS. ORAL:HARMFUL IF  
INGESTED. ASPIRATION HAZARD. CNS EFFECTS. CHRONIC- UNKNOWN.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:IRRITATION, DROWSINESS, DIZZINESS, NAUSEA,  
VOMITING, HEADACHE, REDNESS, TEARING, BLURRED VISION, DEFATTING,  
DERMATITIS, FATIGUE, CONVULSION, COMA, DEATH

Medical Cond Aggravated by Exposure:INDIVIDUALS WITH PRE-EXISTING

DISEASES OF THE EYE, SKIN, RESPIRATORY TRACT, CNS MAY HAVE  
INCREASED SUSCEPTIBILITY TO THE TOXICITY OF EXCESSIVE EXPOSURES.

=====  
===== First Aid Measures =====

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:REMOVE TO FRESH  
AIR. PROVIDE CPR/OXYGEN IF NEEDED. EYES:FLUSH WITH WATER FOR 15  
MINUTES. HOLD EYELIDS OPEN. CALL DOCTOR. SKIN:WASH WITH SOAP &  
WATER. ORAL :DO NOT INDUCE VOMITING. IF CONSCIOUS, DRINK 2 GLASSES  
OF WATER. GET ME

DICAL ATTENTION IMMEDIATELY. IF VOMITING, KEEP HEAD  
BELOW HIPS. NEVER GIVE ANYTIHING BY MOUTH TO AN UNCONSCIOUS PERSON.

=====  
===== Fire Fighting Measures =====

Flash Point Method:PMCC

Flash Point:200F,93C

Lower Limits:1.0%

Upper Limits:6.0%

Extinguishing Media:WATER FOG/SPRAY, CARBON DIOXIDE, FOAM/DRY CHEMICAL.  
DIRECTLY SPRAYING WATER/FOAM ONTO BURNING OIL MAY CAUSE FROTHING.

Fire Fighting Procedures:DO NOT ENTER ANY ENCLOSED OR CONFINED AREA  
WITHOUT PR

OPER PROTECTIVE EQUIPMENT AND NIOSH-APPROVED  
SELF-CONTAINED BREATHING APPARATUS. COOL CONTAINER WITH WATER.  
Unusual Fire/Explosion Hazard:MAY FORM TOXIC MATERIALS.

===== Accidental Release Measures =====

Spill Release Procedures:WEAR PROTECTIVE EQUIPMENT. ELIMINATE SOURCES  
OF IGNITION. VENTILATE AREA. RECOVER IF POSSIBLE. PICK UP SPILL  
WITH NON-FLAMMABLE ABSORBENT SUCH AS SAND, EARTH/PUMP (EXPLOSION  
PROOF). GROUND ALL HANDLING EQUIPMENTS. PREVENT LI  
QUID FROM  
ENTERING SEWERS.  
Neutralizing Agent:NOT RELEVANT

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL, WELL VENTILATED AREA  
AWAY FROM HEAT, SPARKS & OXIDIZING AGENTS. KEEP OUT OF REACH OF  
CHILDREN.  
Other Precautions:EMPTY CONTAINERS RETAIN RESIDUE. FOLLOW ALL LABEL  
INSTRUCTIONS. AVOID REPEATED OR PROLONGED SKIN CONTACT. DO NOT GET  
IN EYES. DO NOT BREATHE VAPOR OR MIST. DO NOT INGEST.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF WORKING IN CONFINED AREAS, IF EXCESSIVE  
MISTING IS EXPECTED OR IF EXPOSURE MAY OR DOES EXCEED RECOMMENDED  
PERMISSIBLE EXPOSURE LIMITS (PEL), WEAR NIOSH-APPROVED RESPIRATORY  
PROTECTION FOR ORGANIC VAPORS (REFER TO 29 CFR 1910.134).  
Ventilation:GOOD GENERAL VENTILATION SHOULD BE USED. VENTILATION RATES  
SHOULD BE MATCHED TO CONDITIONS.  
Protective Gloves:NEOPRENE IF REPEATED CONTACT POSSIBLE  
Eye Protection:  
CHEMICAL SPLASH GOGGLES IF SPLASHING  
Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER.  
INDUSTRIAL-TYPE WORK CLOTHING, APRON, AND BOOTS IF SPILLS OR  
SPLASHING CAN OCCUR.  
Work Hygienic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND  
RECOMMENDED PROCEDURES. WASH AFTER HANDLING AND BEFORE EATING OR  
DRINKING.  
Supplemental Safety and Health  
FORMULA CHANGED, SEE PNI A, SAME NSN. NOTE TO PHYSICIAN:ACTIVATED  
CHARCOAL SLURRY MAY BE ADMINISTERED. TO PREPARE ACTIVATE

D CHARCOAL,  
SUSPEND 50 GRAMS ACTIVATED CHARCOAL IN 400 ML WATER AND MIX THOROUGHLY. ADMINISTER 5 ML/KG OR 350 ML FOR AN AVERAGE ADULT.

===== Physical/Chemical Properties =====

HCC:N1  
NRC/State Lic Num:NOT RELEVANT  
Boiling Pt:B.P. Text:440F - 550F  
Vapor Pres:0.4 @ 100F  
Vapor Density:6.2  
Spec Gravity:0.82 - 0.83  
Solubility in Water:INSOLUBLE  
Appearance and Odor:CLEAR, COLORLESS LIQUID, NIL ODOR  
Percent Volatiles by Volume:NIL

===== Stability and  
Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
OXIDIZING AGENTS  
Stability Condition to Avoid:EXCESSIVE HEAT, SPARKS, FLAMES  
Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE MAY BE FORMED.

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE ABSORBED MATERIAL IN A LICENSED HAZARDOUS WASTE FACILITY. DISPOSAL SHOULD BE IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (  
provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.