## LORD CORP CHEMICAL PRODUCTS GR -- FUSOR 305-2 EPOXY

\_\_\_\_\_\_

\_\_\_\_\_

**MSDS Safety Information** 

FSC: 8040 NIIN: 00-145-0076 MSDS Date: 12/17/1992 MSDS Num: BVFKC Product ID: FUSOR 305-2 EPOXY MFN: 03 Kit Part: Y **Responsible Party** Cage: 30676 Name: LORD CORP CHEMICAL PRODUCTS GROUP Address: 2000 W GRANDVIEW BLVD City: ERIE PA 16514 Info Phone Number: 814-868-3611 **Emergency Phon** e Number: 814-763-2345 Preparer's Name: UNKNOWN Proprietary Ind: Y Review Ind: Y Published: Y Contractor Summary \_\_\_\_\_ Cage: HOLLE Name: HOLLEN (803-849-9772) Address: UNKNOWN City: UNKNOWN NK 00000 Phone: UNKNOWN Cage: 76005 Name: LORD CORP AEROSPACE PRODUCTS DIVISION Address: 1635 W 12TH STREET Box: 10039 City: ERIE PA 16514 Phone: 814-868-5424 Cage: 30676 Name: LORD CORPORATION, CHEMICAL **PRODUCTS DIVISION** Address: 2000 WEST GRANDVIEW BLVD City: ERIE PA 16514-0038 Phone: 814-868-3611 \_\_\_\_\_\_ Item Description Information \_\_\_\_\_ Item Manager: GSA Item Name: ADHESIVE Specification Number: NONE Type/Grade/Class: NONE Unit of Issue: KT **UI** Container Qty: 2 Type of Container: UNKNOWN \_\_\_\_\_ Ingredients \_\_\_\_\_

\_\_\_\_\_

Name: \*\*\* PROPRIETARY \*\*\* -----

\_\_\_\_\_\_

Health Hazards Data \_\_\_\_\_ LD50 LC50 Mixture: LD50 (ORAL, RAT) IS UNKNOWN. Route Of Entry Inds - Inhalation: NO Skin: NO Ingestion: NO Carcinogenicity Inds - NTP: NO IARC: NO OSHA: NO Effects of Exposure: TARGET ORGANS: EYES, SKIN. ACUTE- EYE: MAY CAUSE IRRITATION. SKIN:MAY CAUSE SENSITIZATION, IRRITATION, DERMATITIS. INHALE: VAPORS MAY CAUSE RESPIRATORY TRACT IRRITATION. ORAL: ASPIRATION HAZARD. CHRONIC- DERMATITIS. **Explanation Of Carcinogenicity: NONE** Signs And Symptions Of Overexposure: EYE, SKIN, RESPIRATORY TRACT IRRITATION Medical Cond Aggravated By Exposure: INDIVIDUALS WITH PRE-EXISTING DISEASES OF THE EYE, SKIN MAY HAVE INCREASED SUSCEPTIBILITY TO THE TOXICITY OF EXCESSIVE EXPOSURES. First Aid: GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. SKIN:WASH WITH SOAP & amp; WATER. EYE: FLUSH WITH WATER FO R 15 MINUTES, HOLDING EYELIDS OPEN. INHALED:REMOVE TO FRESH AIR & amp; PROVIDE OXYGEN/CPR IF NEEDED. ORAL:DO N OT INDUCE VOMITING. IF CONSCIOUS, DRINK1-2 GLASSES OF WATER/MILK. CALL A PHYSICIAN/POISON CONTROL CENTER IMMEDIATELY. \_\_\_\_\_ Handling and Disposal \_\_\_\_\_ Spill Release Procedures: WEAR PROTECTIVE EQUIPMENT. VENTILATE AREA. CONTAIN SPILL. PICK UP SPILL WITH NON-FLAMMABLE ABSORBENT SUC H AS SAND/NON-SPARKING TOOLS. PLACE IN CONTAINER FOR DISPOSAL. PREVENT LIQUID FROM ENTERING SEWE **RS/WATERWAYS**. Neutralizing Agent: NOT RELEVANT Waste Disposal Methods: DISPOSAL SHOULD BE MADE IN ACCORDANCE WITH ALL APPLICABLE FEDERAL. STATE AND LOCAL ENVIRONMENTAL REGULATIONS. USE LICENSED HAZARDOUS WASTE TRANSPORTER AND DISPOSAL FACILITY. Handling And Storage Precautions: STORE IN COOL, DRY, WELL VENTILATED AREA AWAY FROM SPARKS, FLAMES AND INCOMPATIBLES. Other Precautions: DO NOT USE

NEAR FLAME. KEEP CLOSURE TIGHT AND CONTAINER UPRIGHT TO PREVENT LEAKAGE. STORE DRUMS OUT OF SUN. KEEP OUT OF REACH OF CHILDREN.

Fire and Explosion Hazard Information

\_\_\_\_\_

Flash Point Method: SCC

Flash Point Text: >200F,>93C

Extinguishing Media: DRY CHEMICAL, WATER FOG, FOAM/CARBON DIOXIDE. WATER SHOULD BE USED TO COOL FIRE-EXPOSED CONTAINERS.

Fire Fighting Procedures: WEAR FUL

L PROTECTIVE CLOTHING AND NIOSH-APPROVED

SELF-CONTAINED BREATHING APPARATUS. IF WATER IS USED, FOG NOZZLES ARE PREFERRABLE.

Unusual Fire/Explosion Hazard: CONTAINERS MAY RUPTURE DUE TO VAPOR PRESSURE BUILDUP.

\_\_\_\_\_

Control Measures

\_\_\_\_\_

Respiratory Protection: IF ENGINEERING CONTROLS ARE INADEQUATE TO CONTROL VAPOR CONCENTRATIONS TO AN ACCEPTABLE LEVEL, A NIOSH-APPROVED ORGANIC VAPOR R

ESPIRATOR SHOULD BE WORN. FOR EMERGENCY SITUATIONS/CONFINED SPACE USE, WE AR AN APPROVED AIR-SUPPLIED RESPIRATOR.

Ventilation: ADEQUATE

Protective Gloves: RUBBER, NEOPRENE OR NITRILE

Eye Protection: CHEMICAL GOGGLES IF SPLASHING MAY OCCUR

Other Protective Equipment: EYE WASH STATION AND SAFETY SHOWER. INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices: USE GOOD PERSONAL HYGIENE PRACTICES. LAUNDER CONTAMINATED CLOTHING BEFORE WEARING.

Supplemental Safety and Health

: FORMULA CHANGED. FOR PREVIOUS FORMULATIONS, SEE

PNI A OR B, SAME NSN.

\_\_\_\_\_

Physical/Chemical Properties

\_\_\_\_\_

HCC: T6 NRC/State LIC No: NOT RELEVANT B.P. Text: 527F,275C M.P/F.P Text: NOT KNOWN Decomp Text: NOT KNOWN Vapor Pres: UNKNOWN Vapor Density: >1 Spec Gravity: 0.960 Solubility in Water: INSOLUBLE Appearance and Odor: BLUE LIQUID WITH MILD ODOR Percent Volatiles by Volume: 1.0 Corr osion Rate: UNKNOWN

Reactivity Data \_\_\_\_\_ Stability Indicator: YES Stability Condition To Avoid: HIGH TEMPERATURES Materials To Avoid: AMINES, ACIDS, WATER, HYDROXYL OR ACTIVE HYDROGEN COMPOUNDS Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE, ALDEHYDES Hazardous Polymerization Indicator: NO Conditions To Avoid Polymerization: NOT RELEVANT \_\_\_\_\_ \_\_\_\_\_ **Toxicological Information** \_\_\_\_\_\_ \_\_\_\_\_ **Ecological Information** \_\_\_\_\_ \_\_\_\_\_ **MSDS** Transport Information \_\_\_\_\_ \_\_\_\_\_ Regulatory Information \_\_\_\_\_ \_\_\_\_\_ \_\_\_\_\_ Other Information \_\_\_\_\_ \_\_\_\_\_\_ Transportation Information \_\_\_\_\_ Responsible Party Cage: 30676 Trans ID NO: 50581 Product ID: FUSOR 305-2 EPOXY MSDS Prepared Date: 12/17/1992 Review Date: 09/28/1994 MFN: 3 Net Unit Weight: UNKNOWN Multiple KIT Number: 0 Kit Part IND: Y Review

IND: Y Unit Of Issue: KT Container QTY: 2 Type Of Container: UNKNOWN Additional Data: 1 GALLON BASIC RESIN AND 1 GALLON ACCELERATOR
Detail DOT Information
DOT PSN Code: ZZZ DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
Detail IMO Information
IMO PS N Code: ZZZ IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION
Detail IATA Information
IATA PSN Code: ZZZ IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
Detail AFI Information
AFI PSN Code: ZZZ AFI Proper Shipping Name: NOT REGU LATED BY THIS MODE OF TRANSPORTATION
HAZCOM Label
Product ID: FUSOR 305-2 EPOXY

Code: F Skin Protection IND: YES Signal Word: CAUTION Health Hazard: Slight Contact Hazard: Slight Fire Hazard: Slight Reactivity Hazard: None Hazard And Precautions: TARGET ORGANS: EYES, SKIN. ACUTE- EYE: MAY CAUSE IRRITATION. SKIN: MAY CAUSE SENSITIZATION, IRRITATION, DERMATITIS. INHALE: VAPORS MAY CAUSE RESPIRATORY TRACT IRRITATION. ORAL: ASPIRATION HAZARD. CHRONIC- DERMATITIS. STORE IN COOL, VENTILATED AREA AWAY FROM FLAMES & amp; INCOMPATIBLES. PICK UP SPILL WITH INERT MATERIAL. FIRST AI **D- GET MEDICAL** ATTENTION IF SYMPTOMS PERSIST. SKIN:WASH WITH SOAP & amp; WATER. EYE:F LUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. INHALED:REMOVE TO FRESH AIR & PROVIDE OXYGEN/CPR IF NEEDED. ORAL:DO NOT INDUCE VOMITING. IF

CONSCIOUS, DRINK 1-2 GLASSES OF WATER/MILK. CALL A PHY SICIAN/POISON CONTROL CENTER IMMEDIATELY.

\_\_\_\_\_

Disclaimer (provided with this information by the compiling agencies): This information is formulate

d for use by elements of the Department of Defense.

The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the

United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.