

QPL INC -- VV-P-236 -- 9150-00-250-0926

===== Product Identification =====

Product ID:VV-P-236

MSDS Date:08/01/1993

FSC:9150

NIIN:00-250-0926

MSDS Number: BVGJF

=== Responsible Party ===

Company Name:QPL INC

Address:800 N ACADIA RD

City:THIBODAUX

State:LA

ZIP:70301

Country:US

Info Phone Num:504-449-0660

Emergency Phone Num:504-449-0660

Preparer's Name:NONE

CAGE:KO854

=== Contractor Identification ===

Company Name:QPL INC

Address:800 N ACADIA RD

Box:City:THIBOD

AUX

State:LA

ZIP:70301

Country:US

Phone:504-449-0660

CAGE:KO854

Company Name:QPL INC, FORMERLY OMNITECH INTERNATIONAL, INC.

Address:800 N. ACADIA ROAD

Box:City:THIBODAUX

State:LA

ZIP:70301

Country:US

Phone:504-394-8440

CAGE:0AD61

===== Composition/Information on Ingredients =====

Ingred Name:PETROLATUM

CAS:8009-03-8

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3 (OIL MIST)

ACGIH TLV:5 MG/M3 (MIST) 9394

===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:NONE SPECIFIED BY MANUFACTURER.  
Explanation of Carcinogenicity:NONE  
Effects of Overexposure:NONE SPECIFIED BY MANUFACTURER.  
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:EYES: FLUSH WITH LARGE AMOUNTS OF WATER. GET MEDICAL  
ATTENTION. SKIN: FOR MOLTEN  
PETROLATUM, FLUSH WITH COLD WATER. GET  
MEDICAL ATTENTION. FOR SOLID PETROLATUM REMOVE EXCESS WITH PAPER  
TOWELS. WASH AREA WITH SOAP AND WATER. INHALATION: NO DATA  
AVAILABLE. INGESTION: GET MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point Method:COC  
Flash Point:>400F,>204C  
Extinguishing Media:DRY CHEMICAL, CARBON DIOXIDE, FOAM, WATERFOG,  
SAND/EARTH.  
Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA  
TO PROTECT AGAINST SMOKE INHALATION AND FULL PROTECTIVE EQUIPMENT.  
WATER SPRAY IS UNSUITABLE EXTINGUISHING AGENT.  
Unusual Fire/Explosion Hazard:NONE.

===== Accidental Release Measures =====

Spill Release Procedures:SHUT OFF LEAK AND DIKE UP LARGE SPILLS. AFTER  
COOLING AND SOLIDIFICATION, SCRAP AND/OR SHOVEL UP MATERIAL.  
FINALLY, CLEAN AREA WITH AN OIL ABSORBENT MATERIAL.  
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE AWAY FROM FLAME, HEAT (200F MAX)  
AND STRONG OXIDIZING AGENTS. AVOID SKIN AND EYE CONTACT.  
Other Precautions:NONE SPECIFIED BY MANUFACTURER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NO DATA AVAILABLE.  
Ventilation:NORMAL ROOM VENTILATION SHOULD BE ADEQUATE.  
Protective Gloves:WEAR IMPERVIOUS GLOVES.  
Eye Protection:FACE SHIELD OVER SAFETY GLASSES.  
Other Protective Equipment:

WEAR OVERALLS.

Work Hygienic Practices:WASH AFTER HANDLING AND BEFORE EATING,  
DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

READ ALL LABELS CAREFULLY BEFORE USING.

===== Physical/Chemical Properties =====

HCC:V6

Melt/Freeze Pt:M.P/F.P Text:110 TO 180F

Solubility in Water:NIL

Appearance and Odor:YELLOW OR BROWN, SEMI-SOLID, OIL LIKE, OPAQUE  
COLOR.

===== Stability and Reactivity Data =====

=====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS.

Stability Condition to Avoid:AVOID HEAT ABOVE 200F.

Hazardous Decomposition Products:NONE.

Conditions to Avoid Polymerization:WILL NOT OCCUR.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF WASTE IN ACCORDANCE WITH LOCAL, STATE  
AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for us

e by elements of the Department

of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.