Product ID:PR-1440 B-2, ACCELERATOR

MSDS Date: 10/21/1993

FSC:8030

NIIN:00-579-8453

Kit Part:Y

MSDS Number: BVNBK === Responsible Party ===

Company Name: COURTAULDS AEROSPACE, INC

Address:5430 SAN FERNANDO ROAD

Box:1800

City:GLENDALE

State:CA ZIP:91209 Country:US

Info Phone Num:818-240-2060 / 818-549-7825

Emergency Phone Num:800-228-5635/800-424-9300 CHEM

**TREC** 

Preparer's Name: SEROJE HARTOONIANI

CAGE:83574

=== Contractor Identification ===

Company Name: PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA ZIP:91209 Country:US

Phone:818-240-2060

CAGE:83574

======= Composition/Information on Ingredients ========

Ingred Name: HYDROGENATED TERPHENYLS (VAPOR PRESSURE 1 MM HG)

CAS:61788-32-7

RTECS #:WZ6535000 Fraction by Wt: 31.477%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:0.

5 PPM ACGIH TLV:0.5 PPM

Ingred Name:CARBON BLACK (LISTED AS REQ'D BY 29CFR1910:1200, FULL ENCAPSULATED--NON HAZARDOUS UNDER NORMAL CONDITIONS)

CAS:1333-86-4

RTECS #:FF5800000 Fraction by Wt: 5.673%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:3.5 MG/M3 ACGIH TLV:3.5 MG/M3

Ingred Name: MANGANESE DIOXIDE (SARA III)

CAS:1313-13-9

RTECS #:OP0350000 Fraction by Wt: 56.308%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:5 MG/M3 CEILING ACGIH TLV:5 AS MN MG/M3

Ingred Name: DIPHENYL GUANIDINE (GUANIDINE,

N,N',DIPHENYL) CAS:102-06-7

RTECS #:MF0875000 Fraction by Wt: 3.940%

Other REC Limits: NONE RECOMMENDED

Ingred Name: VOC PER EPA METHOD 24: 35 G/L (COMBINED PART A & B)

RTECS #:9999999VO

Other REC Limits: NONE RECOMMENDED

========== Hazards Identification ================

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYE:SEVERELY IRRITATING.

SKIN: IRRITATION, IRRITATION ON MOIST

SKIN. TOXIC BY ABSORPTION. MAY

BE SENSITIZER. INHALATION:DIZZINESS, DROWSINESS, FATIGUE. MANGANESE PNEUMONITIS, MANGANESE POISONING. IRRIT ATION, MAY BE ABSORBED THRU LUNGS. INGESTION:APATHY, INSOMNIA, WEAKNESS IN LEGS, MUSCULAR TWITCHING, EMOTIONAL DISTRESS.

First Aid:EYES: FLUSH WITH LUKEWARM WATER FOR 15 MINUTES. IF SYMPTOMS PERSIST, CONSULT PHYSICIAN. SKIN: WASH WITH SOAP AND WATER. IF SYMPTOMS PE

RSIST, CONSULT A PHYSICIAN. INHALATION: REMOVE TO FRESH AIR. IF SY MPTOMS ARE PRESENT CONSULT A PHYSICIAN.INGESTION: CONSULT A PHYSICIAN.	
======================================	
Flash Point Method:TCC Flash Point:315F,157C Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER Fire Fighting Procedures:USE AIR SUPPLIED RESPIRATOR. USE WATER TO COOL HEAT EXPOSED CONTAINERS. Unusual Fire/Explosion Hazard:EXCESSIVE HEAT MAY CAUSE DECOMPOSITION OF	
MANGANESES DIOXIDE, RESULTING IN OXIDATION AND POSSIBLE IGNITION OF HYDROCARBON VEHICLE.	
========= Accidental Release Measures ============	
Spill Release Procedures:SCOOP INTO CONTAINERS. CLEAN-UP RESIDUE WITH A SUITABLE SOLVENT.	
======================================	
Handling and Storage Precautions:WASH THOROUGHLY AFTER HANDLING AND BEFORE SMOKING OR EATING. AVOID INGESTION.	
======= Exposure Controls/Personal Protection == =========	
Respiratory Protection:NOT REQUIRED. Ventilation:GENERAL VENTILATION Protective Gloves:SOLVENT RESISTANT GLOVES Eye Protection:SAFETY GLASSES Other Protective Equipment:NONE KNOWN Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING AND BEFORE SMOKING OR EATING. Supplemental Safety and Health	
======================================	
Boiling Pt:B.P. Text:644F,340C Vapor Density:NON VOLATL Spec Gravity:1.97	

Viscosity:1220P#6@10RPM Evaporation Rate &

amp; Reference: NON VOLATILE Solubility in Water:SLIGHT Appearance and Odor:BLACK PASTE Percent Volatiles by Volume:0.0

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES **EASILY OXIDIZABLE MATERIALS** Stability Condition to Avoid: NOT KNOWN Hazardous Decomposition Products: OXIDES OF CARBON AND NITROGEN, MANGANESE COMPOUNDS.

======= Disposal Considerations ============

Waste Disposal Methods: NOT A HAZARDOUS WAS TE ACCORDING TO EPA REGULATIONS. CONSULT STATE REGULATIONS PRIOR TO DISPOSAL OF SPILLAGE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to ver ify and assume responsibility for the suitability of this information to their

particular situation.