

COURTAULDS AEROSPACE, INC -- PR-1440 B-2, BASE -- 8030-00-878-8428

===== Product Identification =====

Product ID:PR-1440 B-2, BASE

MSDS Date:10/21/1993

FSC:8030

NIIN:00-878-8428

Kit Part:Y

MSDS Number: BVNFH

=== Responsible Party ===

Company Name:COURTAULDS AEROSPACE, INC

Address:5430 SAN FERNANDO ROAD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Info Phone Num:818-240-2060 / 818-549-7825

Emergency Phone Num:800-228-5635/800-424-9300 CHEMTREC

Preparer'

s Name:SEROJE HARTOONIANI

CAGE:83574

=== Contractor Identification ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

===== Composition/Information on Ingredients =====

Ingred Name:TITANIUM DIOXIDE (LISTED AS REQ'D BY 29 CFR1910.1200, FULLY  
ENCAPSULATED, NOT HAZARDOUS UNDER NORMAL USE)

CAS:13463-67-7

RTECS #:XR2275000

Fraction by Wt: 3.140%

Other REC Limits:NONE RECOMMENDED  
OSHA PEL:10 MG/M3  
ACGIH TLV:10 MG/M3

Ingred Name:CALCIUM CARBONATE(LIMESTONE)(LISTED AS REQ'D BY 29CFR  
1910.1200,FULLY ENCAPSULATD,NOT HZDOUS UNDER NORMAL CIRCUMSTANCES)  
CAS:1317-65-3  
RTECS #:EV9580000  
Fraction by Wt: 30.421%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:15.0 MG/M3  
ACGIH TLV:10.0 MG/M3

Ingred Name:TOLUENE (SARA III) (VAPOR PRESSURE 23 MM HG)  
CAS:108-88-3  
RTECS #:XS5250000  
Fraction by Wt: 0.978%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:100  
PPM;STEL 150 PPM  
ACGIH TLV:50 PPM  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:POLYSULFIDE POLYMER (NON HAZARDOUS)  
CAS:68611-50-7  
Other REC Limits:NONE RECOMMENDED

Ingred Name:SILICA DERIVATIVES (NON HAZARDOUS INGREDIENT)  
CAS:67762-90-7  
Other REC Limits:NONE RECOMMENDED

Ingred Name:VOC PER EPA METHOD 24: 35 G/L (COMBINED PART A & B)  
RTECS #:9999999VO  
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

Routes of Entry: Inhalation:Y

ES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:EYES: MAY CAUSE BURNING, TEARING,  
REDDENING. SKIN: PROLONGED EXPOSURE MAY CAUSE DRYING & CRACKING OF  
SKIN & DERMATITIS. INHALATION: MAY CAUSE DIZZINESS, DROWSINESS, &  
FATIGUE. MAY CAUSE LIVER & KIDNEY DAMAGE. INGESTION: DROWSINESS,  
DIZZINESS, & NAUSEA. CHRONIC: DISTURBANCE IN MEMORY, THINKING,  
EMOTIONS & COORDINATION

===== First Aid Measures

First Aid:EYES: FLUSH WITH WATER. IF SYMPTOMS PERSIST, CONSULT A  
PHYSICIAN. SKIN: WASH WITH SOAP AND WATER. IF SYMPTOMS PERSISTS,  
CONSULT A PHYSICIAN. INHALATION: REMOVE TO FRESH AIR. IF SYMPTOMS  
ARE PRESENT, CONSULT A PHYSICIAN. INGESTION: DRINK LARGE AMOUNTS  
OF WATER; INDUCE VOMITING; CONSULT A PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point:>200F,>93C  
Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM,  
WATER SPRAY.  
Fire Fighting Procedures:USE AIR SUPPLIED RESPIRATOR.  
Unusual Fire/Explosion Hazard:NONE KNOWN

===== Accidental Release Measures =====

Spill Release Procedures:SCOOP INTO CONTAINERS. CLEAN-UP RESIDUE WITH A  
SUITABLE SOLVENT. CERCLA RQ FOR TOLUENE IS 1,000 LBS.

===== Handling and Storage =====

Handling and Storage Precautions:WASH THOROUGHLY AFTER HANDLING AND  
BEFORE SMOKING OR EATING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE  
Ventilation:GENERAL VENTILATION.  
Protective Gloves:SOLVENT RESISTANT GLOVES  
Eye Protection:SAFETY GLASSES  
Other Protective Equipment:NONE KNOWN  
Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING AND BEFORE  
SMOKING OR EATING.  
Supplemental Safety and Health  
KEY1:N1.

===== Physical/Chemical Properties =====

HCC:N1  
Boiling Pt:B.P. Text:230 TO 350F  
Vapor Density:> AIR  
Spec Gravity:1.571

Viscosity:10500P#7@2RPM  
Evaporation Rate & Reference:< N-BUTYL ACETATE  
Solubility in Water:SLIGHT  
Appearance and Odor:BEIGE THIXOTROPIC PASTE  
Percent Volatiles by Volume:3.3

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
NONE KNOWN  
Stability Condition to Avoid:NOT KNOWN  
Hazardous Decomposition Products:OXIDES OF CARBON, SULFUR DIOXIDE,  
TRACES OF HYDROGEN SULFIDE.

===== Disposal Considerations =====  
=====

Waste Disposal Methods:NOT A HAZARDOUS WASTE ACCORDING TO EPA  
REGULATIONS. CONSULT STATE REGULATIONS PRIOR TO DISPOSAL OF  
SPILLAGE.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
docum  
ent should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.