

CITY CHEMICAL CO -- SODIUM THIOSULFATE PENTAHYDRATE 99.5% ACS REAGENT --
6810-00-233-0110

===== Product Identification =====

Product ID:SODIUM THIOSULFATE PENTAHYDRATE 99.5% ACS REAGENT

MSDS Date:10/26/1994

FSC:6810

NIIN:00-233-0110

MSDS Number: BVPYK

=== Responsible Party ===

Company Name:CITY CHEMICAL CO

Address:100 HOBOKEN AVE

City:JERSEY CITY

State:NJ

ZIP:07310

Country:US

Info Phone Num:201-653-6900

Emergency Phone Num:201-653-6900/800-424-9300(CHEMTREC)

C

AGE:8G980

=== Contractor Identification ===

Company Name:CITY CHEMICAL CO

Address:100 HOBOKEN AVE

Box:City:JERSEY CITY

State:NJ

ZIP:07310

Country:US

Phone:201-653-6900/800-424-9300(CHEMTREC)

CAGE:8G980

===== Composition/Information on Ingredients =====

Ingred Name:SODIUM THIOSULFATE,5-HYDRATE

CAS:10102-17-7

RTECS #:WE6660000

Fraction by Wt: 99.5%

Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

Routes of Entry: Inhalatio

n:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:MAY BE HARMFUL BY INHALATION,
INGESTION, OR SKIN ABSORPTION. CAUSES SKIN AND EYE IRRITATION. TO
THE BEST OF MANUFACTURER'S KNOWLEDGE CHEMICAL, PHYSICAL AND
TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED.
Explanation of Carcinogenicity:SODIUM THIOSULFATE PENTAHYDRATE IS NOT
LISTED AS A CARCINOGEN BY NTP OR IARC.
Effects of Overexposure:SKIN: REDNESS
, DISCOMFORT. EYES: REDNESS,
TEARING, DISCOMFORT.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:INGESTED-CALL A PHYSICIAN. IF CONSCIOUS, RINSE OUT MOUTH.
INHALED-REMOVE TO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL
RESPIRATION. IF BREATHING DIFFICULT, GIVE OXYGEN. SKIN-FLUSH WITH
LOTS OF SOAP & WATER. EYES-IMMEDIATELY FLUSH WITH LOTS OF WATER
FOR AT LEAST 15 MINUTES.

===

===== Fire Fighting Measures =====

Flash Point:NONFLAMMABLE
Extinguishing Media:MEDIA APPROPRIATE FOR SURROUNDING FIRE.
Fire Fighting Procedures:FIREFIGHTERS SHOULD WEAR FULL PROTECTIVE
CLOTHING INCLUDING POSITIVE-PRESSURE SELF-CONTAINED BREATHING
APPARATUS.
Unusual Fire/Explosion Hazard:EMITS TOXIC FUMES UNDER FIRE CONDITIONS.

===== Accidental Release Measures =====

Spill Release Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS,
RUBBER BOOTS, AND HEAVY RUBBER GLOVES. SWEEP UP, PLACE IN BAG AND
HOLD FOR WASTE DISPOSAL. AVOID RAISING DUST. VENTILATE AREA AND
WASH SPILL SITE AFTER MATERIAL PICK-UP IS COMPLETE.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY PLACE AWAY FROM
ACIDS. KEEP TIGHTLY CLOSED. DO NOT BREATHE DUST. WEAR APPROPRIATE
PROTECTIVE CLOTHING.
Other Precautions:

ons:AVOID PROLONGED OR REPEATED EXPOSURE. AVOID CONTACT WITH EYES, SKIN OR CLOTHING. MECHANICAL EXHAUST REQUIRED. WASH THOROUGHLY AFTER USING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF ENGINEERING CONTROLS FAIL OR NON-ROUTINE USE OR EMERGENCY OCCURS; USE NIOSH/MSHA APPROVED RESPIRATOR OR SUPPLIED AIR RESPIRATOR OR SCBA, AS REQUIRED. USE IAW 29 CFR 1910.134 AND MANUFACTURER'S RECOMMENDATIONS.

Ventilation:USE ADEQUATE MECHANICAL VENTILATION.

Protective Gloves:CHEMICAL RESISTANT-RUBBER

Eye Protection:SAFETY GLASSES/CHEMICAL SPLASH GOGGLES

Other Protective Equipment:PROTECTIVE CLOTHING AS REQUIRED TO PREVENT SKIN CONTACT. EYE WASH STATION & SAFETY SHOWER.

Work Hygienic Practices:WASH HANDS AFTER USE AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDRY CONTAMINATED CLOTHES BEFORE REUSE.

Supplemental Safety and Health

MSDS PRESENTED BY CAGE 8G980 FOR CONTRACT NUMBER-SP0450-95-M-8094.

===== Physical/
Chemical Properties =====

HCC:N1

Spec Gravity:1.729

Appearance and Odor:WHITE CRYSTALS

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG MINERAL ACIDS, STRONG OXIDIZING AGENTS.

Stability Condition to Avoid:DLA-HMIS: AVOID INCOMPATIBLE MATERIALS.

Hazardous Decomposition Products:SULFUR OXIDES.

===== Disposal Considerations =====

Waste Disposal Methods:CAUTIOUSLY ADD TO A LARGE STIRRED EXCESS OF

WATER. ADJUST PH TO NEUTRAL. SEPARATE SOLIDS-PACKAGE & DISPOSE OF AS HAZAROUS WASTE. FLUSH AQUEOUS WASTE DOWN DRAIN WITH LOTS OF WATER. OBSERVE ALL LOCAL, STATE AND FEDERAL ENVIRONMENTAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be a

ccurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.