BIOMERIEUX VITEK INC -- KOVACS REAGENT -- 6550-01-153-6991 ============= Product Identification ======================== Product ID:KOVACS REAGENT MSDS Date:02/26/1997 FSC:6550 NIIN:01-153-6991 MSDS Number: BVQCS === Responsible Party === Company Name: BIOMERIEUX VITEK INC Address:595 ANGLUM DR City:HAZELWOOD State:MO ZIP:63042-2320 Country:US Info Phone Num:800-638-4835 Emergency Phone Num:314-854-0344 OR LOCAL POISON CENTER CAGE:BIOM1 === Contractor Identification === Company Name:BIOM **ERIEUX VITEK INC** Address:595 ANGLUM DR City:HAZELWOOD State:MO ZIP:63042 Country:US Phone:800-638-4835 CAGE:BIOM1 Company Name: BIOMERIEUX VITEK, INC. Address:595 ANGLUM DRIVE Box:City:HAZELWOOD State:MO ZIP:63042 Country:US Phone:800-638-4835 CAGE:4S002 ======= Composition/Information on Ingredients ======== Ingred Name: HYDROGEN CHLORIDE (HYDROCHLORIC ACID) (SARA 302/313) (CERCLA) CAS:7647-01-0

RTECS #:MW4025000 Fraction by Wt: 24%

OSHA PEL:C

Other REC Limits: NONE RECOMMENDED

5 PPM ACGIH TLV:C 5 PPM; 9596 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name: P-DIMETHYLAMINO BENZALDEHYDE

CAS:100-10-7

RTECS #:CU5775000 Fraction by Wt: 5%

Other REC Limits: NONE RECOMMENDED

Ingred Name: AMYL ALCOHOL

CAS:71-41-0

RTECS #:SB9800000 Fraction by Wt: 71%

Other REC Limits: NONE RECOMMENDED

=========== Hazards Identification =================

LD50 LC50 Mixture:ORAL LD50 (RAT) 2200 MG/KG (N-PENTYL AL)

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Repo

rts of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INHALATION MAY CAUSE SEVERE IRRITATION TO MUCOUS MEMBRANES AND RESPIRATORY TRACT, PULMONARY EDEMA. CONTACT WITH SKIN MAY CAUSE SEVERE IRRITATION AND CHEMICAL BURNS. CONTACT WITH EYES MAY CAUSE SEVERE IRRITATION AND BURNS LEADING TO PERMANENT DAMAGE AND POSSIBLE BLINDNESS. INGESTION MAY CAUSE SEVERE BURNS AND CNS EFFECT

Explanation of Carcinogenicity:THIS COMPOUND CONTAINS NO INGREDIENTS AT C

ONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS.

Effects of Overexposure:MUCOUS MEMBRANE IRRITATION, RESPIRATORY TRACT IRRITATION, COUGHING, BURNING OF NOSE AND THROAT, HEADACHE, DIZZINESS, NARCOSIS, SHORTNESS OF BREATH, CHEST PAIN, PULMONARY EDEMA, SKIN IRRITATION/BURNS, EYE IRRITATION, BLINDNESS, BURNS TO MOUTH/THROAT/GASTROINTESTINAL TRACT, DIZZINESS, NAUSEA, VOMITING, DIARRHEA, COLLAPSE

Medical Cond Aggravated by Exposure:PRE-EXISTING SKI

PRODUCT.
======================================
First Aid:EYES: FLUSH WITH WATER FOR 15 MINUTES WHILE HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION. IN HALATION: REMOVE TO FRESH AIR. RESTORE BREATHING. GET MEDICAL ATTENTION. INGESTION: GIVE WATER OR MILK TO DRINK. DO NOT
INDUCE VOMITING. GET MEDICAL ATTENTION.
============= Fire Fighting Measures ==============
Flash Point:SEE SUPP'L DATA Autoignition Temp:Autoignition Temp Text:572F Lower Limits:1.2 % Upper Limits:10.0 % Extinguishing Media:WATER FOG, DRY CHEMICAL, CARBON DIOXIDE,
ALCOHOL-RESISTANT FOAM Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXP OSED TO FIRE.
Unusual Fire/Explosion Hazard:N-PENTYL ALCOHOL IS FLAMMABLE AND FORMS EXPLOSIVE MIXTURES WITH AIR. WILL REACT WITH MOST METALS RELEASING HYDROGEN GAS.
========= Accidental Release Measures ==========
Spill Release Procedures:ELIMINATE SOURCES OF IGNITION. EVACUATE AREA. WEAR PROPER PERSONAL PROTECTIVE EQUIPMENT. CONTAIN SPILL. STOP LEAK IF CAN DO SO WITHOUT RISK. ABSORB LIQUID WITH SUITABLE ABSORBENT MATERIAL. COLLECT FOR DISPOSAL. Neutrali
zing Agent:SODIUM BICARBONATE SOLUTION
============= Handling and Storage =============
Handling and Storage Precautions:STORE IN A COOL, DRY PLACE WITH ADEQUATE VENTILATION. KEEP AWAY FROM OPEN FLAMES AND HIGH TEMPERATURES. KEEP AWAY FROM ALL SOURCES OF IGNITION. Other Precautions:AVOID CONTACT WITH EYES, SKIN AND CLOTHING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. AVOID BREATHING VAPOR. PROHIBIT SMOKING IN STORAGE AND USE AREAS.
====== Exposure C

RESPIRATORY DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS

N AND/OR

Respiratory Protection:IF VENTILATION DOES NOT MAINTAIN INHALATION EXOSURES BELOW PEL (TLV), USE NIOSH/MSHA APPROVED RESPIRATOR AS PER CURRENT 29 CFR 1910.134, INSTRUCTIONS/WARNINGS AND NIOSH RESPIRATOR SELECTION.

Ventilation:LOCAL EXHAUST AND MECHANICAL (GENERAL) VENTILATION TO MAINTAIN EXPOSURE LEVELS.

Protective Gloves:BUTYL RUBBER

Eye Protection: SAFETY GLASSES OR GOGGLES

Other Protective Equipment:PROTECTIVE CLOTHING AS REQUIRED TO AVOID

SKIN CONTACT. AN EMERGENCY EYE WASH STATION AND SHOWER SHOULD BE AVAILABLE.

Work Hygienic Practices:WASH WITH SOAP AND WATER AFTER HANDLING PRODUCT AND BEFORE EATING DRINKING OR SMOKING.

Supplemental Safety and Health

THE FLASH POINT IS ESTIMATED AT