

MSDS Safety Information

FSC: 9150
NIIN: 01-179-0228
MSDS Date: 08/11/1993
MSDS Num: BVVCX
Product ID: WLD
MFN: 01
Responsible Party
Cage: 07431
Name: JET-LUBE INC
Address: 4849 HOMESTEAD RD
Box: 21258
City: HOUSTON TX 77226
Info Phone Number: 713-674-7617
Emergency Phone Number: 713-674-7617/800-424-9300(C
HEMTREC)
Preparer's Name: DONALD A. OLDIGES
Proprietary Ind: Y
Review Ind: Y
Published: Y

Contractor Summary

Cage: 07431
Name: JET-LUBE INC
Address: 4849 HOMESTEAD RD
Box: 21258
City: HOUSTON TX 77026
Phone: 713-674-7617

Item Description Information

Item Manager: S9G
Item N
ame: GREASE,WIRE ROPE-EXPOSED GEAR
Specification Number: NONE
Type/Grade/Class: NONE
Unit of Issue: CN
Quantitative Expression: 00000000035LB
UI Container Qty: 0
Type of Container: CAN

Ingredients

Name: *** PROPRIETARY ***

Health Hazards Data

LD50 LC50 Mixture: TLV FOR OIL MIST IS 5 MG/M3.
Route Of Entry Inds - Inhalation: NO
Skin: NO
Ingestion: NO
Carcinogenicity Inds - NTP: NO
IARC: NO
OSHA: NO
Effects of Exposure: TARGET ORGANS:EYES, SKIN, RESPIRATORY TRACT. ACUTE-
PROLONGED EYE/SKIN CONTACT WILL CAUSE IRRITATION. PROLONGED INHALATION OF
VAPORS/OIL MIST WILL CAUSE LUNG IRRITATION & MAY BE HARMFUL. MAY BE
HARMFU L/FATAL IF INGESTED. CHRONIC- UNKNOWN.
Explanation Of Carcinogenicity: NONE
Signs And Symptions Of Overexposure
: EYES, SKIN, RESPIRATORY TRACT IRRITATION
Medical Cond Aggravated By Exposure: HEART PROBLEMS IN HIGH VAPOR CONCENTRATION
First Aid: GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. SKIN:REMOVE BY
WIPING/WATERLESS HAND CLEANER FOLLOWED BY WASHING SKIN WITH SOAP & WATER.
EYE:FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. INHALED:R EMOVE TO
FRESH AIR & PROVIDE OXYGEN/CPRIF NEEDED. ORAL:DO NOT INDUCE VOMITING.
CALL PHYSICIAN.

=====
=

Handling and Disposal

=====
Spill Release Procedures: SCOOP UP EXCESS GREASE, WIPE UP WITH RAGS, PICK-UP
RESIDUE WITH NON-FLAMMABLE ABSORBENT MATERIAL SUCH AS DIATOMACEOUS EARTH,
SAND OR VERMICULITE. SWEEP UP AND TRANSFER TO A CONTAINER FOR PROPER DISPOS
AL. CLEAN AREA WITH APPROPRIATE CLEANER.
Neutralizing Agent: NOT RELEVANT
Waste Disposal Methods: CONSULT LOCAL, STATE AND FEDERAL REGULATIONS FOR
PETROLEUM PRODUCTS AND CHLORINATED SOL
VENTS DISPOSAL.
Handling And Storage Precautions: STORE AWAY FROM HEAT, STRONG OXIDIZING AGENTS
AND DIRECT SUNLIGHT.
Other Precautions: USE ONLY IN WELL VENTILATED AREAS. AVOID PROLONGED/REPEATED
BREATHING OF FUMES/MISTS. AVOID CONTACT WITH EYES AND SKIN. DO NOT TAKE
INTERNALLY. WASH THOROUGHLY AFTER USING. KEEP OUT OF REACH OF CHILDR EN.

=====
Fire and Explosion Hazard Information

=====
FI

ash Point Method: COC
Flash Point Text: >430F,>221C
Autoignition Temp Text: 500F
Lower Limits: >0.9
Upper Limits: >7.0
Extinguishing Media: USE CARBON DIOXIDE, FOAM, SAND/EARTH OR DRY CHEMICAL.
WATER MAY CAUSE FROTHING.
Fire Fighting Procedures: WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL
FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH
WATER SPRAY.
Unusual Fire/Explosion Hazard: NONE

=====
Control Measures
=====

Respiratory Protection: USE ONLY IN WELL VENTILATED AREA. IF EXCESSIVE MISTING
PRESENT, USE NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS.
Ventilation: LOCAL EXHAUST
Protective Gloves: POLY VINYL ALCOHOL
Eye Protection: SAFETY GLASSES
Other Protective Equipment: EYE WASH STATION & SAFETY SHOWER
Work Hygienic Practices: OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND
RECOMMENDED PROCEDURES. WASH HANDS BEFORE EATING.

=====
Physical/Chemical Properties
=====

HCC: T6
NRC/State LIC No: NOT RELEVANT
B.P. Text: >165F,>74C
M.P/F.P Text: UNKNOWN
Decomp Text: UNKNOWN
Vapor Pres: <100
Vapor Density: >1
Spec Gravity: 1.10
Viscosity: UNKNOWN
Solubility in Water: NIL
Appearance and Odor: BLACK SEMI-FLUID WITH CHARACTERISTIC SOLVENT ODOR
Percent Volatiles by Volume: 15 MAX
Corrosion Rate: UNKNOWN

=====

Reactivity Data

=====

Stability Indicator: YES
Stability Condition To Avoid: EXCESSIVE HEAT, FLAMES
Materials To Avoid: STRONG OXIDIZING AGENTS
Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE, HYDROCHLORIC
ACID, CARBONYL CHLORIDE, SULFUR DIOXIDE, OXIDES OF NITROGEN & OTHER GASES
Hazardous Polymerization Indicator: NO
Conditions To Avoid Polymerization: NOT RELEVANT

=====

=====

Toxicological Information

=====

=====

Ecological Information

=====

=====

MSDS Transport Information

=====

=====

Regulatory Information

=====

=====

=====

Other Information

=====

=====

Transportation Information

=====

Responsible Party Cage: 07431
Trans ID NO: 113214
Product ID: WLD
MSDS Prepared Date: 08/11/1993
Review Date: 11/30/1994
MFN: 1
Net Unit Weight: 35.0 LBS
Multiple KIT Number: 0
Review IND: Y
Unit Of Issu

e: CN
Container QTY: 0
Type Of Container: CAN

=====

Detail DOT Information

=====

DOT PSN Code: ZZZ
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

Detail IMO Information

=====

IMO PSN Code: ZZZ
IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION

===

=====

Detail IATA Information

=====

IATA PSN Code: ZZZ
IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

Detail AFI Information

=====

AFI PSN Code: ZZZ
AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

=====

HAZCOM Label

=====

Product ID: WLD
Cage: 07431
Company Name: JET-LUBE INC
Street: 4849 HOMESTEAD RD
PO Box: 21258
City: HOUSTON TX
Zipcode: 77026
Health Emergency Phone: 713-674-7617/800-424-9300(CHEMTREC)
Label Required IND: Y
Date Of Label Review: 11/30/1994
Status Code: C
MFG Label NO: UNKNOWN
Label Date: 11/30/1994
Origination Code: F
Eye Protection IND: YES
Skin Protection IND: YES
Signal Word: WARNING
Health Hazard: Moderate
Contact

Hazard: Moderate

Fire Hazard: None

Reactivity Hazard: None

Hazard And Precautions: TARGET ORGANS:EYES, SKIN, RESPIRATORY TRACT. ACUTE-
PROLONGED EYE/SKIN CONTACT WILL CAUSE IRRITATION. PROLONGED INHALATION OF
VAPORS/OIL MIST WILL CAUSE LUNG IRRITATION & MAY BE HARMFUL. MAY BE
HARMFUL/FATAL IF INGESTED. CHRONIC- UNKNOWN. STORE AWAY FROM OXIDIZERS &
SUNLIGHT. PICK-UP SPILL WITH DIATOMACEOUS EARTH. CLEAN AREA WITH CLEANER.
FIRST AID- GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. SKI

N: REMOVE BY

WIPING/WATERLESS HAND CLEANER FOLLOWED BY WASHING SKIN WITH SOAP & WATER.
EYE:FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. INHALED:REMOVE TO
FRESH AIR & PROVIDE OXYGEN/CPR IF NEEDED. ORAL:DO NOT INDUCE VOMITING.
CALL PHYSICIAN.

=====

Disclaimer (provided with this information by the compiling agencies): This
information is formulated for use by elements of the Department of Defense.

The United States of

America in no manner whatsoever expressly or implied
warrants, states, or intends said information to have any application, use or
viability by or to any person or persons outside the Department of Defense
nor any person or persons contracting with any instrumentality of the United
States of America and disclaims all liability for such use. Any person
utilizing this instruction who is not a military or civilian employee of the
United States of America should seek competent professio

nal advice to verify

and assume responsibility for the suitability of this information to their
particular situation regardless of similarity to a corresponding Department
of Defense or other government situation.