

WHITE LIGHTNING PRODUCTS CORP (FORMERLY SUPERIOR) -- 4150 DC DECRATREND HPC
SMOOTH WHITE -- 8030-00-195-7660

===== Product Identification =====

Product ID:4150 DC DECRATREND HPC SMOOTH WHITE

MSDS Date:01/01/1992

FSC:8030

NIIN:00-195-7660

MSDS Number: BVWWP

=== Responsible Party ===

Company Name:WHITE LIGHTNING PRODUCTS CORP (FORMERLY SUPERIOR)

Address:1135 SYLVAN RD SW

City:ATLANTA

State:GA

ZIP:30310

Country:US

Info Phone Num:404-758-2611

Emergency Phone Num:8

00-255-3924

CAGE:GO017

=== Contractor Identification ===

Company Name:WHITE LIGHTNING PRODUCTS CORP

Address:1135 SYLVAN RD SW

Box:City:ATLANTA

State:GA

ZIP:50310

Country:US

Phone:404-758-2611

CAGE:0UDJ1

Company Name:WHITE LIGHTNING PRODUCTS CORP

Address:1135 SYLVAN RD SW

City:ATLANTA

State:GA

ZIP:30310-5000

Country:US

Phone:800-255-3924/404-758-2611

CAGE:GO017

===== Composition/Information on Ingredients =====

Ingred Name:ETHYLENE GLYCOL (SARA III)

CAS:107-21-1

RTECS #:KW29

75000
Fraction by Wt: 1%
Other REC Limits:NONE RECOMMENDED
ACGIH TLV:C 50 PPM,VAPOR; 9394
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: NO EFFECTS NOTE FOR INHALATION.
CONTACT MAY CAUSE SLIGHT EYE IRRITATION. SMALL AMOUNTS INGESTED
DURING NORMAL HANDLING ARE NOT LIKELY TO CAUSE INJURY.
CHRONIC:
PROLONGED EXPOSURE MAY CAUSE SLIGHT SKIN IRRITATION.TARGET ORGANS:
NONE.
Explanation of Carcinogenicity:NO INGREDIENT OF A CONCENTRATION OF 0.1%
OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.
Effects of Overexposure:EYES: REDNESS, DISCOMFORT. SKIN: REDNESS,
DISCOMFORT.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:INGESTED-IF CONSCIOUS, INDUCE VOMITING BY
GIVING 2 GLASSES OF
WATER & PLACING FINGER AT BACK OF THROAT. CONSULT A PHYSICIAN.
EYES-FLUSH WITH WATER FOR 15 MINUTES. CONSULT A PHYSICIAN.
SKIN-WASH WITH SOAP & WATER.

===== Fire Fighting Measures =====

Flash Point:>200F,>93C
Extinguishing Media:USE NFPA CLASS B EXTINGUISHERS; CARBON DIOXIDE, DRY
CHEMICAL, OR FOAM.
Fire Fighting Procedures:FIREFIGHTERS SHOULD WEAR FULL PROTECTIVE
CLOTHING INCLUDING POSITIVE-PRESSURE SELF-CONTAINED BREATHING
APPARATUS. USE WATER TO COOL FIRE EXPOSED CONTAINERS.
Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

===== Accidental Release Measures =====

Spill Release Procedures:AREA MAY BE SLIPPERY-CARE SHOULD BE TAKEN TO
PREVENT FALLS. KEEP SPILL OUT OF SEWERS AND OPEN BODIES OF WATER.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:DO NOT ST

ORE ABOVE 140F. KEEP FROM
FREEZING. AVOID CONTACT WITH SKIN, EYES, OR CLOTHES. WASH
THOROUGHLY AFTER HANDLING.

Other Precautions:NONE SPECIFIED BY MANUFACTURER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED.

Ventilation:NONE NORMALLY REQUIRED.

Protective Gloves:NONE NORMALLY REQUIRED.

Eye Protection:SAFETY GLASSES W/SIDE SHIELDS.

Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices:WASH HA

NDS AFTER USE AND BEFORE EATING,

DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHES BEFORE REUSE.

Supplemental Safety and Health

MSDS ENTERED BY DLA-HMIS UNDER PROJECT FOR GSA. NOTE: COMPANY NAME IS
NEW, FORMERLY KNOWN AS SUPERIOR SEALANTS, INC.

===== Physical/Chemical Properties =====

HCC:N1

Melt/Freeze Pt:M.P/F.P Text:32.0F,0.0C

Vapor Density:>1

Spec Gravity:1.54

pH:7.5

Viscosity:20-25GPS @77F

Solubility in Water:APPRECIABLE

Appearance and Odor:WHITE LIQUI

D; LIGHT ACRYLIC ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE.

Stability Condition to Avoid:NONE.

Hazardous Decomposition Products:AT VERY HIGH TEMPERATURES,

DECOMPOSITION MAY EVOLVE CARBON MONOXIDE AND CARBON DIOXIDE AND
TOXIC MONOMER FUMES.

Conditions to Avoid Polymerization:THIS WILL NOT OCCUR.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDA

NCE WITH LOCAL, STATE AND
FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.