

ACCRABOND INC. -- ACCRABOND 7521 PART B CATALYST -- 8040-00-532-7270

===== Product Identification =====

Product ID:ACCRABOND 7521 PART B CATALYST

MSDS Date:03/07/1991

FSC:8040

NIIN:00-532-7270

Kit Part:Y

MSDS Number: BWCCV

=== Responsible Party ===

Company Name:ACCRABOND INC.

Address:8848 HACKS CROSS ROAD

City:OLIVE BRANCH

State:MS

ZIP:38654

Country:US

Info Phone Num:601-895-4480

Emergency Phone Num:601-895-4480

CAGE:5V071

=== Contractor Identification ===

Com

pany Name:ACCRABOND INC

Address:8848 HACKS CROSS RD

Box:City:OLIVE BRANCH

State:MS

ZIP:38654-3884

Country:US

Phone:601-895-4480

CAGE:5V071

===== Composition/Information on Ingredients =====

Ingred Name:METHYL ETHYL KETONE PEROXIDE (MEKP) (SARA III)

CAS:1338-23-4

RTECS #:EL9450000

Fraction by Wt: 34%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:C 0.7 PPM

ACGIH TLV:C 0.2 PPM ; 9394

EPA Rpt Qty:10 LBS

DOT Rpt Qty:10 LBS

Ingred Name:DIMETHYLPHTHALATE (SARA III)

CAS:131-11-3

RTEC

S #:TI1575000  
Fraction by Wt: 58%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:5 MG/M3  
ACGIH TLV:5 MG/M3; 9394  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:2-THYLHEXYL ACETATE  
Fraction by Wt: 7%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:HYDROGEN PEROXIDE (SARA III)  
CAS:7722-84-1  
RTECS #:MX0900000  
Fraction by Wt: 1%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:1 PPM  
ACGIH TLV:1 PPM; 9394

===== Fire Fighting Measures =====

Flash Point Method:COC  
Flas  
h Point:>200F,>93C  
Extinguishing Media:WATER FOG  
Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED  
SELF-CONTAINED BREATHING APPARATUS.  
Unusual Fire/Explosion Hazard:DRY CHEMICAL WITH MEKP MAY REIGNITE. THE  
EXTINGUISHED AREA MUST BE THOROUGHLY WET WITH WATER TO PREVENT  
REIGNITION.

===== Exposure Controls/Personal Protection =====

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:F4  
NRC/State

Lic Num:NOT RELEVANT  
Vapor Density:>1  
Spec Gravity:1.1  
Solubility in Water:SLIGHT  
Appearance and Odor:WATER WHITE LIQUID; SLIGHT ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
DIMETHYLANILINE, COBALT NAPHTHENATE AND OTHER PROMOTERS, ACCELERATORS,  
REDUCING AGENTS OR ANY HOT MATERIAL  
Stability Condition to Avoid:DIRECT SUNLIGHT, TEMPERATURES ABOVE 80F.

Disclaimer (provided with this information by the compiling agencies)

:

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.