FINETONE INC -- EP-E CARTRIDGE BLACK -- 6850-01-376-1766 ============= Product Identification ======================== Product ID:EP-E CARTRIDGE BLACK MSDS Date:07/22/1992 FSC:6850 NIIN:01-376-1766 MSDS Number: BWCLC === Responsible Party === Company Name: FINETONE INC Address:38-38 43RD STREET City:LONG ISLAND CITY State:NY ZIP:11101 Country:US Info Phone Num:716-947-1497 Emergency Phone Num:716-947-1497 CAGE:0YK32 === Contractor Identification === Company Name: FINETONE INC Address:38-3 8 43RD STREET Box:City:LONG ISLAND CITY State:NY ZIP:11101 Country:US Phone:718-937-1497 CAGE:0YK32 ======= Composition/Information on Ingredients ======== Ingred Name: STYRENE ACRYLATE COPOLYMER CAS:23153-46-2 Fraction by Wt: 45-55% Ingred Name: IRON OXIDE

CAS:1317-61-9

Fraction by Wt: 45-55%

========= Hazards Identification =============

LD50 LC50 Mixture:TLV: 10 MG/M3 TOTAL DUST Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenici

ty:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYE CONTACT: NO SPECIFIC HAZARD KNOWN. HOWEVER, ANY MATERIAL THAT CONTACTS THE EYE MAY BE IRRITATING. SKIN: LOW HAZARD FOR INDUSTRIAL HANDLING. **Explanation of Carcinogenicity:NONE** Effects of Overexposure: INHALATION-GASPING, DO NOT BREATHE DUST. Medical Cond Aggravated by Exposure: NONE SPECIFIED BY MANUFACTURER. First Aid:INHALATION-REMOVE FROM EXPOSURE TO FR ESH AIR. EYE CONTACT-OPEN EYE AND FLUSH WITH PLENTY OF WATER, IF IRRITATION PERSISTS, GET MEDICAL ATTENTION. SKIN-WASH WITH SOAP AND WATER. INGESTION-DRINK SEVERAL GLASSES OF WATER. CALL A PHYSICIAN. ============ Fire Fighting Measures ========================= Extinguishing Media:WATER, DRY CHEMICAL, CARBON DIOXIDE. Fire Fighting Procedures: NONE Unusual Fire/Explosion Hazard: THIS MATERIAL, LIKE MOST ORGANIC MATERIAL IN POWDER FORM, IS CAPABLE OF CREATING A DUST EXPLOSI ON. ======== Accidental Release Measures ============ Spill Release Procedures: SWEEP MATERIAL ONTO PAPER AND PLACE IN FIBER CARTON. ============= Handling and Storage ========================== Handling and Storage Precautions: KEEP AWAY FROM CONTACT W/OXIDIZING MATERIALS. Other Precautions: KEEP OUT OF REACH OF CHILDREN. DON'T BREATHE DUST. ====== Exposure Controls/Personal Protection ======== Ventilation: GOOD GENERAL VENTILATION SHOULD BE SUFFI CIENT. Protective Gloves: NONE REQUIRED. Eye Protection: NONE REQUIRED. Other Protective Equipment: NONE. Work Hygienic Practices: WASH HANDS AFTER USING. Supplemental Safety and Health NONE ========= Physical/Chemical Properties =========== HCC:N1 Melt/Freeze Pt:M.P/F.P Text:100-150C Vapor Pres:NEGLIGIBLE Spec Gravity: 1.4 - 1.6 Evaporation Rate & Evaporation R Solubility in Water: NEGLIGIBLE Appearance and Odor: FINE POWDER, W/SLIGHT PLASTIC ODOR

Percent Vola

tiles by Volume:NEGLIG
========= Stability and Reactivity Data ==========
Stability Indicator/Materials to Avoid:YES STRONG OXIDIZERS Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products:AS WITH ANY OTHER ORGANIC MATERIAL, COMBUSTION WILL PRODUCE CARBON DIOXIDE AND CARBON MONOXIDE.
======== Disposal Considerations ===========
Waste Disposal Methods:NO SPECIAL DISPOSAL TECHNIQUES REQUIRED. ENSURE COMPLIAN
CE WITH STATE AND/OR LOCAL REGULATIONS. CARTRIDGE IS

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their particular situation.

COMPOSED OF PLASTIC AND METALS.