

RED DEVIL INC -- FED SPEC GUTTER & LAP SEAL --- 8030-00-577-4740

===== Product Identification =====

Product ID:FED SPEC GUTTER & LAP SEAL

MSDS Date:07/27/1990

FSC:8030

NIIN:00-577-4740

MSDS Number: BWCXX

=== Responsible Party ===

Company Name:RED DEVIL INC

Address:MID AMERICA INDUSTRIAL DISTRICT

City:PRYOR

State:OK

ZIP:74361

Country:US

Info Phone Num:918-825-5744

Emergency Phone Num:918-825-5744

CAGE:23577

=== Contractor Identification ===

Company Name:RED DEVI

L, INCORPORATED

Address:ONE WEBB STREET

Box:A

City:PRYOR

State:OK

ZIP:74361

Country:US

Phone:918-825-5744

CAGE:23577

===== Composition/Information on Ingredients =====

Ingred Name:NAPHTHA, MEDIUM ALIPHATIC

CAS:64742-88-7

Fraction by Wt: 100%

Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and

Chronic:INHALATION OF DUST GENERATED FROM
DRIED PRODUCT MAY CAUSE RESPIRATORY IRRITATION. PROLONGED OR
REPEATED SKIN CONTACT MAY LEAD TO DRYING, IRRITATION AND
DERMATITIS.

Explanation of Carcinogenicity:THIS PRODUCT DOES NOT CONTAIN
INGREDIENTS KNOWN OR SUSPECTED OF BEING CARCINOGENIC AS LISTED IN
THE (NTP) ANNUAL REPORT.

Effects of Overexposure:HIGH VAPOR CONCENTRATIONS MAY PRODUCE HEADACHE,
DIZZINESS AND NAUSEA, AND EYE IRRITATION.

Medical Cond Aggravated by Exposure:N
ONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:EYES-IMMEDIATELY FLUSH EYES WITH LARGE AMOUNTS OF WATER WHILE
HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION FOR IRRITATION.
SKIN-WIPE MATERIAL FROM SKIN WITH CLOTH OR PAPER TOWEL, THEN WASH
EXPOSED AREA WITH SOAP & WATER. GET MEDICAL ATTENTION IF
IRRITATION PERSISTS. INHALATION-MOVE VICTIM TO FRESH AIR AND TREAT
WITH ARTIFICIAL RESPIRATION IF NEEDED. INGESTION-CONTAC
T LOCAL
POISON CONTROL CENTER.

===== Fire Fighting Measures =====

Flash Point:110-115F
Autoignition Temp:Autoignition Temp Text:NE
Lower Limits:NE
Upper Limits:NE
Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL OR FOAM.
Fire Fighting Procedures:USE WATER SPRAY OR FOG TO COOL FIRE-EXPOSED
CONTAINERS.
Unusual Fire/Explosion Hazard:CLOSED CONTAINERS MAY EXPLODE WHEN
EXPOSED TO HEAT OR FLAMES.

===== Accidental Release Measures =====

Spill Release Procedures:DEPENDING ON EXTENT OD SPILL, WEAR PERSONAL
PROTECTIVE EQUIPMENT AND REMOVE IGNITION SOURCES. WIPE UP WITH
INERT ABSORBENT MATERIAL.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:COMBUSTIBLE. STORE IN CLOSED CONTAINER
IN COOL AREA.
Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protec

tion:IF TLV IS EXCEEDED, OR FOR SYMPTOMS OF
OVEREXPOSURE, WEAR A NIOSH-APPROVED RESPIRATOR FOR ORGANIC VAPORS.
Ventilation:PROVIDE ADEQUATE GENERAL DILUTION VENTILATION.
Protective Gloves:NEOPRENE OR CHEMICAL RESISTANT.
Eye Protection:WEAR CHEMICAL GOGGLES PER SITUATION.
Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.
Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING.
Supplemental Safety and Health
NONE

===== Physical/Chemical Properties =====

HC
C:F4
Boiling Pt:B.P. Text:NE
Melt/Freeze Pt:M.P/F.P Text:NE
Decomp Temp:Decomp Text:NA
Vapor Pres:NE
Vapor Density:>1
Spec Gravity:>1.5
pH:NA
Viscosity:NE
Evaporation Rate & Reference: