Product ID:ZEROSPOT, 08790 MSDS Date:03/05/1993 FSC:7930 NIIN:00-113-7688 **MSDS Number: BWDTC** === Responsible Party === Company Name: DIVERSEY CORP Address:12025 TECH CENTER DR City:LIVONIA State:MI ZIP:43150 Country:US Info Phone Num:313-458-5000 Emergency Phone Num:800-424-9300(CHEMTREC) CAGE:0XZ81 === Contractor Identification === Company Name: DIVERSEY CORP Address:12025 T ECH CENTER DR Box:City:LIVONIA State:MI ZIP:48150 Country:US Phone:303-458-5000/303-592-1024 CAGE:0XZ81 Company Name: DIVERSEY CORP; DIVERSEY WYANDOTTE DIV Address:1532 BIDDLE AVENUE City:WYANDOTTE State:MI ZIP:48192-3707 Country:US Phone:313-281-0930/303-592-1024/816-1485 CAGE:59327

Ingred Name:ISOPROPYL ALCOHOL; (2-PROPANOL) (SARA III) CAS:67-63-0 RTECS #:NT8050000 Fraction by Wt: 5% OSHA PEL:400 PPM ACGIH TLV:400 PPM;500 ST Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 OSHA PEL:N/K ACGIH TLV:N/K

Ingred Name:POLY(OXYETHYLENE)-MONOOCTYLETHER; (ALKYL POLYALKOXY GLYCOL) CAS:37311-02-7 OSHA PEL:N/K ACGIH TLV:N/K

Ingred Name:POLY (OXYETHYLENE)-MONODECYETHER; (ALKYL POLYALKOXY GLYCOL) CAS:37251-67-5 OSHA PEL:N/K ACGIH TLV:N/K

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE/CHRONIC:MAY IRRITATE EYES. MAY BE HARMFUL IF SWALLOWED. Explanation of Carcinogenicity:NOT RELEVANT Effects of Overexposure:SEE HEALTH HAZARDS. Medical Cond Aggravated by Exposure:SENSITIVE SKIN.

First Aid:INHAL:REMOVE TO FRESH AIR. EYES:FLUSH THOROUGHLY W/FRESH WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION. SKIN:FLUSH W/FRE

SH WATER. WASH W/SOAP & WATER. REMOVE CONTAMINATED CLOTHES & SHOES. INGES T:GIVE WATER. DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

Flash Point Method:TCC Flash Point:118F,48C Lower Limits:NONE Upper Limits:NONE Extinguishing Media:CO\*2, DRY CHEMICALS, WATER, WATER FOG. Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE EQUIPMENT . SPIL

EL

## LED PRODUCT MAY CAUSE SLIPPERY SURFACES. Unusual Fire/Explosion Hazard:PRODUCT WILL BURN IF EVAPORATED TO DRYNESS & HEATED TO FLAME POINT.

Spill Release Procedures: FLUSH SMALL AMOUNTS TO SANITARY SEWER. COLLECT & RETURN LARGE AMOUNTS TO CONTAINER. RINSE AREA W/WATER. Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Handling and Storage Precautions: KEEP FROM FREEZING. STORE BETWEEN 40-100F. KEEP CONTAINER CLOSED. KEEP OUT OF THE REACH OF CHILDREN. Other Precautions:NONE SPECIFIED BY MANUFACTURER.

Respiratory Protection:NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN . USUALLY NOT REQUIRED. Ventilation:MECHANICAL: NORMAL AIR DILUTION. Protective Gloves:IMPERVIOUS GLOVES . Eye Protection:ANSI APPROVED CHEM SAFETY GOGGLES Other Protective Equipme nt:USUALLY NOT REQUIRED. Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER. Supplemental Safety and Health NONE SPECIFIED BY MANUFACTURER.

Boiling Pt:B.P. Text:215F,102C Vapor Pres:17.5 @ 20C Spec Gravity:1 Evaporation Rate & amp; Reference: