

FARWEST PAINT MFG CO -- WONDERGLO FLAT LATEX INTERIOR, WHITE #37778 --
8010-00-463-7063

===== Product Identification =====

Product ID:WONDERGLO FLAT LATEX INTERIOR, WHITE #37778

MSDS Date:02/01/1994

FSC:8010

NIIN:00-463-7063

MSDS Number: BWDVQ

=== Responsible Party ===

Company Name:FARWEST PAINT MFG CO

Address:4522 S 133 ST

Box:68726

City:TUKWILA

State:WA

ZIP:98168-3251

Country:US

Info Phone Num:2

06-244-8844

Emergency Phone Num:206-941-1619

Preparer's Name:CARWIN BEARDALL

CAGE:6F266

=== Contractor Identification ===

Company Name:FARWEST PAINT MANUFACTURING CO

Address:4522 SOUTH 133RD ST

Box:City:TUKWILA

State:WA

ZIP:98168

Country:US

Phone:206-244-8844

CAGE:6F266

===== Composition/Information on Ingredients =====

Ingred Name:ETHYLENE GLYCOL (SARA III)

CAS:107-21-1

RTECS #:KW2975000

Fraction by Wt: 1.51%

Other REC Limits:NONE RECOMMENDED

ACGIH TLV:C 50 PPM,VAPOR; 9394

EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

Ingred Name:TEXANOL (ESTER ALCOHOL)
CAS:25265-77-4
RTECS #:UF6000000
Fraction by Wt: 1.00%
Other REC Limits:NONE RECOMMENDED

Ingred Name:VOLITILE ORGANIC CONTENT (PER MSDS:GRAMS/LITER LESS WATER)
RTECS #:9999999VC
Fraction by Wt: 85%
Other REC Limits:NONE RECOMMENDED

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards

Acute and Chronic:INHAL:PROLONGED INHAL IN CONFINED
AREAS MAY LEAD TO MUCUS MEMBRANE IRRIT, DIZZ, HEADACHE.
SKIN/EYES:IRRIT. INGEST:AMTS INGESTED INCIDENTAL TO CONSUMER &
INDUSTRIAL HANDELING ARE NOT LIKELY TO CAUSE IN JURY, HOWEVER
INGEST OF LARGER AMTS COULD CAUSE SERIOUS INJURY.

Explanation of Carcinogenicity:PER MSDS:THIS PROD CONTAINS NO KNOWN
CARCINOGENS IN REPORTABLE QUANTITIES AS DEFINED BY NTP, IARC, OSHA,
EPA.

Effects of Overexposure:INHAL:MUCOUS MEMBRANE IRRIT,
DIZZINESS,
HEADACHE. EYE/SKIN:IRITATION. INGEST:SERIOUS INJURY.

Medical Cond Aggravated by Exposure:NONE WHEN USED IN ACCORDANCE WITH
SAFE HANDLING INSTRUCTIONS.

=====
===== First Aid Measures =====

First Aid:INHAL:REMOVE TO FRESH AIR. IF RESP SYMPTOMS DEVELOP SEEK MED
ATTN @ONCE. SKIN:WASH OFF QUICKLY W/PLENTY OF WATER THEN SOAP &
WATER. REMOVE CONTAMINATED CLOTHING. EYE:FLUSH IMMED W/LG AMTS OF
WATER ESP ECIALY UNDER LIDS FOR @LEAST 15MIN
S. OBTAIN EMERGENCY
MED TREATMENT. INGEST:OBTAIN MED TREATMENT IMMED.

=====
===== Fire Fighting Measures =====

Flash Point Method:TCC
Extinguishing Media:FOAM, DRY CHEM, WATER OR WATER FOG. PER MSDS:
DOT:NONFLAMM, OSHA:NONFLAMM.
Fire Fighting Procedures:WATER MAY BE USED TO COOL AND PROTECT ADJACENT
CONTAIENRS.
Unusual Fire/Explosion Hazard:WILL NOT BURN. CLOSED CONTAINERS MAY
RUPTURE WHEN EXPOSED TO EXTREME HEAT OR FIRE.

=====
===== Acciden

tal Release Measures =====

Spill Release Procedures:COMPLY WITH ALL APPLICABLE HEALTH & ENVIRONMENTAL REGULATIONS. VENTILATE AREA. SPILLS MAY BE COLLECTED WITH ABSORBENT MATERIALS.

===== Handling and Storage =====

Handling and Storage Precautions:USE ONLY WITH ADEQUATE VENTILATION. AVOID BREATHING VAP/SPRAY MIST. AVOID CONTACT WITH SKIN & EYES. AVOID TEMP BELOW 40F. KEEP FROM FREEZING.

Other Precautions:STORE CONTAINERS WITH LIDS TIGHTLY CLOSED & APPROPRIATELY LABELED. KEEP OUT REACH OF CHILDREN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF PERSONAL EXPOSURE CANNOT BE CONTROLLED BELOW APPLICABLE LIMITS BY VENTILATION WEAR PROPERLY FITTED ORGANIC VAP/PARTICULATE RESP APPROVED BY NIOSH/OSHA FOR PROTECTION AGAINST MATERIALS (INGRED).

Ventilation:LOCAL EXHAUST PREFERABLE.GENERAL EXHAUST ACCEPTABLE IF EXPOSURE TO MATERIALS IS MAINTAINED BELOW APPLICABLE EXPOSURE LIMITS.

Protective Gloves:RECOMMENDED

Eye Protection:SAFETY SPECTACLES W/UNPERFORATED SIDESHIELD

Other Protective Equipment:EYEWASH, SAFETY SHOWERS, GOGGLES, SAFETY GLASSES, IMPERVIOUS GLOVES.

Work Hygienic Practices:WASH CONTAMINATED CLOTH BEFORE REUSE.KEEP WORK AREA CLEAN/FREE FROM SPILL/LEAK.ALWAYS WASH HANDS WITH SOAP/WATER BEFORE EATING/SMOKING/DRINKING

Supplemental Safety and Health

WT/GAL:11.44 LB.

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:212F, 100C

Melt/Freeze Pt:M.P/F.P Text:32.0F,0.0C

Vapor Pres:23.8 @20C

Vapor Density:>AIR

Spec Gravity:1.3733

pH:7.0

Viscosity:93 KUU

Evaporation Rate & Reference:SLOWER THAN ETHER

Solubility in Water:INFINITE

Appearance and Odor:THIOTROPIC LIQUID WITH SLIGHT ODOR, COLOR OF TINT.

Percent Volatiles by Volume:3.95

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

CONTACT WITH OXIDIZING AGENTS. OXIDIZERS &/OR HYDROFLUORIC ACID.

Stability

Condition to Avoid:ELEVATED TEMPERATURES.

Hazardous Decomposition Products:CARBON MONOXIDE AND CARBON DIOXIDE

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF ACCORDING TO LOCAL, STATE AND FEDERAL REGULATIONS. AVOID DISCHARGE TO NATURAL WATERS. THIS PRODUCT CONTAINS NO MERCURY IN REPORTABLE QUANTITIES AS DEFINED BY OSHA & EPA.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated

for use by elements of the Department

of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.