

PRO-LINE PAINT CO -- F-84 TT-P-645B - ZINC MOLYBDATE PRIMER -- 8010-00-169-7082

===== Product Identification =====

Product ID:F-84 TT-P-645B - ZINC MOLYBDATE PRIMER

MSDS Date:09/08/1992

FSC:8010

NIIN:00-169-7082

MSDS Number: BWFKB

=== Responsible Party ===

Company Name:PRO-LINE PAINT CO

Address:2646 MAIN STREET

City:SAN DIEGO

State:CA

ZIP:92113-3613

Country:US

Info Phone Num:619-231-2313

Emergency Phone Num:619-728-3192/274-8357

CAGE:9D157

=== Contractor Ide

ntification ===

Company Name:PRO-LINE PAINT CO

Address:2646 MAIN STREET

Box:City:SAN DIEGO

State:CA

ZIP:92113-3697

Country:US

Phone:619-231-2313; 619-232-8968

CAGE:9D157

===== Composition/Information on Ingredients =====

Ingred Name:ALKYD RESIN - CONTINING INGREDIENTS 2, 3, & 4.

Other REC Limits:NONE RECOMMENDED

Ingred Name:VM&P NAPHTHA (LIGROINE)

CAS:8032-32-4

RTECS #:OI6180000

Fraction by Wt: 13.8%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:300 PPM

ACGIH TLV:300 PPM; 9394

Ingred Name:XYLENES (O-,M-,P- ISOMERS) (SARA III)

CAS:1330-20-7

RTECS #:ZE2100000

Fraction by Wt: 7.8%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:100 PPM

ACGIH TLV:100 PPM/150STEL;9394

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:TOLUENE (SARA III)

CAS:108-88-3

RTECS #:XS5250000

Fraction by Wt: 0.33%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:200 PPM; Z-2

ACGIH TLV:S, 50 PPM; 9394

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:ZINC MOLYBDATE - CONTAINS INGREDIENTS 6, 7, & 8.

Fraction by Wt: 21.0%

Other REC Limits:NONE RECOMMENDED

Ingred Name:ZINC MOLYBDATE

CAS:13767-32-3

Other REC Limits:NONE RECOMMENDED

Ingred Name:ZINC OXIDE

CAS:1314-13-2

RTECS #:ZH4810000

Other REC Limits:NONE RECOMMENDED

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10 MG/M3 TDUST; 9394

Ingred Name:ZINC PHOSPHATE

CAS:7779-90-0

RTECS #:TD0590000

Other REC Limits:NONE RECOMMENDED

Ingred Name:YELLOW PIGMENT - CONTAINING INGREDIENTS 10, 11 & 12.

Fraction by Wt: 16.2%

Other REC Limits:NONE RECOMMENDED

Ingre

d Name:TITANIUM DIOXIDE
CAS:13463-67-7
RTECS #:XR2275000
Fraction by Wt: 13.0%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:15 MG/M3 TDUST
ACGIH TLV:10 MG/M3 TDUST; 9394

Ingred Name:ANTIMONY PENTOXIDE
CAS:1314-60-9
RTECS #:CC6300000
Fraction by Wt: 2.4%
Other REC Limits:NONE RECOMMENDED

Ingred Name:NICKEL OXIDE
CAS:1313-99-1
RTECS #:QR8400000
Fraction by Wt: 0.81%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:1 MG/M3 AS NI
ACGIH TLV:1 MG/M3 AS NI

Ingred Name:TITANIUM DIOXIDE
CAS:13463-67-7
RTECS #
:XR2275000
Fraction by Wt: 8.6%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:15 MG/M3 TDUST
ACGIH TLV:10 MG/M3 TDUST; 9394

Ingred Name:PETROLEUM HYDROCARBON,
CAS:64742-47-8
RTECS #:OA5504000
Fraction by Wt: 6.1%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:5 MG/M3 (OIL MIST)
ACGIH TLV:5 MG/M3 (OIL MIST)

Ingred Name:TALC (CONTAINING NO ASBESTOS)
CAS:14807-96-6
RTECS #:WW2710000
Fraction by Wt: 8.9%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:20 MPPCF Z-3
ACGIH TLV:2 MG/M3 RDUST; 9394

Ingred Name:DR

IERS & ADDITIVES

Fraction by Wt: