

M & M HERITAGE, INC. -- PAD, METAL POLISH IMPREGNATED 5 OZ CAN -- 7920-00-823-9817

=====
Product Identification
=====

Product ID:PAD, METAL POLISH IMPREGNATED 5 OZ CAN

MSDS Date:09/01/1993

FSC:7920

NIIN:00-823-9817

MSDS Number: BWGKF

=== Responsible Party ===

Company Name:M & M HERITAGE, INC.

Address:611 KIMBERLY DRIVE

City:DENTON

State:TX

ZIP:76202

Country:US

Info Phone Num:817-898-1400

Emergency

Phone Num:817-898-1400

CAGE:MANDM

=== Contractor Identification ===

Company Name:M & M HERITAGE, INC.

Address:611 KIMBERLY DRIVE

Box:City:DENTON

State:TX

ZIP:76202

Country:US

Phone:817-898-1400

CAGE:MANDM

=====
Composition/Information on Ingredients
=====

Ingred Name:SOLVENT NAPHTHA (PETROLEUM) MEDIUM ALIPHATIC

CAS:64742-88-7

Fraction by Wt: 56.2%

Other REC Limits:350 MG/CUM

OSHA PEL:5 MG/M3 (OIL MIST)

ACGIH TLV:5 MG/M3 (OIL MIST)

Ingred Name:STODDARD SOLVENT

CAS:8052-41-3

RTECS #:WJ8925000
Fraction by Wt: 9.9%
Other REC Limits:350 MG/CUM
OSHA PEL:500 PPM
ACGIH TLV:100 PPM; 9394

Ingred Name:COTTON (SURGICAL)
RTECS #:GN2275000
Fraction by Wt: 33.9%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:1MG/M3,SEE 1910.1043
ACGIH TLV:0.2 MG/M3; DUST 9394

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYES:CAN CAU
SE IRRITATION.

SKIN:PROLONGED/REPEATED CONTACT MAY CAUSE MODERATE IRRITATION &
DERMATITIS. INHALATION:NASAL/RESPIRATORY IRRITATION, CNS EFFECTS.
INGESTION:GASTROINTESTINAL IRRITATION. ASPIRATION INTO LUNGS CAN
CAUSE CHEMICAL PNEUMONITIS WHICH CAN BE FATAL.

Explanation of Carcinogenicity:MFR LISTED NO INFORMATION ABOUT THE
CARCINOGENICITY OF THIS MATERIAL. HMIS DOES NOT EXPECT IT TO BE
CARCINOGENIC.

Effects of Overexposure:IRRITATION, DEFATTING, DIZZINESS, WEAKNESS,
F

ATIGUE, NAUSEA, HEADACHE, UNCONSCIOUSNESS, NARCOSIS, VOMITING,
DIARRHEA.

Medical Cond Aggravated by Exposure:MFR GAVE NO INFORMATION ON MSDS.

===== First Aid Measures =====

First Aid:IF IRRITATION OR SYMPTOMS PERSIST OR ARE SEVERE, SEE A
DOCTOR. EYE:FLUSH W/WATER 15 MIN, HOLD LIDS OPEN. SKIN:WASH WITH
SOAP & WATER. REMOVE CONTAMINATED CLOTHING AND LAUNDRER BEFORE
REUSE. INHALED:RE MOVE TO FRESH AIR. AID/RESTORE BREATHING IF
NECESSARY. I

NGESTED:DO NOT INDUCE VOMITING. GIVE 2 LARGE GLASSES OF
MILK OR WATER TO DILUTE & GET IMMEDIATE MEDICAL CARE. NOTHING BY
MOUTH IF UNCONSCIOUS.

===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:140F,60C

Lower Limits:1

Upper Limits:NAIF

Extinguishing Media:(1)FOAM, (2)DRY CHEMICAL, (3)CARBON DIOXIDE,
(4)WATER FOG

Fire Fighting Procedures:WEAR SCBA W/FULL FACEPIECE OPERATED IN
POSITIVE PRESSURE DEMAND MODE. AVOID SPREADING BURN

ING MATERIAL

W/WATER USED FOR COOLING PURPOSES.

Unusual Fire/Explosion Hazard:VAPORS ARE >AIR & MAY TRAVEL ALONG
GROUND/ MOVED BY VENTILATION TO DISTANT SOURCES OF IGNITION.

===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE ALL IGNITION SOURCES. EVACUATE AREA.
SOLID MATERIAL SHOULD BE SHOVELED INTO CONTAINERS. ANY REMAINING
LIQUID MAY BE TAKEN UP ON SAND, CLAY, EARTH, FLOOR ABSORBENT/OTHER
ABSORBENT MATERIAL & SHOVELED I
NTO CONTAINERS.

Neutralizing Agent:MFR GAVE NO INFORMATION ON MSDS.

===== Handling and Storage =====

Handling and Storage Precautions:MFR GAVE NO INFORMATION ON MSDS.

Other Precautions:MFR GAVE NO INFORMATION ON MSDS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF EXPOSURE LIMITS ARE EXCEEDED, WEAT A
NIOSH/MSHA APPROVED AIR SUPPLIED RESPIRATOR. OSHA REGULATIONS
PERMIT OTHER RESPIRATORS. ENGINEERING OR A
DMINISTRATIVE CONTROLS
SHOULD BE IMPLEMENTED TO REDUCE E XOSURE.

Ventilation:SUFFICIENT MECHANICAL (GENERAL OR LOCAL EXHAUST) TO
MAINTAIN EXPOSURE