

FLAMEMASTER CORP THE CHEM SEAL DIV -- E-400 MOLDABLE/POURABLE (BASE) --
8030-01-067-7587

===== Product Identification =====

Product ID:E-400 MOLDABLE/POURABLE (BASE)

MSDS Date:10/24/1986

FSC:8030

NIIN:01-067-7587

Kit Part:Y

MSDS Number: BWNMN

=== Responsible Party ===

Company Name:FLAMEMASTER CORP THE CHEM SEAL DIV

Address:11120 SHERMAN WAY

City:SUN VALLEY

State:CA

ZIP:91352-4949

Country:US

Info P

hone Num:818-982-1650 FAX 818-765-5603

Emergency Phone Num:818-982-1650

Preparer's Name:SAMUEL L. ENGEL,SR.

CAGE:14439

=== Contractor Identification ===

Company Name:FLAMEMASTER CORP THE CHEM SEAL DIV

Address:11120 SHERMAN WAY

Box:City:SUN VALLEY

State:CA

ZIP:91352-4949

Country:US

Phone:818-982-1650

CAGE:14439

===== Composition/Information on Ingredients =====

Ingred Name:BISPHENOL A-EPICHLOROHYDRIN COPOLYMER

CAS:25068-38-6

RTECS #:SL6475000

Fraction by Wt: 27-30%

Other REC L

imits:NONE RECOMMENDED

Ingred Name:EPICHLOROHYDRIN-POLYGLYCOL REACTION PRODUCT
CAS:26142-30-3
Fraction by Wt: 12-14%
Other REC Limits:NONE RECOMMENDED

Ingred Name:N-BUTYL GLYCIDYL ETHER (BGE)
CAS:2426-08-6
RTECS #:TX4200000
Fraction by Wt: 4%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:50 PPM
ACGIH TLV:25 PPM; 9394

===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Heal
th Hazards Acute and Chronic:EYES:MAY CAUSE IRRITATION OR
BURNS.SKIN:MAY CAUSE IRRITATION,BURN AND ALLERGIC
SENSITIZATION.INGEST/INHAL:NOT REPORTED.
Explanation of Carcinogenicity:THERE ARE NO INGREDIENTS ABOVE 0.1%
WHICH ARE IDENTIFIED AS CARCINOGENS BY NTP,IARC OR OSHA.
Effects of Overexposure:SKIN:CHEMICAL BURNS OR ALLERGIC SKIN
RASHES,POSSIBLY SEVERE.
Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING SKIN
AILMENTS MAY BE AT INCREASED RISK FROM EXPOSURE.

===== First Aid Measures =====

First Aid:SKIN:REMOVE CONTAMINATED CLOTHING;WASH WITH MILD SOPA AND
WATER.EYES:FLUSH WITH WATER FOR 15 MINUTES.INHAL:REMOVE TO FRESH
AIR.GIVE OXYGEN OR ARTIFICIAL RESPIRATION IF NEEDED.INGEST:DO NOT
INDUCE VOMI TING.GET PROMPT QUALIFIED MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point Method:TCC
Flash Point:173F,78C
Lower Limits:1.4
Extinguishing Media:WATER,DRY CHEMI

CAL,CARBON DIOXIDE,FOAM.

Fire Fighting Procedures:USE A SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT.

Unusual Fire/Explosion Hazard:FIRE CONDITIONS MAY EVOLVE TOXIC FUMES.

===== Accidental Release Measures =====

Spill Release Procedures:SOAK UP WITH NON-COMBUSTIBLE INERT ADSORBANT(EG.CLAY);PLACE COLLECTED MATERIAL IN AN APPROPRIATE CONTAINER FOR DISPOSAL;CLEAN SPILL AREA TO REMOVE SLIPPERINESS.
Neutralizing Agent:NOT APPLICABLE.

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL,DRY,WELL-VENTILATED PLACE.KEEP CONTAINER CLOSED WHEN NOT IN USE.KEEP AWAY FROM HEAT,SPARKS,FLAMES AND INCOMPATIBLE MATERIALS.
Other Precautions:FOLLOW LABEL DIRECTIONS.AVOID BREATHING VAPORS.AVOID SKIN AND EYE CONTACT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WHERE ENVIRONMENTAL CONTROLS ARE LACKING OR IN ENCLOSED SPACES USE A NIOSH/MSHA APPROVED RESPIRATOR FOR ORGANIC VAPORS.
Ventilation:LOCAL VENTILATION AT THE WORKSITE;MECHANICAL(GENERAL) VENTILATION TO MAINTAIN TLV/PEL.
Protective Gloves:NEOPRENE
Eye Protection:CHEMICAL SPLASH GOGGLES
Other Protective Equipment:USE A BARRIER CREAM.PROVIDE A LOCAL EYE WASH STATION.
Work Hygienic Practices:USE REASONABLE CARE IN HANDLING THIS PRODUCT.WASH HANDS AFTER USE AND BEFORE EATING.
Supplemental Safety and Health
KEY1;V4.HMIS SPOKE TO DEBORAH,AT FLA MEMASTER CORP.WE LEARNED FROM HER THAT COMPONENTS FOR BOTH THE BASE AND CATALYST ARE LISTED ON THE SAME MSDS.THE FIRST 3 ITEMS ARE FROM THE BASE;THE REST ARE FROM THE CATALYST.

===== Physical/Chemical Properties =====

HCC:V4
Boiling Pt:=93.3C, 200.F
Vapor Pres:1
Vapor Density:1
Spec Gravity:0.7
pH:11
Viscosity:4-540 P
Evaporation Rate & Reference:1 (N-BUTYL ACETATE=1)
Solubility in Water:INSOLUBLE
Appearance and Odor:VISCOUS LIQUID;WHITE OR OFF-WHITE

E;SWEET AROMATIC
ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS AND ACIDS.

Stability Condition to Avoid:HIGH HEAT,SOURCES OF IGNITION.

Hazardous Decomposition Products:CARBON DIOXIDE,CARBON
MONOXIDE,ALDEHYDE AND NITROGEN.

Conditions to Avoid Polymerization:MIXING PARTS A & B TOGETHER WILL
RESULT IN POLYMERIZATION.

===== Disposal Considerations =====

Waste

Disposal Methods:DISPOSE OF IN ACCORDANCE WITH FEDERAL,STATE AND
LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
a

ssume responsibility for the suitability of this information to their
particular situation.