

MOBIL OIL CORPORATION -- MOBIL 600 W CYLINDER OIL -- 9150-01-202-3604

===== Product Identification =====

Product ID:MOBIL 600 W CYLINDER OIL

MSDS Date:03/15/1994

FSC:9150

NIIN:01-202-3604

MSDS Number: BWNQC

=== Responsible Party ===

Company Name:MOBIL OIL CORPORATION

Address:BEAUMOUNT REFINERY INTERSTATE 10

Box:3311

City:BEAUMONT

State:TX

ZIP:77704

Country:US

Info Phone Num:800-662-4525/800-227-07

07 X3265

Emergency Phone Num:609-737-4411/800-424-9300(CHEMTREC)

CAGE:19135

=== Contractor Identification ===

Company Name:MOBIL OIL CORPORATION

Address:BEAUMOUNT REFINERY INTERSTATE 10

Box:3311

City:BEAUMONT

State:TX

ZIP:77704

Country:US

Phone:609-737-4411/800-424-9300(CHEMTREC)

CAGE:19135

Company Name:SALATHE OIL CO INC

Address:2226 PETERS RD

Box:City:HARVEY

State:LA

ZIP:70058

Country:US

Phone:504-366-4542

CAGE:0T5C6

===== Composition/Information on Ingredients =====

Ingred

Name:POTENTIALLY HAZARDOUS INGREDIENTS

RTECS #:9999999ZZ

Fraction by Wt: NONE

Other REC Limits:NONE RECOMMENDED

Ingred Name:OILS, LARD

CAS:8016-28-2

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3 (OIL MIST)

ACGIH TLV:5 MG/M3 (OIL MIST)

Ingred Name:PER MSDS:SEE CONTAINER LABEL FOR INGREDIENT INFORMATION.

RTECS #:9999999ZZ

Other REC Limits:NONE RECOMMENDED

Ingred Name:VOLITILE ORGANIC CONTENT AS LISTED ON MSDS 0.075 LBS/GAL;
2000MG/KG SIMILAR PROD/INGR

Routes of Entry: Inhalation:YES

Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ORAL/DERMAL TOXICITY:PRACTICALLY
NON-TOXIC. INHAL:HARMFUL CONC OF MISTS &/OR VAPORS ARE UNLIKELY TO
BE ENCOUNTERED THRU ANY CUSTOMARY/REASONABLY FORESEEABLE
HANDLING/USE/MISUSE OF PROD. EYE/SKIN IRRIT :PRACTICALLY
NON-IRRITATING. PER MOBIL ENVIRO HEALTH SCIENCES LAB TESTING NO
ADVERSE EFFECTS SHOWN.

Effects of Overexposure:NONE SPECIFIED BY MANUFACTURER.

Medical Cond

Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:EYE:FLUSH THOROUGHLY W/WATER. IF IRRIT OCCURS CALL PHYSICIAN.
SKIN:WASH W/SOAP & WATER. INHAL/INGEST:NOT EXPECTED TO BE A
PROBLEM. IF UNCOMFORTABLE FROM INGESTED SEEK MED ASSIST.

===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:540F,282C

Lower Limits:0.6

Upper Limits:7.0

Extinguishing Media:CARBON

DIOXIDE, FOAM, DRY CHEMICAL, WATER FOG.

WATER OR FOAM MAY CAUSE FROTHING.

Fire Fighting Procedures:WEAR SCBA IN ENCLSD AREAS.KEEP FIRE EXPO CNTNR COOL W/WATER.FLUSH SPILLS AWAY FROM EXPO W/WATERSPRAY.PREVENT RUNOFF FROM ENTERING STREAMS/SEWERS/DRINK WATER

Unusual Fire/Explosion Hazard:NONE.

===== Accidental Release Measures =====

Spill Release Procedures:NOTIFY CHEMTREC.REPORT AS REQUIRED TO PROPER AUTHO.REPORT TO COAST GUARD SPILLS INTO WATERWAY/INT

ERMITTENT DRY

CREEKS @800-424-8802.ABOSRB ON FIRE RETARDANT TREATED

SAWDUST/DIATOMACEOUS EARTH/ETC.SHOV EL UP & DISPOSE IAW CURRENT APPLIC LAWS/CHARACTERS

===== Handling and Storage =====

Handling and Storage Precautions:NONE SPECIFIED BY MANUFACTURER.

Other Precautions:NO SPECIAL PRECAUTIONS REQUIRED.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NO SPECIAL REQUIEMENTS UNDER ORDINARY CONDITIONS
O

F USE & W/ADEQUATE VENTILATION.

Ventilation:NO SPECIAL REQUIREMENTS UNDER ORDINARY CONDITONS OF USE & W/ADEQUATE VENTILATION.

Protective Gloves:NO SPEICAL EQMPT REQUIRED;PRACTS GOOD HY

Eye Protection:FOLLOW NORMAL INDUSTRIAL EYE PROT PRACTS

Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices:FOLLOW GOOD HYGENIC PRACTICES.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:>600F,>316C

Vapor Pres: