

FINE ORGANICS CORP -- ENVIROSOLV 655 (AEROSOL)

MSDS Safety Information

FSC: 6850

NIIN: 01-397-1961

MSDS Date: 04/25/1994

MSDS Num: BWNTG

Product ID: ENVIROSOLV 655 (AEROSOL)

MFN: 01

Responsible Party

Cage: 05867

Name: FINE ORGANICS CORP

Address: 205 MAIN ST

City: LODI NJ 07644

Info Phone N

umber: 800-526-7480

Emergency Phone Number: 800-424-9300(CHEMTREC)

Proprietary Ind: Y

Published: Y

Contractor Summary

Cage: 05867

Name: FINE ORGANICS CORP

Address: 420 KULLER RD

Box: 2277

City: CLIFTON NJ 07015

Phone: 973-478 1000

Item Description Information

Item Manager:

S9G

Item Name: CLEANING COMPOUND,SOLVENT

Unit of Issue: BX

Quantitative Expression: 00000000012EA

UI Container Qty: 1

Type of Container: CAN, AEROSOL

Ingredients

Name: \*\*\* PROPRIETARY \*\*\*

Health Hazards Data

LD50 LC50 Mixture: NONE SPECIFIED B

Y MANUFACTURER.

Route Of Entry Inds - Inhalation: YES

Skin: YES

Ingestion: YES

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: INHALATION: EXCESSIVE REPEATED CONTACT OF CONCENTRATED MATERIAL MAY CAUSE IRRITATION. EYE: MAY CAUSE IRRITATION TO EYES. SKIN: MAY CAUSE SKIN IRRITATION AND/OR DERMATITIS. INGESTION: HARMFUL IF ASPIRATED INTO LUNGS.

Explanation Of Carcinogenicity: NOT RELEVANT.

Signs And Symptoms Of Overexposure: SEE HEALTH HAZARDS.

Medical Cond Aggravated B

y Exposure: NONE CURRENTLY KNOWN.

First Aid: INHALATION: REMOVE TO FRESH AIR. EYE: FLUSH THOROUGHLY WITH WATER FOR AT LEAST 15 MINUTES WITHIN ONE MINUTE OF CONTACT. SKIN: WASH AREAS OF CONTACT WITH GENEROUS AMOUNTS OF WATER. REMOVE CONTAMINATED CLOTHING. LAUNDRY BEFORE REUSE. INGESTION: DO NOT INDUCE VOMITING. GIVE PLENTY OF WATER. SEEK MEDICAL ATTENTION IN ANY NECESSARY INSTANCES.

=====  
Handling and Disposal

=====  
Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: DISPOSE IN ACCORDANCE WITH ALL LOCAL, STATE AND FEDERAL REGULATIONS. DISPOSAL RECOMMENDATIONS APPLY TO ORIGINAL MATERIAL AND ITS CONTAINER AND NOT ANY MATERIALS WHICH ARE WASTE BY-PRODUCT OF USER'S OPERATION.

Handling And Storage Precautions: STORAGE TEMPERATURE: KEEP BELOW 120F. STORAGE PRESSURE: NORMAL. DO NOT STORE NEAR HEAT, SPARKS, OPEN FLAME, HEATED SURF OR ANY OTHER SOURCE OF IGNIT.

Other Precautions: THIS CONTAINER MAY BE HAZARDOUS WHEN EMPTIED. EMPTIED CONTAINERS MAY RETAIN PRODUCT RESIDUES (VAPORS OR LIQUID). OBSERVE ALL LABELED HAZARD PRECAUTIONS.

=====  
Fire and Explosion Hazard Information

=====  
Flash Point Method: TCC

Flash Point Text: 147F,64C

Lower Limits: 0.8%

Upper Limits: 8.5%

Extinguishing Media: DRY CHEMICAL, WATER SPRAY, OR FOAM.

Fire Fighting Proce

dures: WEAR NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT (FP N). USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS. Unusual Fire/Explosion Hazard: EXPOSURE TO HEAT MAY CAUSE BURSTING.

Control Measures

Respiratory Protection: NIOSH/MSHA APPROVED RESPIRATOR WHEN OPERATING ABOVE SUGGESTED TLV LIMITS.  
Ventilation: CNTRL AIRBORNE CONCS BELOW EXPOS GUIDELINES. ALTHOUGH NO OFFICIALS EXPOS LIMITS HAVE BEEN ESTABLISHED, FINE (SUPDAT)  
Protective Gloves: RUBBER GLOVES.  
Eye Protection: ANSI APPRVD CHEM WORKER GOGGLES (FP N).  
Other Protective Equipment: NONE SPECIFIED BY MANUFACTURER.  
Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER.  
Supplemental Safety and Health: VENTILATION: ORGANICS SUGGESTED THAT, VAPOR CONCENTRATIONS FOR EMPLOYEE EXPOSURE BE LIMITED TO BETWEEN 100-200 PPM, TWA. USE ONLY WITH ADEQUATE VENTILATION. LOCAL EXHAUST VENTILATION MAY BE NECESSARY FOR SOME OPERATIONS.

Physical/Chemical Properties

B.P. Text: >365F,>185C  
Vapor Pres: 0.7 @ 68F  
Vapor Density: 5.7  
Spec Gravity: 0.75 @ 25C  
Solubility in Water: NEGLIGIBLE  
Appearance and Odor: CLEAR WATER WHITE LIQUID.  
Percent Volatiles by Volume: 100

Reactivity Data

Stability Indicator: YES  
Stability Condition To Avoid: NONE SPECIFIED BY MANUFACTURER.  
Materials To Avoid: OXIDIZING AGENTS.  
Hazardous Decomposition Products: INCLUDES OXIDES OF CARBON.  
Hazardous Polymerization Indicator: NO  
Conditions To Avoid Polymerization: NOT RELEVANT.

Toxicological Information

Ecological Information

=====

MSDS Transport Information

=====

Regulatory Information

=====

Other Information

=====

=====

HAZCOM Label

=====

Product ID: ENVIROSOLV 655 (AEROSOL)

Cage: 05867

Company Name: FINE ORGANICS CORP

Street: 420 KULLER RD

PO Box: 2277

City: CLIFTON NJ

Zipcode: 07015

Health Emergency Phone: 800-424-9300(CHEMTREC)

Label Required IND: Y

Date Of Label Review: 12/21/1994

Status Code: C

Label Date: 12/21/1994

Origination Code: G

Eye Protection IND: YES

Skin Protection IND: YES

Signal Word: CAUTION

Respiratory Protection IND: YES

Health

h Hazard: Slight

Contact Hazard: Slight

Fire Hazard: Slight

Reactivity Hazard: None

Hazard And Precautions: COMBUSTIBLE. ACUTE: INHALATION: EXCESSIVE REPEATED  
CONTACT OF CONCENTRATED MATERIAL MAY CAUSE IRRITATION. EYE: MAY CAUSE  
IRRITATION TO EYES. SKIN: MAY CAUSE SKIN IRRITATION AND/OR DERMATITIS.  
INGESTION: HARMFUL IF ASPIRATED INTO LUNGS. CHRONIC: NONE SPECIFIED BY  
MANUFACTURER.

=====

Disclaimer (provided with this information by the

compiling agencies): This

information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing

this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.