

COURTAULDS AEROSPACE INC -- PR1422 B-1/2, PART A, POLYSULFIDE RUBBER BASE COMPOUND -- 8030-01-154-9252

===== Product Identification =====

Product ID:PR1422 B-1/2, PART A, POLYSULFIDE RUBBER BASE COMPOUND

MSDS Date:10/21/1993

FSC:8030

NIIN:01-154-9252

MSDS Number: BWPFJ

=== Responsible Party ===

Company Name:COURTAULDS AEROSPACE INC

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:9

1209

Country:US

Info Phone Num:818-240-2060

Emergency Phone Num:800-424-9300 CHEMTREC 800-228-5635

CAGE:83574

=== Contractor Identification ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

===== Composition/Information on Ingredients =====

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)

CAS:78-93-3

RTECS #:EL6475000

Fraction by

Wt: < 5%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:200 PPM  
ACGIH TLV:200 PPM/300STEL;9394  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:BISPHENOL A EPOXY RESIN  
CAS:25036-25-3  
Fraction by Wt: < 5%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:PHENOL POLYMER WITH FORMALDEHYDE  
CAS:28470-78-2  
Fraction by Wt: < 5%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:CALCIUM CARBONATE (MARBLE) (LIMESTONE)  
CAS:1317-65-3  
RTECS #:EV9580000  
Fraction by Wt: 15% %  
Other REC Limits:NONE RECOMMENDED  
OSH  
A PEL:15 MG/M3 TDUST  
ACGIH TLV:10 MG/M3 TDUST; 9394

Ingred Name:THIOL TERMINATED POLYMER, POLYDITHIOETER  
CAS:68611-50-7  
Other REC Limits:NONE RECOMMENDED

Ingred Name:SILICON DIOXIDE (AMORPHOUS)  
CAS:67762-90-7  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:6 MG/M3  
ACGIH TLV:10 MG/M3

=====  
===== Hazards Identification =====

LD50 LC50 Mixture:NOT GIVEN FOR PRODUCT AS A WHOLE  
Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC

:NO OSHA:NO

Health Hazards Acute and Chronic:MAY CAUSE EYE IRRITATION. MAY CAUSE SKIN SENSITIZATION. MAY CAUSE IRRITATION TO RESPIRATORY TRACT. LOW ORDER OF ACUTE ORAL TOXICITY. MAY CAUSE GASTROINTESTINAL IRRITATION.

Explanation of Carcinogenicity:THIS COMPOUND CONTAINS NO INGREDIENTS AT CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS.

Effects of Overexposure:EYE IRRITATION, SKIN IRRITATION, SKIN SENSITIZATION, UPPER RESPIRATORY TRACT IRRITATION, NAUSEA, VOMITING, DIARRHEA.

Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT.

=====  
===== First Aid Measures =====

First Aid:EYES: FLUSH WITH WATER FOR 15 MINUTES WHILE HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION. IN HALATION: REMOVE TO FRESH AIR. RESTORE BREATHING. GET MEDICAL ATTENTION. INGESTION: DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION.

=====  
===== Fire Fighting Measures =====

Flash Point:NONFLAMMABLE

Lower Limits:NOT GIVEN

Upper Limits:NOT GIVEN

Extinguishing Media:WATER, DRY CHEMICAL, CARBON DIOXIDE, FOAM

Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE.

Unusual Fire/Explosion Hazard:TOXIC GASES ARE RELEASED DURING COMBUSTION.

=

=====  
===== Accidental Release Measures =====

Spill Release Procedures:SCOOP INTO SUITABLE CONTAINERS. CLEAN-UP RESIDUE WITH A SUITABLE SOLVENT. CERCLA RQ FOR MEK IS 5,000 LBS.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY PLACE WITH ADEQUATE VENTILATION. KEEP AWAY FROM OPEN FLAMES AND HIGH TEMPERATURES.

Other Precautions:NONE SPECIFIE

D BY MANUFACTURER.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:WHEN SPRAYING OR APPLYING IN ANY CIRCUMSTANCES  
LIKELY TO PRODUCE AIRBORNE LEVEL OF HAZARDOUS INGREDIENTS IN EXCESS  
OF TLV, USE AN ORGANIC VAPOR CARTRIDGE OR AIR-SUPPLIED RESPIRATOR.

Ventilation:LOCAL EXHAUST AND MECHANICAL (GENERAL) VENTILATION TO  
MAINTAIN EXPOSURE LEVELS.

Protective Gloves:SOLVENT RESISTANT

Eye Protection:SAFETY GLASSES OR GOGGLES

Other Protective Equipmen

t:PROTECTIVE CLOTHING AS REQUIRED TO AVOID

SKIN CONTACT. AN EMERGENCY EYE WASH STATION AND SHOWER SHOULD BE  
AVAILABLE.

Work Hygienic Practices:WASH WITH SOAP AND WATER AFTER HANDLING PRODUCT  
AND BEFORE EATING DRINKING OR SMOKING.

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

=====  
===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:NOT GIVEN

Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN

Vapor Pres:NOT GIVEN

Vapor Density:> 1

Spec Grav

ity:1.38

Evaporation Rate & Reference:< 1 (N-BUTYL ACETATE = 1)

Solubility in Water:NOT GIVEN

Appearance and Odor:BROWN THIXOTROPIC PASTE

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE SPECIFIED BY MANUFACTURER.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE,  
SULFUR DIOXIDE, TRACES OF HYDROGEN SULFIDE

=====  
===== Disposal Conside

rations =====

Waste Disposal Methods:PREVENT WASTE FROM CONTAMINATING SURROUNDING ENVIRONMENT. DISCARD ANY PRODUCT, RESIDUE, DISPOSAL CONTAINER OR LINER IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.