

E/M CORP SUB OF GREAT LAKES CHEM CORP -- 10-117 PERMA SLIK G AEROSOL --
9150-01-260-2534

===== Product Identification =====

Product ID:10-117 PERMA SLIK G AEROSOL
MSDS Date:04/23/1998
FSC:9150
NIIN:01-260-2534
MSDS Number: BWPGF
=== Responsible Party ===
Company Name:E/M CORP SUB OF GREAT LAKES CHEM CORP
Address:2801 KENT AVE
Box:2400
City:WEST LAFAYETTE
State:IN
ZIP:47906-0400
Country:US
Info Phone Num:317-497-6336/501-862-5141
Emergency Phone Num:317-497-633
6/501-862-5141
Preparer's Name:CHEMICAL COMMUNICATIONS
CAGE:8F024
=== Contractor Identification ===
Company Name:E / M CO. DIV OF MORGAN CHEMICAL PRODUCTS INC
Address:100 COOPER CIR
Box:3969
City:PEACHTREE CITY
State:GA
ZIP:30269
Country:US
Phone:770-261-4835 / FAX: 770-631-0833
Contract Num:SP0451-96-D0367-0009
CAGE:8F024
Company Name:E/M CORP
Address:6940 FARMDALE AVE
City:NORTH HOLLYWOOD
State:CA
ZIP:91605-6210
Country:US
Phone:317-497-6100
CAGE:11770

===== Composition/Information o

n Ingredients =====

Ingred Name:MOLYBDENUM DISULFIDE (% IS TRADE SECRET)

CAS:1317-33-5

RTECS #:QA4697000

OSHA PEL:10 MG MO/M3

ACGIH TLV:10 MG MO/M3

Ingred Name:BASIC LEAD PHOSPHITE 92-2

CAS:12141-20-7

< Wt:10.

Ingred Name:ANTIMONY TRIOXIDE (SARA 313) (CERCLA)

CAS:1309-64-4

RTECS #:CC5650000

< Wt:10.

OSHA PEL:0.5 MG (SB)/M3

ACGIH TLV:0.5 MG (SB)/M3; 9596

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA 313) (CERCLA)

CAS:78-93-3

RTECS #:EL6475000

< Wt:10.

Other REC Limits:590 MG/CUM

OSHA PEL:200 PPM

ACGIH TLV:200 PPM/300STEL;9596

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:XYLENES (O-,M-,P- ISOMERS) (SARA 313) (CERCLA)

CAS:1330-20-7

RTECS #:ZE2100000

< Wt:10.

Other REC Limits:100 PPM

OSHA PEL:100 PPM

ACGIH TLV:100 PPM/150STEL;9596

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:V M & P NAPHTHA, LIGROINE, MINERAL SPIRITS (% IS TRADE
SECRET)

CAS:8032-32-4

RTECS #:OI6180000

Other REC Limits:STEL

400 PPM
ACGIH TLV:300 PPM

Ingred Name:LPG (LIQUEFIED PETROLEUM GAS) (% IS TRADE SECRET)
CAS:68476-85-7
RTECS #:SE7545000
Other REC Limits:1800 MG/CUM
OSHA PEL:1000 PPM
ACGIH TLV:1000 PPM; 9596

Ingred Name:DICHLOROMETHANE (METHYLENE CHLORIDE) (SUSPECTED HUMAN
CARCINOGEN BY ACGIH, NTP.) 93-4
CAS:75-09-2
RTECS #:PA8050000
Minumum % Wt:65.
Maxumum % Wt:75.
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

===== Hazards Identification =====

LD50 LC50 Mixture:TLV: NO
T DETERMINED FOR PRODUCT.
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:YES OSHA:NO
Health Hazards Acute and Chronic:ACUTE: EYES: CAN CAUSE IRRITATION,
REDNESS, BLURRED VISION. SKIN: PROLONGED CONTACT CAN CAUSE
IRRITATION, DERMATITIS. INHALATION: CAN CAUSE IRRITATION,
DIZZINESS, NAUSEA, FATIGUE, HEADACHE, AND UNCONSCIOUSNESS OR
ASPHYXIATION. INGESTION: CAN CAUSE GASTROINTESTINAL IRRITATION,
NAUSEA, VOMITING, AND DIARRHEA.
CHRONIC: UNKNOWN.
Explanation of Carcinogenicity:IARC LISTS INORGANIC LEAD COMPOUNDS,
ANTIMONY COMPOUNDS, METHYLENE CHLORIDE AS POSSIBLE CARCINOGENS.
Effects of Overexposure:EYES: IRRITATION, REDNESS, BLURRED VISION.
SKIN: IRRITATION, DERMATITIS. INHALATION: IRRITATION, DIZZINESS,
NAUSEA, FATIGUE, HEADACHE, UNCONSCIOUSNESS OR ASPHYXIATION.
INGESTION: GASTROINTESTINAL IRRITATION, NAUSEA, VOMITING,
DIARRHEA.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:SKIN: WASH WITH SOAP AND WATER. EYES: FLUSH WITH COPIOUS AMOUNTS OF WATER, GET MEDICAL ATTENTION. INHALATION: MOVE TO FRESH AIR. IF BREATHING IS IMPAIRED, GET MEDICAL ATTENTION. INGESTION: DO NOT INDUCE VOMITING, KEEP WARM. GET MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point Method:TCC
Flash Point: