

SHELL OIL COMPANY -- TURBO(R) T OIL 46 -- 9150-00-582-5480

=====
===== Product Identification =====

Product ID:TURBO(R) T OIL 46

MSDS Date:10/27/1992

FSC:9150

NIIN:00-582-5480

MSDS Number: BWPSB

=== Responsible Party ===

Company Name:SHELL OIL COMPANY

Address:HEALTH, SAFETY AND ENVIRONMENT

Box:4320

City:HOUSTON

State:TX

ZIP:77210

Country:US

Info Phone Num:713-241-4819

Emergency Phone Num:713-473-9461

CA

GE:54527

=== Contractor Identification ===

Company Name:EQUILON ENTERPRISES LLC PRODUCT STEWARDSHIP

Address:1111 BAGBY RD RM 4325D

Box:674414

City:HOUSTON

State:TX

ZIP:77267-4414

Country:US

Phone:877-276-7285

CAGE:3N254

Company Name:SHELL OIL COMPANY

Address:Box:2463

City:HOUSTON

State:TX

ZIP:77210

Country:US

Phone:800-231-6950

CAGE:54527

=====
===== Composition/Information on Ingredients =====

Ingred Name:DISTILLATES, HYDROTREATED HEAVY PARAFFINIC

CAS:64742-54-7

RTECS #:PY8035500

ER. SKIN:WASH WITH SOAP & WATER. REMOVE
CONTAMINATED CLOTHING AND LAUNDRER BEFORE REUSE. IN INJECTED UNDER
SKIN,GET MEDICAL ATTENTION. INHALED:REMOVE TO FRESH AIR.
AID/RESTORE BREATHING IF NECESSARY. INGESTED:DO NOT INDUCE
VOMITING. NO TREATMENT IS NECESSARY UNLESS LARGE QUANTITIES ARE
INGESTED. GET MEDICAL ADVICE.

===== Fire Fighting Measures =====

Flash Point Method:PMCC

Flash Point:460F,238C

Lower Limits:N/AV

Upper Limits:N/AV

Extinguish

ing Media:USE WATER FOG,FOAM,DRY CHEMICAL OR CARBON DIOXIDE.

DO NOT USE DIRECT WATER STREAM. OIL WILL FLOAT & REIGNITE ON
SURFACE.

Fire Fighting Procedures:DO NOT ENTER CONFINED FIRE-SPACE WITHOUT FULL
BUNKER GEAR, INCLUDING POSITIVE PRESSURE NIOSH APPROVED
SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:MATERIAL WILL NOT BURN UNLESS PREHEATED.
COOL FIRE EXPOSED CONTAINERS W/WATER.

===== Accidental Release Measures =====

Spill R

elease Procedures:NOT READILY IGNITABLE BUT MAY BURN. CAUTION!

WEAR RESPIRATOR & PROTECTIVE CLOTHNG. STOP LEAK IF SAFE TO DO SO.

DIKE AND CONTAIN. REMOVE W/VACUUM OR PUMP TO STORAGE CONTAINER.

PRESIDUE WITH AN ABSORBEN T. FLUSH AREA WITH WATER TO REMOVE TRACE
RESIDUE.

Neutralizing Agent:MFR GAVE NO INFORMATION ON MSDS.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL DRY PLACE WITH

ADEQUATE VENTILATION. KEE

P AWAY FROM OPEN FLAMES AND HIGH

TEMPERATURES.

Other Precautions:MINIMIZE SKIN CONTACT. LAUNDRER CONTAMINATED CLOTHING
BEFORE REUSE. PROPERLY DISPOSE OF CONTAMINATED LEATHER ARTICLES,
INCLUDING SHOES,THAT CANNOT BE DECONTAMINATED.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF EXPOSURE MAY OR DOES EXCEED OCCUPATIONAL
EXPOSURE LIMITS USE A NIOSH-APPROVED RESPIRATOR TO PREVENT
OVEREXPOSURE. USE ATMOSPHERE SUPPLYING OR AIR PURIFYIN

G RESPIRATOR

FOR ORGANIC VAPORS.

Ventilation:MFR GAVE NO INFORMATION ON MSDS.

Protective Gloves:CHEMICAL RESISTANT

Eye Protection:NONE ROUTINELY NECESSARY

Other Protective Equipment:PROTECTIVE CLOTHING AS REQUIRED TO MINIMIZE SKIN CONTACT. TEST DATA INDICATES NITRILE IS BEST.

Work Hygienic Practices:WASH WITH SOAP AND WATER BEFORE EATING, DRINKING, SMOKING OR USING TOILET FACILITIES.

Supplemental Safety and Health

NONE

===== Physical/Chemical Properties =====

=====

HCC:V6

NRC/State Lic Num:NONE

Melt/Freeze Pt:M.P/F.P Text:-10F,-23C

Spec Gravity:0.8783

Viscosity:44-48

Solubility in Water:NEGLIGIBLE

Appearance and Odor:PALE YEEOW OIL, SLIGHT HYDROCARBON ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

OXIDIZING MATERIALS

Stability Condition to Avoid:AVOID HEAT AND OPEN FLAMES

Hazardous Decomposition Products:A COMPLEX MIXTURE OF AIRBORNE SOLID, LIQUID, PARTICULATES AND GASES. CARB ON MONOXIDE AND OTHER UNIDENTIFIED MATERIALS.

===== Disposal Considerations =====

Waste Disposal Methods:PLACE IN AN APPROPRIATE DISPOSAL FACILITY IN COMPLIANCE W/LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate a

nd

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.