

DEXTER CORP HYSOL DIV -- EPK 0151 HARDENER AB0151 -- 8040-00-061-8303

===== Product Identification =====

Product ID:EPK 0151 HARDENER AB0151

MSDS Date:03/08/1993

FSC:8040

NIIN:00-061-8303

Kit Part:Y

MSDS Number: BWQYW

=== Responsible Party ===

Company Name:DEXTER CORP HYSOL DIV

Address:164 FOLLY MILL RD

City:SEABROOK

State:NH

ZIP:03874

Country:US

Info Phone Num:603-474-5541

Emergency Phone Num:603

-474-5541/800-424-9300(CHEMTREC)

Preparer's Name:KEN DECOSTA

CAGE:1JB33

=== Contractor Identification ===

Company Name:DEXTER CORP THE HYSOL DIV

Address:1 DEXTER DR

Box:City:SEABROOK

State:NH

ZIP:03874

Country:US

Phone:603-474-5541/FAX: 603-474-5545

CAGE:1JB33

Company Name:RESIN FORMULATORS CO

Address:8500 STELLER DR

Box:City:CALVER CITY

State:CA

ZIP:90232

Country:US

Phone:213-870-9561

CAGE:03355

===== Composition/Information on Ingredients =====

Ingred Name:TRIETHYLENETETRAM

INE
CAS:112-24-3
RTECS #:YE6650000
Fraction by Wt: 10-30%
Other REC Limits:NONE RECOMMENDED
ACGIH TLV:1 PPM

Ingred Name:REACTIVE POLYAMIDE
CAS:68410-23-1
Fraction by Wt: 60-100%
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:LD50 SKIN RBBT 200MG/KG; LD50 ORAL 4340*
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Health Hazards Acute and Chronic:EYES: PAIN. SEVERE IRRITATION
W/CORNEAL INJURY, PERMANENT VISIO
N IMPAIRMENT, BLINDNESS. SKIN:
SEVERE BURNS. ALLERGIC REACTIONS, CORROSIVE. ABSORPTION: ABSORBED
IN HARMFUL AMOUNTS. INHALATION: RESPIRATORY SENSITIZATION, UPPER
RESP TRACT IRRITATION. INGEST: GI IRRITATION OR ULCERATION. BURNS
OF MOUTH & THROAT.
Explanation of Carcinogenicity:N/K * MG/KG
Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN & EYE DISORDERS
MAY BE AGGRAVATED BY EXPOSURE. PRE-EXISTING SKIN OR LUNG ALLERGIES
MAY INCREASE CHANCE OF DEVELOPING INCREASED ALLERGY SYMPTOMS .
AGGRAVATE PRE-EXISTING ASTHMA.

===== First Aid Measures =====

First Aid:EYE:IMMED & CONTINUOUS IRRIGATION W/FLOWING WATER AT LEAST 30
MIN IMPERATIVE.PROMPT MED AID ESSENTIAL. SKIN:IMMED FLUSH SKIN
W/PLENTY OF WATER 15 MIN WHILE REMOVING CONTAM CLOTHING &
SHOES.CALL DR IF IRRITATION PERSISTS.WASH CLOTHING BEFORE
REUSE.DESTROY CONTAM SHOES/OTHER LEATHER ARTICLES. INGESTION:DON'T
INDUCE VOMITING.GIVE LRG AMT WATER/MILK.TRANSPORT TO MED FACILITY.
INHAL:REMOVE TO FRESH **

===== Fire Fighting Measures =====

Flash Point:265F,129C
Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL FOR SMALL FIRES, FOAM
FOR LARGE FIRES
Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND
FULL PROTECTIVE CLOTHING.
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:CLEANUP AND DISPOSAL SHO

ULD BE IN ACCORDANCE
WITH FEDERAL, STATE, AND LOCAL ENVIRONMENTAL CONTROL REGULATIONS.

=====
Handling and Storage
=====

Handling and Storage Precautions:KEEP CONTAINERS TIGHTLY SEALED

Other Precautions:AVOID SKIN AND EYE CONTACT.

*** DECONTAMINATION.NO ANTIDOTE.TREAT BASED ON

DR'S JUDGEMENT OF PATIENT RESPONSE.EXCESSIVE EXPOSURE MAY
AGGRAVATED PRE-EXISTING ASTHMA.DON'T GIVE FLUIDS TO UNCONSCIOUS.

=====
Exposure Controls
/Personal Protection
=====

Respiratory Protection:FRESH AIR MASK IN CONFINED SPACES.

Ventilation:LOCAL EXHAUST PREFERRED, MECHANICAL EXHAUST ACCEPTABLE.

RESPIRATORS AVAILABLE IF VENTILATION FAILS.

Protective Gloves:RUBBER OR PLASTIC

Eye Protection:SAFETY GLASSES OR GOGGLES

Other Protective Equipment:SAFETY SHOWER AND EYE BATH.

Supplemental Safety and Health

KEY1:C2.

=====
Physical/Chemical Properties
=====

HCC:B3

Boiling Pt:B.P. Text:500F,260C

Vapor Pr

es: