

EASTMAN KODAK -- 807 2449 EKTACOLOR PRIME DEVELOPER REPLENISHER/RA- 4,PART A --
6750-01-320-4809

===== Product Identification =====

Product ID:807 2449 EKTACOLOR PRIME DEVELOPER REPLENISHER/RA- 4,PART A

MSDS Date:02/06/1998

FSC:6750

NIIN:01-320-4809

Kit Part:Y

MSDS Number: BWRGB

=== Responsible Party ===

Company Name:EASTMAN KODAK

Address:343 STATE STREET

City:RODCHESTER

State:NY

ZIP:14650

Country

:US

Info Phone Num:716-722-5151/800-242-2424

Emergency Phone Num:716-722-5151/800-242-2424

CAGE:5K871

=== Contractor Identification ===

Company Name:EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST

Box:City:ROCHESTER

State:NY

ZIP:14650-1115

Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

Company Name:EASTMAN KODAK CO US CUSTOMER SERVICE/GOVERNMENT SALES

Address:800 LEE RD

Box:City:ROCHESTER

State:NY

ZIP:14650-3129

Country:US

Phone:800-828-6203

CAGE:5K871

=====

Composition/Information on Ingredients =====

Ingred Name:WATER
CAS:7732-18-5
RTECS #:ZC0110000
Fraction by Wt: 60-65%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:NOT RELEVANT
ACGIH TLV:NOT RELEVANT

Ingred
Name:4-(N-ETHYL-N-2-METHANESULFONYLAMINOETHYL)-2-METHYLPHENYLENEDIA
MINE SESQUISULFATE MONOHYDRATE
CAS:25646-71-3
RTECS #:PB0431000
Fraction by Wt: 25-30%
Other REC Limits:NONE RECOMMENDED

Ingred Name:TRIETHANOLAMINE
CAS:102-71-6
RTECS #:KL9275000
Fraction by Wt: 10 - 15%
Other REC Limits:NONE RECOMMENDED

Ingred Name:SUBSTITUTED STILBENE,
CAS:82640-05-9
Fraction by Wt: 1 - 5%
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS UNKNOWN.
Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:TARGET ORGANS:EYES. ACUTE- EYES:NO
SPECIFIC HAZARD KNOWN. MAY CAUSE TRANSIENT IRRITATION. SKIN:LOW

HAZARD FOR RECOMMENDED HANDLING. INHALATION:EXPECTED TO BE A LOW
HAZARD FOR RECOMMENDED HANDLING. ORAL:EXPECTED TO BE A LOW
INGESTION HAZARD.CHRONIC- UNKNOWN.

Explanation of Carcinogenicity:NONE
Effects of Overexposure:TRANSIENT IRRITATION
Medical Cond Aggravated by Exposure:INDIVIDUALS WITH PRE-EXISTING EYE
PROBLEMS MAY BE MORE SUCCEPTIBLE TO THE EFFECTS FROM EXPOSURE TO
THIS PRODUCT.

===== First Aid Measures =====

First Aid:GET MEDICAL AID

L HELP IF SYMPTOMS PERSIST. INHALED:REMOVE TO FRESH AIR. EYES:FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKIN:WASH WITH SOAP & WATER. ORAL:DO NOT INDUCE VOMITING. IF CONSCIOUS, DRINK 1-2 GLASSES OF WATER. SEEK MEDICAL ATTENTION. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

===== Fire Fighting Measures =====

Flash Point:100F - 200F EST.

Extinguishing Media:USE WATER SPRAY, CARBON DIOXIDE (CO2), ALCOHOL FOAM OR DRY CHEMI

CAL. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS.

Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS. HAZARDOUS DECOMPOSITION PRODUCTS MAY BE FORMED.

Unusual Fire/Explosion Hazard:CAN CAUSE DECOMPOSITION. COMBUSTIBLE SOLVENT MAY ACCUMULATE IN THE CONTAINER HEADSPACE.

===== Accidental Release Measures =====

Spill Release Procedures:FLUSH TO SEWER WITH LARGE AMOUNT OF WATER IF PERMITTED. OTHERWISE

E, ABSORB SPILL WITH INERT MATERIAL SUCH AS VERMICULITE. PLACE IN A CONTAINER FOR DISPOSAL. CLEAN AREA THOROUGHLY TO REMOVE RESIDUAL CONTAMINATION.

Neutralizing Agent:NOT RELEVANT

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN CLOSED CONTAINERS AWAY FROM IGNITION SOURCES & STRONG OXIDIZING AGENTS.

Other Precautions:AVOID CONTACT WITH EYES, SKIN AND CLOTHING. USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HAND

LING. DO NOT BREATHE VAPORS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE SHOULD BE NEEDED.

Ventilation:GOOD GENERAL VENTILATION IS SUFFICIENT FOR MOST CONDITIONS (10 ROOM VOLUMES PER HOUR).

Protective Gloves:NITRILE RUBBER RECOMMENDED

Eye Protection:SAFETY GLASSES WITH SIDE SHIELDS/GOGGLES

Other Protective Equipment:SAFETY SHOWER AND EYE WASH FOUNTAIN SHOULD BE LOCATED NEARBY. WEAR APPROPRIATE PROTECTIVE CLOTHING FOR RISK OF
E

XPOSURE.

Work Hygienic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES.

Supplemental Safety and Health

KEY1:C4. THIS IS A 3-PART KIT. PART A HAS PNI B, PART B HAS PNI L, PART C HAS PNI J, WORKING SOLUTION HAS PNI X. FORMULA CHANGED.

ECOLOGICAL INFORMATION:A LOW BIOCHEMICAL OXYGEN DEMAND. A LOW POTENTIAL TO AFFECT GERMINATION OF SOME PLANTS.AFTER DILUTION WITH LARGE AMOUNT OF WATER, NO ADVERSE EFFECTS EXPECTED.

===== Physical/Chemical Properties =====

HCC:B3

NRC/State Lic Num:NOT RELEVANT

Boiling Pt:B.P. Text:>212F,>100C

Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN

Decomp Temp:Decomp Text:>356F,>180C

Vapor Pres:18 @ 68F

Vapor Density:0.6

Spec Gravity:1.03

pH:10.8

Evaporation Rate & Reference:NOT GIVEN

Solubility in Water:COMPLETE

Appearance and Odor:LIGHT YELLOW LIQUID - SLIGHT AMINE ODOR

Percent Volatiles by Volume:70- 75

===== Stability and Reactivity Data =====

Stability Indicat

or/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:TEMPERATURES ABOVE 176F/80C

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE, OXIDES OF NITROGEN

===== Disposal Considerations =====

Waste Disposal Methods:DISCHARGE, TREATMENT OR DISPOSAL MAY BE SUBJECT TO FEDERAL, STATE OR LOCAL REGULATIONS. FLUSH TO SEWER WITH LARGE AMOUNT OF WATER, IF PERMITTED. FOLLOW LABEL INSTRUCTION FOR EMPTY CONTAINERS.

Discl

aimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.