

MARCO CO WELD PRODUCTS DIV -- SOFT SOLDER FLUX-ACTIVE ACID MARCOLOY 1100
KIT,PART B -- 3439-01-030-2412

===== Product Identification =====

Product ID:SOFT SOLDER FLUX-ACTIVE ACID MARCOLOY 1100 KIT,PART B

MSDS Date:07/22/1994

FSC:3439

NIIN:01-030-2412

Kit Part:Y

MSDS Number: BWRKV

=== Responsible Party ===

Company Name:MARCO CO WELD PRODUCTS DIV

Address:5722 UNION PACIFIC AVENUE

City:LOS ANGELES

State:CA

ZIP:90022-5135

Country:US

Info Phone Num:213-723-0711

E

mergency Phone Num:213-723-0711

CAGE:MO629

=== Contractor Identification ===

Company Name:MARCO CO

Address:5722 UNION PACIFIC AVENUE

Box:City:LOS ANGELES

State:CA

ZIP:90022-5135

Country:US

Phone:213-723-0711

CAGE:55278

Company Name:MARCO CO WELD PRODUCTS DIV

Address:5722 UNION PACIFIC AVENUE

Box:City:LOS ANGELES

State:CA

ZIP:90022-5135

Country:US

Phone:213-723-0711

CAGE:MO629

Company Name:R & D METALS & CHEMICALS, INC

Address:201C PERIMETER PARK

Box:22533

City:KNOXVILLE

State:TN

ZIP:37922-2233

C

country:US
Phone:423-531-6065 / FAX: 423-531-2044
CAGE:56406

===== Composition/Information on Ingredients =====

Ingred Name:ZINC CHLORIDE (SARA 313) (CERCLA)
CAS:7646-85-7
RTECS #:ZH1400000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:1 MG/M3
ACGIH TLV:1MG/M3/2STEL(FUME)95
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:WATER
CAS:7732-18-5
RTECS #:ZC0110000
Other REC Limits:NONE RECOMMENDED

Ingred Name:AMMONIUM CHLORIDE (CERCLA)
CAS:12125-02-9
RTECS #:BP4550000
Other REC
Limits:NONE RECOMMENDED
OSHA PEL:10 MG/M3
ACGIH TLV:10 MG/M3 FUME; 9495
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:HYDROGEN CHLORIDE (HYDROCHLORIC ACID) (SARA 302/313)
(CERCLA)
CAS:7647-01-0
RTECS #:MW4025000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:C 5 PPM
ACGIH TLV:C 5 PPM; 9495
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:METHYL ORANGE(BENZENESULFONIC
ACID,P-((P-((DIMETHYLAMINO)PHENYL)AZO)-,SODIUM SALT
CAS:547-58-0
RTECS #:DB6327000
Other REC Limits:NONE RECO

MMENDED
OSHA PEL:NOT ESTABLISHED.
ACGIH TLV:NOT ESTABLISHED.

===== Hazards Identification =====

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS UNKNOWN.
Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:TARGET ORGANS:EYES, SKIN, RESPIRATORY
& GI TRACTS. ACUTE- ORAL:HARMFUL. MAY CAUSE BURNS & ULCERATION TO
MOUTH, THROAT, STOMACH. EYE/SKIN:CORROSIVE. MAY CAUSE CHEMICAL
BURNS. INHALATION:VAPORS/MISTS IR RITATE NOSE & THROAT. WELDING
FUMES & GASES CAN BE DANGEROUS TO HEALTH. ARC RAYS CAN INJURE
EYES/SKIN. CHRONIC- UNKNOWN.
Explanation of Carcinogenicity:NONE
Effects of Overexposure:IRRITATION, CHEST DISCOMFORT, BURNS
Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING SKIN
DISORDERS, EYE PROBLEMS OR IMPAIRED RESPIRATORY FUNCTION MAY BE
MORE SUSCEPTIBLE TO THE EFFECTS OF THIS PRODUCT.

===== First Aid Measures =====
=====

First Aid:GET IMMEDIATE MEDICAL HELP FOR ALL CASES OF EXPOSURE.
EYES/SKIN:FLUSH WITH WATER FOR AT LEAST 15 MINUTES. HOLD EYELIDS
OPEN. INHALED:REMOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF NECESSARY.
ORAL:DO NOT I NDUCE VOMITING. IF CONSCIOUS, DRINK LARGE AMOUNT OF
MILK/WATER. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.
IF VOMITING OCCURS SPONTANEOUSLY, KEEP AIRWAY CLEAR.

===== Fire Fighting Measures =====

Flash Po
int:NONE
Extinguishing Media:WATER FOG, CARBON DIOXIDE, HALON, FOAM/DRY
CHEMICAL. WATER SPRAY MAY BE USED TO KEEP FIRE EXPOSED CONTAINERS
COOL.
Fire Fighting Procedures:WEAR FULL PROTECTIVE CLOTHING AND
NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS WITH FULL
FACEPIECE OPERATED IN THE POSITIVE PRESSURE MODE.
Unusual Fire/Explosion Hazard:MAY FORM TOXIC OR CORROSIVE GASES.

===== Accidental Release Measures =====

Spill Release Procedures:WEAR PROTEC

TIVE EQUIPMENT. VENTILATE AREA.

STOP FLOW OF MATERIAL IF POSSIBLE. CONTAIN/ABSORB SPILLS WITH DRY SAND, EARTH, VERMICULITE. CAREFULLY NEUTRALIZE WITH SODA ASH, SODIUM BICARBONATE, LIME. DO NOT DISCHARGE TO SEWER OR WATERWAYS.
Neutralizing Agent:SODA ASH, LIME, SODIUM BICARBONATE

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN TIGHTLY CLOSED CONTAINER AWAY FROM INCOMPATIBLE MATERIALS.

Other Precautions:CORROSIVE. DO NOT GET IN EYES, ON SKIN, ON CLOTHING.

AVOID BREATHING VAPORS/MIST. USE WITH ADEQUATE VENTILATION. EMPTY CONTAINERS RETAIN RESIDUE. KEEP OUT OF REACH OF CHILDREN. WASH THOROUGHLY AFTER H ANDLING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH APPROVED SUPPLIED AIR RESPIRATORY PROTECTION OR RESPIRABLE FUME RESPIRATOR WHEN WELDING, BRAZING OR SOLDERING IN CONFINED SPACE OR WHERE LOCAL EXHAUST VENTILATION DOES NOT KEEP

EXPOSURE BELO W TLV.

Ventilation:USE GENERAL & LOCAL EXHAUST AT FLAME TO KEEP FUMES AND GASES BELOW TLV'S IN THE WORKER'S BREATHING ZONE & GENERAL AREA.

Protective Gloves:PVC OR WELDER'S GLOVES

Eye Protection:CHEMICAL SAFETY GOGGLES/FACE SHIELD

Other Protective Equipment:RUBBER SPLASH APRON, RUBBER BOOTS. EYEWASH AND SAFETY SHOWER SHOULD BE LOCATED NEARBY.

Work Hygienic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. WASH THOROUGHLY BEFORE EATING,

DRINKING/SMOKING.

Supplemental Safety and Health

KEY1:C1. THIS PRODUCT IS A KIT CONSISTING OF TWO PARTS. PART A, HAS PNI A; PART B HAS PNI C, SAME NSN. FORMULA FOR PART B CHANGED. FOR PREVIOUS FORMULATION, SEE PNI B, SAME NSN.

===== Physical/Chemical Properties =====

HCC:C1

NRC/State Lic Num:NOT RELEVANT

Solubility in Water:SOLUBLE

Appearance and Odor:RED LIQUID

===== Stability and Reactivity Data =====

Stability Indicator/Materia

Is to Avoid:YES

STRONG BASES

Stability Condition to Avoid:NONE

Hazardous Decomposition Products:WELDING FUMES (OXIDES OF METAL BEING WELD) AND GASES SUCH AS OZONE, CARBON MONOXIDE, CARBON DIOXIDE, NITROGEN OXIDES.

===== Disposal Considerations =====

Waste Disposal Methods:CONTACT FEDERAL, STATE AND LOCAL ENVIRONMENTAL REGULATORS FOR GUIDANCE REGARDING PROPER DISPOSAL. DO NOT CONTAMINATE ENVIRONMENT.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.