SOUTHWEST PETRO-CHEM DIV, WITCO CHEMICAL CORP. -- SA 826 4122 GREASE 9150-01-197-7691

Product ID:SA 826 4122 GREASE MSDS Date:09/08/1996 FSC:9150 NIIN:01-197-7691 MSDS Number: BWSWG === Responsible Party === Company Name: SOUTHWEST PETRO-CHEM DIV, WITCO CHEMICAL CORP. Address:1400 S HARRISON Box:1974 City:OLATHE State:KS ZIP:66061 Country:US Info Phone Num:913-782-5800 FAX: 913-782-8091 Emergency Phone Num:913-782-5800(CHE MTREC 800-424-9300) Preparer's Name: RAY LAWSON CAGE:70878 === Contractor Identification === Company Name: EXXON CO USA-SOUTHWEST GREASE BUSINESS UNIT Address:1400 S HARRISON Box:1974 City:OLATHE State:KS ZIP:66061 Country:US Phone:913-656-3701/800-424-9300(CHEMTREC) CAGE:70878

Ingred Name: PETROLEUM HYDROCARBON Other REC Limits: NONE RECOMMENDED

Ingred Name: ADDITIVES Other REC Limits: NONE RECOMMENDED

====== Haz

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: NO TOXICOLOGICAL DATA
AVAILABLE. CHRONIC: NONE WHEN GOOD PERSONAL HYGIENE USED; SKIN AND EYE IRRITATION ON PROLONGED OR REPEATED CONTACT. NOTE- HIGH
VELOCITY INJECTION MAY CAUSE SERIOUS INJURY.
Explanation of Carcinogenicity:NO INGREDIENT OF A CONCENTRATION OF 0.1%
OR GREATER IS LISTED AS A CA
RCINOGEN OR SUSPECTED CARCINOGEN.
Effects of Overexposure:SKIN IRRITATION: REDNESS, DISCOMFORT. EYES:

REDNESS, TEARING, DISCOMFORT. INJECTION: INFECTION, PAIN, SWELLING, DISFIGUREMENT, LACK OF BLOOD CIRCULATION.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid:EYES: IMMEDIATELY FLUSH WITH LOTS OF WATER FOR 15 MINUTES. GET IMMEDIATE MEDICAL ATTENTION. SKIN: REMOVE EXCESS AND WASH AREA

WITH SOAP AND WATER. IF INJECTED, GET IMMEDIATE MEDICAL ATTENTION. INHALED : REMOVE TO FRESH AIR. INGESTED: GET IMMEDIATE MEDICAL ATTENTION.

Flash Point Method:COC Flash Point:>410F,>210C Extinguishing Media:DRY CHEMICAL, WATER FOG, CARBON DIOXIDE, FOAM, SAND/ EARTH. WATER MAY CAUSE FROTHING. Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE CLOTHING. COOL FIRE EXPOSED CON TAINERS WITH WATER. Unusual Fire/Explosion Hazard:DENSE SMOKE.

Spill Release Procedures:TRANSFER BULK OF MATERIAL TO ANOTHER CONTAINER. ABSORB RESIDUE WITH AN INERT MATERIAL SUCH AS EARTH, SAND, OR VERMICULITE. SWEEP UP AND DISPOSE OF. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling and Storage Precautions: KEEP CONTAINER CLOSED UNTIL READ

Y FOR

USE. Other Precautions:NONE SPECIFIED BY MANUFACTURER.

====== Exposure Controls/Personal Protection ==========

Respiratory Protection:NONE NORMALLY REQUIRED. Ventilation:NONE NORMALLY REQUIRED. Protective Gloves:NONE NORMALLY REQUIRED. Eye Protection:SAFETY GOGGLES Other Protective Equipment:NONE Work Hygienic Practices:WASH HANDS AFTER USE AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHES BEFORE REUSE. Supplemental Safety and Health NONE SPECIFIED BY MANUFACTURER.

HCC:V6 Spec Gravity:0.87 Viscosity:>100 SUS@100F Solubility in Water:NEGLIGIBLE Appearance and Odor:SEMI-SOLID AMBER GREASE; MINERAL OIL ODOR

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. HMIS: AVOID TEMPERATURES ABOVE 410F (210C) OR OPEN FLAMES; AVOID ST RONG OXIDIZING AGENTS Hazardous Decomposition Products:OXIDES OF CARBON/SULFUR/PHOSPHORUS/NITROGEN/ CALCIUM/ZINC, HYDROGEN SULFIDE, ALKYL SULFIDES, MERCAPTANS.

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS FOR SOLID WASTE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.