View NSN Online: https://aerobasegroup.es/nsn/5970-01-288-2972

EMERSON CUMING INC. SUB OF W R GRACE AND CO. -- ECCOBOND TP-50,PART A

5970-01-288-2972

Product ID:ECCOBOND TP-50,PART A

MSDS Date: 10/22/1993

FSC:5970

NIIN:01-288-2972

Kit Part:Y

MSDS Number: BWSXX === Responsible Party ===

Company Name: EMERSON CUMING INC. SUB OF W R GRACE AND CO.

Address:77 DRAGON COURT

City:WOBURN

State:MA ZIP:01888 Country:US

Info Phone Num: 617-828-3300

Emergency Phone Num:617-935-4850/617-938-8630

Preparer's Name: DAVID HAAS

CAGE:0B562

=== Contractor Identification ===

Company Name: EMERSON & CUMING

Address:55 HAYDEN AVE Box:City:LEXINGTON

State:MA ZIP:02173 Country:US

Phone:617-861-6600

CAGE:0B562

======= Composition/Information on Ingredients ========

Ingred Name: INGREDIENTS 2-4 COMPRISE 40-50% OF THIS PRODUCT

Other REC Limits: NONE RECOMMENDED

Ingred Name: SILICONE RESIN

Other REC Limits: NONE RECOMMENDED

Ingred Nam

e:CALCIUM CARBONATE (MARBLE) (LIMESTONE) CAS:1317-65-3 RTECS #:EV9580000 Other REC Limits: NONE RECOMMENDED OSHA PEL:15 MG/M3 TDUST ACGIH TLV:10 MG/M3 TDUST; 9394 Ingred Name: ETHYL SILICATE CAS:78-10-4 RTECS #: VV9450000 Other REC Limits: NONE RECOMMENDED **OSHA PEL:100 PPM** ACGIH TLV:10 PPM; 9394 Ingred Name: ALUMINUM OXIDE CAS:1302-74-5 RTECS #:GN0231000 Fraction by Wt: 50-60% Other REC Limits: NONE RECOMMENDED OSHA PEL:5 MG/M3 RESP. DUST ACGIH TLV:10 MG AL\*2O\*3/M3 ====== Hazards Id entification ========= Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: EYES: MAY CAUSE IRRITATION. SKIN: MAY CAUSE IRRITATION.INGEST:MAY BE HARMFUL IF SWALLOWED.INHAL:HEATED VAPORS AND DUST FROM CURED PRODUCT MAY CAUSE RESPIRATORY IRRITATION.CHRONIC:ETHYL SILICATE MAY CAUSE KIDNEY DAMAGE AT 100PPM;ABOVE 400PPM,MAY DAMAGE LIVER,KIDNEYS AND LUNGS. Explanation of Carcinogenicity:T HERE ARE NO INGREDIENTS ABOVE 0.1% WHICH ARE IDENTIFIED AS CARCINOGENS BY NTP, IARC OR OSHA. Effects of Overexposure:EYES:BLURRED VISION,BURNING,TEARING.

Medical Cond Aggravated by Exposure:MFR STATES NO DATA AVAILABLE.

============ First Aid Measures =============================

First Aid:SKIN:REMOVE CONTAMINATED CLOTHING;FLUSH WITH WATER;WASH WITH SOAP AND WATER.EYES:FLUSH WITH WATER FOR 15 MINUTES.INHAL:REMOVE TO FRESH AIR.GIVE OXYGEN OR ARTIFICIAL RESPIRATION IF NEEDED.I

NGEST:DO NOT INDUCE VOMITING.GET PROMPT QUALIFIED MEDICAL ATTENTION.IF CONSCIOUS,GIVE PLENTY OF WATER TO DILUTE STOMACH CONTENTS.
============ Fire Fighting Measures ============
Flash Point:>200F,>93C Extinguishing Media:WATER FOG,DRY CHEMICAL,CARBON DIOXIDE,FOAM. Fire Fighting Procedures:USE A SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT.COOL FIRE EXPOSED CONTAINERS WITH WATER FOG.
Unusual Fire/Explosion Hazard:CONTAINERS MAY BURST AT ELEVATED TEMPERATURES.DECOMPOSITION PRODUCTS MAY BE TOXIC.
======== Accidental Release Measures ==========
Spill Release Procedures:USE PROPER RESPIRATORY AND PROTECTIVE EQUIPMENT.VENTILATE AREA.SOAK UP WITH A NON-COMBUSTIBLE INERT ABSORBANT(CLAY,SAND);PLACE IN PROPER CONTAINER FOR DISPOSAL.USE SOAPY WATER TO WASH SPILL AREA.AVOID RUNOFF INTO WATERWAYS. Neutralizing Agent:NOT APPLICABLE.
============= Handling and Storage ==============
Handling and Storage Precautions:STORE IN A COOL,DRY,WELL-VENTILATED PLACE.KEEP CONTAINER CLOSED WHEN NOT IN USE.KEEP AWAY FROM HEAT,SPARKS,FLAMES AND INCOMPATIBLE MATERIALS.  Other Precautions:FOLLOW LABEL DIRECTIONS.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NOT NEEDED IN NORMAL SERVICE.  Ventilation:USE GENERAL DILUTION VENTILATION.  Protective Gloves:CHEMICALLY RESISTANT  Eye Protection:CHEMICAL SPLASH GOGGLES  Other Protective Equipment:  PROTECTIVE CLOTHING,AS NEEDED.PROVIDE A  LOCAL EYE WASH STATION AND SAFETY SHOWER.  Work Hygienic Practices:USE REASONABLE CARE IN HANDLING THIS  PRODUCT.WASH HANDS AFTER USE AND BEFORE EATING.  Supplemental Safety and Health  KEY1;N1.
========= Physical/Chemical Properties ==========
HCC:N1 Vapor Density:>1 Spec Gravity:1.7-2.1 Solubility in Water:INSOLUBLE Appearance and Odor:WHITE PASTE.ODOR NOT REPORTED.

====

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS,ACIDS,BASES. Stability Condition to Avoid:HIGH HEAT,FLAMES,STORAGE IN OPEN CONTAINERS.

Hazardous Decomposition Products:CARBON DIOXIDE,CARBON MONOXIDE,OXIDES OF ALUMINUM AND SILICON,UNIDENTIFIED ORGANIC COMPOUNDS.

Conditions to Avoid Polymerization:AVOID UNCONTROLLED MIXING WITH CURING AGENTS OR INCOMPATIBLEMATERIALS.

======= Disposal Considerations ===========

Waste Disposal Methods:DI SPOSE OF IN ACCORDANCE WITH FEDERAL,STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibilit y for the suitability of this information to their particular situation.