

MSDS Safety Information

FSC: 6850
NIIN: 01-389-0567
MSDS Date: 01/18/1995
MSDS Num: BXB TG
Product ID: ENVIROSOLV 655
MFN: 01
Responsible Party
Cage: 05867
Name: FINE ORGANICS CORP
Address: 205 MAIN ST
Box: 687
City: LODI NJ 07644-0687
Info Phone Number: 800-526-7480
Emergency Phone Number: 201-472-6800 CHE
MTREC 800-424-9300
Preparer's Name: MSDS COORDINATOR
Proprietary Ind: Y
Review Ind: Y
Published: Y

Contractor Summary

Cage: 05867
Name: FINE ORGANICS CORP
Address: 420 KULLER RD
Box: 2277
City: CLIFTON NJ 07015
Phone: 973-478 1000

Item Description Information

Item Manager:
S9G
Item Name: CLEANING COMPOUND,SOLVENT
Specification Number: NONE
Type/Grade/Class: NONE
Unit of Issue: DR
Quantitative Expression: 00000000055GL
UI Container Qty: 0
Type of Container: UNKNOWN

Ingredients

Name: *** PROPRIETARY ***

Health Hazards Data

=====

LD50 LC50 Mixture: LD50 (ORAL RAT) IS >10 GM/KG

Route Of Entry Inds - Inhalation: YES

Skin: YES

Ingestion: YES

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: ACUTE-INHALATION:EXCESSIVE REPEATED CONTACT OF CONCENTRATED MATERIAL MAY CAUSE IRRITATION. EYE:MAY CAUSE IRRITATION. SKIN:MAY CAUSE IRRITATION AND/OR DERMATITIS. INGESTION:HARMFUL IF ASPIRATED INTO LUNGS. CHRONIC-NONE CURRENTLY KNOWN.

Explanation Of Carcinogenicity: MFR GAVE THE ABOVE LISTINGS ON THE MSDS BUT NO

OTHER COMMENTS WERE RECORDED.

Signs And Symptoms Of Overexposure: INHALATION:IRRITATION. EYE:IRRITATION. SKIN:IRRITATION AND/OR DERMATITIS. INGESTION:POSSIBLE ASPIRATION INTO LUNGS.

Medical Cond Aggravated By Exposure: NONE CURRENTLY KNOWN.

First Aid: INHALATION:REMOVE TO FRESH AIR. EYE:FLUSH THOROUGHLY W/WATER FOR AT LEAST 15 MINUTES W/IN ONE MINUTE OF CONTACT. SKIN:WASH AREAS OF CONTACT W/GENEROUS AMOUNTS OF WATER. REMOVE CONTAMINATED CLOTHING. LAUNDER BEFORE REUSE.

INGESTION:DO NOT INDUCE VOMITING. GIVE PLENTY OF WATER. SEEK MEDICAL ATTENTION IN ANY NECESSARY INSTANCES.

=====

Handling and Disposal

=====

Spill Release Procedures: IF OUTDOORS, ADD SAND, EARTH, OTHER SUITABLE ABSORBENT TO SPILL AREA. KEEP PRODUCT OUT OF SEWERS & WATER COURSES BY DIKING/IMPOUNDING. INSIDE SPILLAGE, SHUT OFF/ELIMINATE ALL IGNIT SOURCES & REMOVE W/ ABSORBENT MATERIAL. SWEEP UP ABSORB MATERIAL.

Neutralizing Agent: MFR GAVE NO INFORMATION ON MSDS.

Waste Disposal Methods: DISPOSE I/A/W ALL LOCAL, STATE & FEDERAL REGULATIONS. DISPOSAL RECOMMENDATIONS APPLY TO ORIGINAL MATERIAL & ITS CONTAINER & NOT ANY MATERIALS WHICH ARE A WASTE BY-PRODUCT OF THE USER'S OPERATION.

Handling And Storage Precautions: KEEP BELOW 140F. REASONABLE CARE & PRECS WHEN HANDLING THIS MATL ARE STRONGLY RECOMMENDED. DO NOT STORE NEAR HEAT, SPARKS OR OPEN FLAMES

Other Precautions: DO NOT STORE ABOVE 100F. KEEP OUT OF DIRECT SUNLIGHT. THIS CONTAINER MAY BE HAZARDOUS WHEN EMPTIED. EMPTIED CONTAINERS MAY RETAIN PRODUCT RESIDUES (VAPORS OR LIQUID). OBSERVE ALL LABELED HAZARD PRECAUTIONS.

Fire and Explosion Hazard Information

Flash Point Method: TCC
Flash Point Text: 147F,64C
Lower Limits: 0.8
Upper Limits: 8.5
Extinguishing Media: DRY CHEMICAL, WATER SPRAY OR FOAM.
Fire Fighting Procedures: USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS.
Unusual Fire/Explosion Hazard: NONE KNOWN

Control Measures

Respiratory Protection: NIOSH APPROVED RESPIRATOR WHEN OPERATING ABOVE THE SUGGESTED TLV LIMITS.
Ventilation: CONTROL AIRBORNE CONCS BELOW EXPOS GUIDELINES. LOCAL EXHAUST MAY BE NECESSARY FOR SOME OPERATIONS. SEE SUPP DATA

Protective Gloves: RUBBER GLOVES.
Eye Protection: SAFETY GOGGLES I/A/W OSHA 1910.133
Other Protective Equipment: MFR GAVE NO INFORMATION ON MSDS.
Work Hygienic Practices: MFR: ? :USE GOOD INDUSTRIAL HYGIENE PRACTICES. MINIMIZE CONTACT & WASH THOROUGHLY AFTER HANDLING.
Supplemental Safety and Health: MFR SUGGESTS THAT VAPOR CONCENTRATIONS FOR EMPLOYEE EXPOSURE BE LIMITED TO BETWEEN 100-200 PPM, TWA. (RECOMMENDS 100 PPM MAXIMUM WHENEVER POSSIBLE.)

Physical/Chemical Properties

HCC: V4
NRC/State LIC No: NONE
B.P. Text: >365F,>185C
M.P/F.P Text: UNKNOWN
Decomp Text: UNKNOWN
Vapor Pres: 0.7 MM
Vapor Density: 5.7
Spec Gravity: 0.753
Viscosity: UNKNOWN
Evaporation Rate & Reference: UNKNOWN
Solubility in Water: NEGLIGIBLE
Appearance and Odor: CLEAR WATER WHITE LIQUID.
Percent Volatiles by Volume: 100
Corrosion Rate: UNKNOWN

=====

Reactivity Data

=====

Stability Indicator: YES
Stability Condition To Avoid: MFR GAVE NO INFORMATION ON MSDS.
Materials To Avoid: AVOID CONTACT W/OXIDIZING AGENTS.
Hazardous Decomposition Products: INCLUDES OXIDES OF CARBON.
Hazardous Polymerization Indicator: NO
Conditions To Avoid Polymerization: WILL NOT OCCUR.

=====

Toxicological Information

=====

=====

=====

Ecological Information

=====

=====

MSDS Transport Information

=====

=====

Regulatory Information

=====

=====

Other Informa
tion

=====

=====

Transportation Information

=====

Responsible Party Cage: 05867
Trans ID NO: 132930
Product ID: ENVIROSOLV 655
MSDS Prepared Date: 01/18/1995
Review Date: 06/13/1995
MFN: 1
Tech Entry NOS Shipping Nm: PETROLEUM DISTILLATES
Net Unit Weight: 343.5 LBS
Multiple KIT Number: 0
Review IND: Y
Unit Of Issue: DR
Container QTY: 0
Type Of Co

ntainer: UNKNOWN
Additional Data: MFR SUPPLIED THE PROPER SHIPPING NAME. PRODUCT IS LISTED AS
"COMBUSTIBLE LIQUID, NA1993." BELIE VES THAT FOR 55 GAL DRUMS THE MATERIAL
IS NOT REGULATED AT A FLASH POINT OF 147F.

=====
Detail DOT Information

=====
DOT PSN Code: XXX

=====
Detail IMO Information

=====
=====

IMO PSN Code: ZZZ
IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION

=====
Detail IATA Information

=====
IATA PSN Code: ZZZ

IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====
Detail AFI Information

=====
AFI PSN Code: ZZZ

AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====
HAZCOM Label

=====
Product ID: ENVIROSOLV 655

Cage: 05867

Company Name: FINE ORGANICS CORP

Street: 420 KULLER RD

PO Box: 2277

City: CLIFTON NJ

Zipcode: 07015

Health Emergency Phone: 201-472-6800 CHEMTREC 800-424-9300

Label Required IND: Y

Date Of Label Review: 06/13/1995

Status Code: C

MFG Label NO: NONE

Label Date: 06/13/1995

Origination Co

de: F
Eye Protection IND: YES
Skin Protection IND: YES
Signal Word: CAUTION
Respiratory Protection IND: YES
Health Hazard: Slight
Contact Hazard: Slight
Fire Hazard: Slight
Reactivity Hazard: None

Hazard And Precautions: **TARGET ORGANS:SKIN, EYES, CNS, RESPIRATORY SYSTEM**
ACUTE-INHALATION:EXCESSIVE REPEATED CONTACT OF CONCENTRATED MATERIAL MAY CAUSE IRRITATION. EYE:MAY CAUSE IRRITATION. SKIN:MAY CAUSE IRRITATION AN D/OR DERMATITIS. INGESTION:HARMFUL IF ASPIRATED INTO LUNGS. KEEP BELOW 1 40F.

REASONABLE CARE & PRECS WHEN HANDLING THIS MATL ARE STRONGLY RECOMMENDED.

DO NOT STORE NEAR HEAT, SPARKS OR OPEN FLAMES. IN CASE OF SPILL: IF OUTDOORS, ADD SAND, EARTH, OTHER SUITABLE ABSORBENT TO SPILLAREA. KEEP PRODUCT OUT OF SEWERS & WATER COURSES BY DIKING/IMPOUNDING. INSIDE SPILLAGE, SHUT OFF/ELIMINATE ALL IGNIT SOUR CES & REMOVE W/ABSORBENT MATERIAL.

=====

Disclaimer (provided with this information by the compiling agencies): This

information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this

instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.