

Product ID:TT-S-711C DARK MHOGANY 700R153

MSDS Date:01/01/1994

FSC:8010

NIIN:00-281-2075

MSDS Number: BXCFP
=== Responsible Party ===

Company Name:GRIGGS PAINT Address:3602 S 16TH PLACE

City:PHOENIX

State:AZ ZIP:85040 Country:US

Info Phone Num:602-243-3293

Emergency Phone Num:800-424-9300 CHEMTREC

Preparer's Name: ROBERT COMMISSO

CAGE:DO312

=== Contractor Ident

ification ===

Company Name: GRIGGS PAINT Address: 3602 S 16TH PLACE

Box:City:PHOENIX

State:AZ ZIP:85040 Country:US

Phone:602-243-3293

CAGE:58963

Company Name: GRIGGS PAINT

Address:3602 S 16TH PL

City:PHOENIX

State:AZ

ZIP:85040-1319 Phone:602-243-3293

CAGE:DO312

======= Composition/Information on Ingredients ========

Ingred Name:ALIPHATIC HYDROCARBONS (STODDARD TYPE) (SARA III) (VAPOR PRESSURE 2.0 MM HG @ 68F)

CAS:8052-41-3

RTECS #:WJ8925000 Fraction by Wt: 62% Other REC Limits:NO NE RECOMMENDED OSHA PEL:100 PPM ACGIH TLV:100 PPM

Ingred Name:MATERIAL VOC: 4.40 LB/GL (528 G/L)

RTECS #:9999999VO

Other REC Limits: NONE RECOMMENDED

========= Hazards Identification =================

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic: CONTACT TO EYES MAY CAUSE IRRIT.

PROLONGED/REPEATED CONTACT MAY CAUSE SKIN IRRIT. INHALATION OF HIGH CONCENTRATION MAY LEAD TO L

UNG

CHANGES, NAUSEA, VOMITING, COUGH, PULMONARY IRRIT & CENTRAL NERVOUS SYST EM DEPRESSION. INGESTION MAY CAUSE GI DISTURBANCES. ASPIRATION INTO LUNG MAY CAUSE PNEUMONITIS, PULMONARY EDEMA, HEMORRAGE

Effects of Overexposure:INHAL: BREATHING HIGH VAPOR CONCENTRATIONS MAY CAUSE DROWSINESS, DIZZINESS, FATIGUE, COMA. EYE: MAY CAUSE IRRITATION. SKIN: PROLONGED/REPEATED CONTACT MAY CAUSE IRRITATION/DERMATITIS. MAY BE ABSORBED THR OUGH SKIN. INGESTION:ASPIRATION INTO LUNGS MAY CAUSE

PNEUMONITIS, PULMONARY EDEMA & HEMORRAGE. MAY CAUSE GI DISTURBANCE.

Medical Cond Aggravated by Exposure:INDIVIDUALS WITH PRE-EXISTING DISEASES IN OR HISTORY OF AILMENTS INVOLVING SKIN, CENTRAL NERVOUS SYSTEM, LIVER AND KIDNEY.

First Aid:EYE CONTACT: IMMEDIATELY FLUSH WITH LARGE AMOUNTS OF WATER FOR 15 MINUTES. SEEK MEDICAL AID. SKIN: WASH THOROUGHLY WITH SOAP AND WATER. SEEK MEDICAL AID IF IRRITATION PERSIS

TS. INGESTION:

IMMEDIATELY SEEK MEDICAL AID. DO NOT INDUCE VOMITING. DO NOT ATTEMPT TO GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

============ Fire Fighting Measures =========================

Flash Point Method:TCC Flash Point:100F,38C

Autoignition Temp: Autoignition Temp Text: 474 F

Lower Limits: 1.0

Extinguishing Media: FOAM, CO2, DRY CHEMICAL, WATER FOG

Fire Fighting Procedures: APPROVED GAS MASK REQUIRED FOR FIRE FIGHTING

PERSONEL. WATER MAY BE INEFFECTIVE. WATER MAY B

CONTAINERS. IF WATER IS USED, FOG NOZZLES PREFERRED. Unusual Fire/Explosion Hazard:KEEP CONTAINERS TIGHTLY CLOSED. ISOLATE FROM HEAT, ELECTRICAL EQUIPMENT, SPARKS, AND OPEN FLAME. CLOSED CONTAINERS MAY EXPLODE WHEN EXPOSED TO HEAT.
======== Accidental Release Measures ==========
Spill Release Procedures:STOP LEAK IF NO RISK INVOLVED. REMOVE ALL SOURCES OF IGNITION. STAY UPWIND. ABSORB WITH INERT MATERIAL. FLUSH AREA WITH WATER. VENTILATE A REA FOR AT LEAST 24 HOURS OR UNTIL AREA HAS BEEN DECLARED SAFE.
======================================
Handling and Storage Precautions:MAINTAIN GOOD PERSONAL HYGIENE. DO NOT USE IN CONFINED AREAS, TANK OR PIT, WITHOUT ADEQUATE VENTILATION.
====== Exposure Controls/Personal Protection ========

E USED TO COOL

Respiratory Protection:IF VENT DOESN'T MAINTAIN INHALATION EXPOSURES