HARRIS WELCO/THERMACOTE-WELCO CO -- STAINLESS STEEL BARE WIRE, AWS 308L 3439-00-511-9704 Product ID:STAINLESS STEEL BARE WIRE, AWS 308L MSDS Date:07/01/1993 FSC:3439 NIIN:00-511-9704 MSDS Number: BXCNW === Responsible Party === Company Name: HARRIS WELCO/THERMACOTE-WELCO CO Address:1051 YORK ROAD Box:828 City:KINGS MOUNTAIN State:NC ZIP:28086 Country:US Info Phone Num:704-739-6421 Emergency Phone Num:800-424-9300(CHEMTREC) CAGE:JO222 === Contractor Identification === Company Name: HARRIS WELCO/THERMACOTE WELCO Address:1051 YORK RD Box:828 City:KINGS MOUNTAIN State:NC ZIP:28086 Country:US Phone:704-739-6421 CAGE:JO222 Company Name: THERMACOTE-WELCO CO SUB OF FOSTER WHEELER CORP Address:YORK RD Box:828 City:KINGS MOUNTAIN State:NC ZIP:28086 Country:US CAGE:24559 ======= Composition/Information on Ingredients ======== Ingred Name: NO INGREDIENT FOR THIS FORMULATION_INGREDIENT

====== Hazar

| ds Identification =========== |
|--|
| Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES Health Hazards Acute and Chronic:ELECTRIC ARC-WELDING MAY CREATE FUMES/GASES CAN BE DANGEROUS. ARC RAYS CAN INJURE EYES & BURN SKIN. ELECTRIC SHOCK CAN KILL. Explanation of Carcinogenicity:PER MSDS:CARCINOGENIC:NA. HOWEVER CONTAINS NI,CR CMPDS WHICH ARE CARCINOGENIC. Effects of Overexposure:SHORT TERM TO WELDING FUMES: DIZZINESS, NAUSEA, DRYNESS & IRRITATION OF NOSE/EYES/THROAT, CHEST TIGHTNESS, FEVER, ALLERGIC REACTION. LONG TERM: SIDEROSIS, BELIEVED TO AFFECT |
| PULMONARY FUNCTION. |
| Medical Cond Aggravated by Exposure:PULMONARY FUNCTION. |
| ====================================== |
| First Aid:EYES: FLUSH WITH WATER FOR 15 MINUTES WHILE HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER. IF IRRITATION PERSIST, GET MEDICAL |
| ATTENTION. INH ALATION: REMOVE TO FRESH AIR. RESTORE BREATHING. GET MEDICAL ATTENTION. |
| ====================================== |
| Flash Point:NONFLAMMABLE Lower Limits:NOT GIVEN Upper Limits:NOT GIVEN Extinguishing Media:NONE SPECIFED BY MFG. HOWEVER USE APPROPRIATE EXTINGUISHING MEDIA FOR SURROUNDING FIRE. Fire Fighting Procedures:NONE SPECIFIED BY MFG. HOWEVER IF MATERIAL INVOLVE IN FIRE WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE EQPMT A S CONDITINS WARRANT. Unusual Fire/Explosion Hazard:WELDING ARC & SPARKS CAN IGNITE COMBUSTABLES/FLAMMABLES. REFER TO AMERICAN NAT STD Z49.1 FOR FIRE PREVENTION DURING WELDING & ALLIED PROCEDURES. |
| ======== Accidental Release Measures ========== |
| Spill Release Procedures:NONE SPECIFIED BY MANUFACTURER. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER. |

========== Handling and Storage ===========

Handling and Storage Precautions: USE EXH SYS.MAK

E SURE INHALED AIR DOES

NOT CONTAIN FUME CONSTITUENTS ABOVE PEL.SEE AMER STD Z49.1-1983(SAF IN WELD/ CUT)& WELD HANDBOOK VOL1, CHAP 9.

Other Precautions:SEE AWS F1.1 & AWS F1.2-1985 FROM AMER WELDING SOC. SEE ALSO AWS PUBLICATION:"FUMES & GASES IN THE WELDING ENVRIO". ALL LITERTURE MENTIONED CAN BE OBTAIN FROM:AM WELDING SOC INC, 550 NW LEJUNE RD, POB 351040, MIAMI, FL 33135, 305-443-9353.

===== Exposure Controls/Personal Protection ========

Respiratory Prote

ction:USE RESPIRABLE FUME RESPIRATORY OR AIR SUPPLIED
RESPIRATOR WHEN IN CONFINED SPACE OR LOCAL EXHAUST DOES NOT KEEP
EXPOLUSRE BELOW RECOMMENDED EXPOSURE LIMIT.

Ventilation: USE ENOUGH LOC VENTILATION & LOCAL EXHAUST @ ARC TO KEEP FUMES/GASES FROM WORKER'S BREATHING ZONE & GENERAL AREA.

Protective Gloves:WELDERS GLOVES

Eye Protection: FACE SHIELD W/FILTER LENS/FLASH GOGGLES

Other Protective Equipment:HEAD/BODY PROTECTION TO PREVENT INJURY FROM RADIATION/SPAKRS/ELECTRIC SHOCK.

Wor

k Hygienic Practices: WASH HANDS THOROUGHLY WITH SOAP AND WATER BEFORE EATING, DRINKING, SMOKING OR USING TOILET FACILITIES.

Supplemental Safety and Health

DECOMP PRODUCTS: COMPOSITION/QUALITY DEPENDENT UPON METAL BEING WELDED, PROCESS, PROCEDURE, ELCTRODES, COMPONENTS/QUANTITIES BEING EXPOSED, METAL COATINGS, #/VOL OF WELDERS, AMOUNT/QUANTITY OF VENTILA TION, HEAD POSITION. RECOMMENDED TESTING WORK ATMOSPHERE. TRAIN WORKERS TO KEEP HEAD OUT OF FUMES.

| ======================================= | Phys |
|---|--------------|
| ical/Chemical Properties | ============ |

HCC:N1

Boiling Pt:B.P. Text:NOT GIVEN

Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN

Vapor Pres:NOT GIVEN Vapor Density:NOT GIVEN Spec Gravity:NOT GIVEN

Evaporation Rate & Dr. Reference: NOT GIVEN

Solubility in Water: NOT GIVEN

Appearance and Odor:BARE FILLER METALS ARE SOLID WIRE.

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES NONE SPECIFIED BY MANUFACTURER. Stability Condition to Avoid:NONE SPE

CIFIED BY MANUFACTURER.

Hazardous Decomposition Products:(SEE SUPPLEM)REASONBLY EXPECTED FUME:PRIMARY OXIDES OF FE,2ND OXIDES OF CR,NI,MN,SI,MO.GAS:CO,CO2,OZONE,NITROGEN OXIDES.

======= Disposal Considerations ===========

Waste Disposal Methods:PREVENT WASTE FROM CONTAMINATING SURROUNDING ENVIRO.DISCARD ANY PRODUCT RESIDUE, DISPOSABLE CNTNR OR LINER IN ENVIROM ACCEPTABLE MANNER, IN FULL COMPLAIANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

=======

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.