View NSN Online: https://aerobasegroup.es/nsn/9150-01-282-9394

Product ID:NO-OX-ID GREASE, RG-19

MSDS Date:08/01/1988

FSC:9150

NIIN:01-282-9394

MSDS Number: BXDPN === Responsible Party ===

Company Name: C AND D CHARTER POWER SYSTEMS, INC

Address:3043 WALTON RD City:PLYMOUTH MEETING

State:PA ZIP:19462 Country:US

Info Phone Num:215-828-9000

Emergen

cy Phone Num:800-424-9300 (CHEMTREC)

CAGE:0GRM9

=== Contractor Identification ===

Company Name: C AND D CHARTER POWER SYSTEMS, INC.

Address:1400 UNION MEETING ROAD

Box:3053

City:BLUE BELL

State:PA ZIP:19422 Country:US

Phone:215-619-2700; 610-828-9309

CAGE:0GRM9

======= Composition/Information on Ingredients ========

Ingred Name:PARAFFIN WAX; (PETROLEUM WAX)

CAS:64742-61-6 Fraction by Wt: 85% OSHA PEL:N/K ACGIH TLV:N/K

Ingred Name: MINERAL OIL, PETROLEUM DISTILLATES, LIGHT NAPHTHE

RTECS #:PY8037000
Fraction by Wt: 15%
OSHA PEL:300 PPM
ACGIH TLV:300 PPM
=========== Hazards Identification ============
LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:YES OSHA:NO
Health Hazards Acute and Chronic:ACUTE: INGEST: MAY CAUSE SEVERE
GASTRIC DISTRESS, VOMITING. CHRONIC: LONG TERM EXPOSURE MAY CAUSE
MINOR SKIN
IRRITATION.
Explanation of Carcinogenicity: IARC MONOGRAPHS VOL SUPL 7, P.252, 1987.
Effects of Overexposure:MAY CAUSE MINOR SKIN IRRITATION.
Medical Cond Aggravated by Exposure:NONE KNOWN.
======================================
First Aid:INGEST: INDUCE VOMITING. SEEK MEDICAL ATTENTION IMMEDIATELY. EYES: FLUSH WITH POTABLE WATER FOR AT LEAST 15 MINUTES. SEE MD. SKIN: FLUSH WITH COPIOUS AMOUNTS OF WATER. SEE MD. INHAL: REM OVE TO FRESH AIR. SUPPORT BR EATHING (GIVE OXYGEN/ARTIFICIAL RESPIRATION).
======================================
Floob Point MothodicOC
Flash Point Method: COC
Flash Point: 450F,232C
Lower Limits: 0.9%
Upper Limits:6.0%
Extinguishing Media:DRY CHEMICAL, SAND OR FOAM.
Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA & FULL
PROTECTIVE EQUIPMENT .
Unusual Fire/Explosion Hazard:NONE.
========== Accidental Release Measures ===========

Spill Release Procedures:SCOOP UP AND STORE IN SEALED

NIC;

(LIGHT NAPHTHENIC OIL) CAS:64741-52-2

WITH DETERGENT AND WATER.  Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.
=========== Handling and Storage ============
Handling and Storage Precautions:STORE IN COOL DRY PLACE AWAY FROM OPEN FLAMES, SPARKS AND OXIDIZERS. Other Precautions:NONE SPECIFIED BY MANUFACTURER.
====== Exposure Controls/Personal Protection ========
Respiratory Protection: USE NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN .
Ventil ation:NONE SPECIFIED BY MANUFACTURER. Protective Gloves:USE RUBBER GLOVES. Eye Protection:ANSI APPRVD CHEM WORKERS GOGGS. Other Protective Equipment:EMERGENCY EYEWASH & DELUGE SHOWER MEETING ANSI DESIGN CRITERIA. Work Hygienic Practices:WASH HANDS BEFORE EATING. Supplemental Safety and Health NONE SPECIFIED BY MANUFACTURER.
========= Physical/Chemical Properties =========
Boiling Pt:B.P. Text:400F,204C Melt/Freeze Pt:M.P/F.P Text:>140F,>60C Spec Gravity:0.89 (WATER=1)
Solubility in Water:INSOLUBLE Appearance and Odor:CLEAR TO BROWN, OILY
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES STRONG OXIDIZERS. Stability Condition to Avoid:OPEN FLAME OR EXCESSIVE HEAT. Hazardous Decomposition Products:NONE.
======== Disposal Considerations ===========
Waste Disposal Methods:INCINERATION OR RECLAIM. CONSULT FEDERAL, STATE AND LOCAL REGULATIONS.
Disclaimer (provided with thi

DRUMS. WASH AREA

s information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.