

ALL-STATE WELDING PRODUCTS DIVISION -- 718 ALUMINUM WELDING ALLOYS --
3439-00-262-4175

===== Product Identification =====

Product ID:718 ALUMINUM WELDING ALLOYS

MSDS Date:08/15/1994

FSC:3439

NIIN:00-262-4175

MSDS Number: BXTHF

=== Responsible Party ===

Company Name:ALL-STATE WELDING PRODUCTS DIVISION

Address:5112 ALLENDALE ST

Box:600

City:TANEYTOWN

State:MD

ZIP:21787

Country:US

Info Phone Num:410-

756-4330 OR 800-638-1647

Emergency Phone Num:717-637-8911(CHEMTREC 800-424-9300)

CAGE:69482

=== Contractor Identification ===

Company Name:ALL-STATE PRODUCTS/ DIV OF ESAB GROUP,INC

Address:5112 ALLENDALE ST

Box:600

City:TANEYTOWN

State:MD

ZIP:21787

Country:US

Phone:1-410-756-4330

CAGE:69482

===== Composition/Information on Ingredients =====

Ingred Name:COPPER (SARA 313) (CERCLA)

CAS:7440-50-8

RTECS #:GL5325000

Fraction by Wt: 0.3%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:0.

1MG/M3 FUME/1 DUST
ACGIH TLV:0.2 MG/M3 FUME; 9495
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:IRON
CAS:7439-89-6
RTECS #:NO4565500
Fraction by Wt: 0.8%
Other REC Limits:NONE RECOMMENDED

Ingred Name:MAGNESIUM
CAS:7439-95-4
RTECS #:OM2100000
Fraction by Wt: 0.1%
Other REC Limits:NONE RECOMMENDED

Ingred Name:MANGANESE (SARA 313)
CAS:7439-96-5
RTECS #:OO9275000
Fraction by Wt: 0.15%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:C 5 MG/M3 DUST
ACGIH TLV:5 MG/M3 DUST 9495

Ingred Name:SILICO
N
CAS:7440-21-3
RTECS #:VW0400000
Fraction by Wt: 11-13%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:15 MG/M3 TDUST
ACGIH TLV:10 MG/M3 TDUST; 9495

Ingred Name:ZINC (SARA 313) (CERCLA)
CAS:7440-66-6
RTECS #:ZG8600000
Fraction by Wt: 0.2%
Other REC Limits:NONE RECOMMENDED
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:ALUMINUM (SARA 313)
CAS:7429-90-5
RTECS #:BD0330000
Fraction by Wt: BALANCE
Other REC Limits:NONE RECOMMENDED
OSHA PEL:15 MG/M3 DUST
ACGIH TLV:10 MG/M3 DUST; 9495

=====

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: EXPOSURE TO DUSTS, FUMES, GASES FROM WELDING MAY CAUSE LUNG, NOSE, THROAT & EYE IRRITATION; PULMONARY EDEMA, ASPHYXIATION OR DEATH. CHRONIC: PROLONGED OR REPEATED EXPOSURE TO WELDING FUMES, GASES, DUSTS MAY CAUSE REDUCED LUNG FUNCTION OR DISEASE; MAY CAUSE RESPIRATORY IRRITATION.

Explanation of Carcinogenicity:NO INGREDIENT OF A CONCENTRATION OF 0.1% OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.

Effects of Overexposure:WATERY EYES, NOSE & THROAT IRRITATION, HEADACHE, DIZZINESS, DIFFICULTY IN BREATHING, FREQUENT COUGHING, CHEST PAIN, LETHARGY, SLEEPINESS, MUSCULAR WEAKNESS, EMOTIONAL DISTURBANCES AND SPASTIC GAIT.

Medical Cond Aggravated by Exposure:INDIVIDUALS WITH ALLERGIES OR IMPAIRED RESPIRATORY FUNCTION MAY HAVE SYMPTOMS WORSENERD BY EXPOSURE TO WELDING FUMES.

=====
First Aid Measures
=====

First Aid:IN CASE OF EMERGENCY, CALL FOR MEDICAL ASSISTANCE. EMPLOY FIRST AID TECHNIQUES RECOMMENDED BY RED CROSS. GIVE OXYGEN IF BREATHING DIFFICULT. FOR ELECTRICAL SHOCK; TURN-OFF ELECTRICAL POWER. GIVE ARTIFICIAL RESPIRATION IF BREATHING STOPPED.IF NO PULSE, BEGIN CPR. IMMEDIATELY CALL FOR MEDICAL ASSISTANCE. FOR ARC BURN; APPLY COLD, CLEAN COMPRESSES AND CALL FOR MEDICAL ASSISTANCE.

=====
Fire Fighting Measures
=====

Flash Point:NON-FLAMMABLE

Extinguishing Media:USE MEDIA APPROPRIATE FOR SURROUNDING FIRE. PRODUCT WILL NOT BURN BUT, SPARKS FROM WELDING CAN IGNITE COMBUSTIBLES.

Fire Fighting Procedures:NONE SPECIFIED BY MANUFACTURER.

Unusual Fire/Explosion Hazard:DAMP ALUMINUM DUST MAY SPONTANEOOUSLY HEAT & LIBERATE HYDROGEN GAS TO FORM EXPLOSIVE AIR MIXTURES.DO NOT USE WATER OR HALOGEN ON DUST FIRES-USE DRY

POWDER/SAND.

===== Accidental Release Measures =====

Spill Release Procedures:SWEEP OR PICK-UP SPILLED MATERIALS AND PLACE IN A CONTAINER FOR REUSE OR DISPOSAL.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:NO SPECIAL STORAGE RECOMMENDATIONS. WEAR PROPER PROTECTIVE CLOTHING AS RECOMMENDED IN ANSI Z-49.1.

Other Precautions:TRAIN THE WELDER TO NOT TOUCH LIVE ELECTRICAL PARTS

AND TO INSULATE HIMSELF FROM WORK AND GROUND. ACIDS AND BASES IN CONTACT WITH ALUMINUM MAY GENERATE EXPLOSIVE MIXTURES WITH HYDROGEN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF ENGINEERING CONTROLS FAIL OR NON-ROUTINE USE OR AN EMERGENCY OCCURS; WEAR AN MSHA/NIOSH APPROVED RESPIRATOR OR AN AIR-SUPPLIED RESPIRATOR OR SCBA, AS REQUIRED. USE IN ACCORDANCE WITH 29 CFR 1910.13 4 AND MANUFACTURER'S RECOMMENDATIONS.

Ventilation:USE ADEQUATE MECHANICAL VENTILATION OR LOCAL EXHAUST AT ARC TO MAINTAIN EXPOSURE BELOW TLV(S).

Protective Gloves:WELDER'S GLOVES.

Eye Protection:WELDER'S LENSES ON GOGGLES & FACESHIELD

Other Protective Equipment:HARD HAT, DARK SUBSTANTIAL CLOTHES, ARM PROTECTORS, APRONS, SHOULDER PROTECTION. PROTECTIVE SCREENS TO SHIELD OTHERS.

Work Hygienic Practices:WASH HANDS AFTER HANDLING AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHES BEFORE REUSE.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1

Appearance and Odor:METALLIC SILVER SOLID; NO ODORLESS.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES ANHYDROUS BROMINE.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:WELDING FUMES & GASES CANNOT BE EASILY CLASSIFIED.COMPOSITION & QUANTITY OF BOTH DEPENDENT ON MATERIAL

BEING WELDED.

Conditions to Avoid Polymerization:WILL NOT OCCUR.

===== Disposal Considerations =====

Waste Disposal Methods:PREVENT WASTE FROM CONTAMINATING SURROUNDING ENVIRONMENT. DISCARD ANY PRODUCT, RESIDUE, DISPOSABLE CONTAINER OR LINER IN AN ENVIRONMENTALLY ACCEPTABLE MANNER, IN FULL COMPLIANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulate

d for use by elements of the Department

of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.