

CANON INC -- F41-6921-000, CLC-500/550 TONER RED (MAGENT -- 6850-01-318-3904

===== Product Identification =====

Product ID:F41-6921-000, CLC-500/550 TONER RED (MAGENT

MSDS Date:01/01/1987

FSC:6850

NIIN:01-318-3904

MSDS Number: BXVRQ

=== Responsible Party ===

Company Name:CANON INC

Address:1128 MITA 3 CHOME MINATO KU

City:TOKYO

Country:JA

Info Phone Num:03-758-2111

Emergency Phone Num:NONE

CAGE:S4546

=== Contractor Identification ===

Company Name:CANON INC

Addr

ess:11 28 MITA 3 CHOME MINATO KU

Box:City:TOKYO

Country:JA

Phone:03-758-2111

CAGE:S4546

===== Composition/Information on Ingredients =====

Ingred Name:BISPHENOL A PROPYLENE OXIDE FUMARATE

CAS:39382-25-7

Fraction by Wt: 85-95%

Other REC Limits:NONE RECOMMENDED

Ingred Name:SALICYLIC ACID CHROMIUM (III) CHELATE

CAS:72869-85-3

Fraction by Wt: 1-5%

Other REC Limits:NONE RECOMMENDED

Ingred Name:MAGENTA PIGMENT

Fraction by Wt: 1-5%

Other REC Limits:NONE RECOMMENDED

=====

===== Hazards Identification =====

LD50 LC50 Mixture:LD50 (ORAL RAT) = >5000 MG/KG

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE-INHALATION:TONER IS FINELY

DIVIDED SOLID. DO NOT BREATHE DUST. EYE:NO SPECIFIC HAZARD KNOWN TO
CANON. HOWEVER, ANY MATERIAL CONTACTING EYE MAY BE IRRITATING.

SKIN:LOW HAZARD FOR INDUSTRIAL HANDL ING. CHRONIC-NO DATA AVAILABLE
FOR CHR

ONIC EFFECTS OF OVEREXPOSURE.

Explanation of Carcinogenicity:IN ADDITION TO THE ABOVE, PRODUCT IS

NEGATIVE W/REGARD TO:ACGIH CANCER, CALIFORNIA CANCER & REPRODUCTIVE
EFFECTS.

Effects of Overexposure:EYE IRRITATION.

Medical Cond Aggravated by Exposure:MFR GAVE NO INFORMATION ON MSDS.

===== First Aid Measures =====

First Aid:IF ANY SYMPTOMS OCCUR, GET IMMEDIATE MEDICAL ATTENTION.

INHALATION:IF SYMPTOMATIC, MOVE TO FRESH AIR. EYE:FLUSH W/PLENTY OF

WATER FOR 15 MIN. SKIN:FLUSH W/WATER 15 MIN. REMOVE CONTAMINATED
CLOTHING & LAUNDER BEFORE REUSE. INGESTION:DRINK 1-2 GLASSES OF
WATER. GET IMMEDIATE MEDICAL ATTENTION.

===== Accidental Release Measures =====

Spill Release Procedures:SWEEP MATERIAL ONTO PAPER AND PLACE IN FIBER
CARTON.

Neutralizing Agent:MFR GAVE NO INFORMATION ON MSDS.

===== Handling and Storage =====

Handling and Storage Precautions:AVOID BREAT
HING DUST. USE W/ADEQUATE

VENTILATION. WASH THOROUGHLY AFTER HANDLING.

Other Precautions:MFR GAVE NO INFORMATION ON MSDS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE SHOULD BE NEEDED.

Ventilation:USE GOOD GENERAL VENTILATION (10 CHANGES/HR). MATCH
VENTILATION RATES TO CONDITIONS.

Protective Gloves:IMPERVIOUS GLOVES

Eye Protection:MINIMIZE EYE CONTACT

Other Protective Equipment:EYE BATH, WASHING FACILITIES, SAFETY SHOWER.
PROTECTIV

E CLOTHING APPROPRIATE FOR THE RISK OF EXPOSURE.
Work Hygienic Practices:FOLLOW GOOD INDUSTRIAL HYGIENE PRACTICE
INCLUDING PREVENTING EYE CONTACT, MINIMIZING SKIN CONTACT &
INHALATION.
Supplemental Safety and Health
NONE

===== Physical/Chemical Properties =====

HCC:N1

===== Stability and Reactivity Data =====

Hazardous Decomposition Products:AS WITH ANY OTHER ORGANIC MATERIAL
DECOMPOSITION WILL PRODUCE CO2 AND CO.
Conditions t
o Avoid Polymerization:WILL NOT OCCUR.

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE OR LANDFILL, CAN BE INCINERATED WHEN
IN COMPLIANCEWITH LOCAL REGULATIONS. DISCHARGE, TREATMENT, OR
DISPOSAL MAY BE SUBJECT TO NATIONAL, STATE, OR LOCAL LAWS. EMPTY
RECEPTACLE MAY BE RECYCLE D.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defen
se. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.