

BREAK FREE DIV OF SAN/BAR CORP -- BREAK-FREE CLP-NC

MSDS Safety Information

FSC: 9150
NIIN: 01-079-6124
MSDS Date: 03/24/1994
MSDS Num: BXYDX
Product ID: BREAK-FREE CLP-NC
MFN: 06
Responsible Party
Cage: MO849
Name: BREAK FREE DIV OF SAN/BAR CORP
Address: 1035 S LINWOOD AVE
Box: 25020
City: SANTA ANA CA 92799-5020
Info Phone Number: 714-953-1900
Emergency P
hone Number: 714-953-1900
Preparer's Name: DONALD E. YODER
Proprietary Ind: Y
Review Ind: Y
Published: Y

Contractor Summary

Cage: MO849
Name: BREAK FREE DIV OF SAN/BAR CORP
Address: 1035 S LINWOOD AVE
Box: 25020
City: SANTA ANA CA 92799-5020
Phone: 714-953-1900
Cage: 65983
Name: BREAK-FREE INC
Address: 13386 INTERNATIONAL PARKWAY
City: JACKSONVILLE FL 32218
Phone: 800-428-0588/ 904-74
1-5400

Item Description Information

Item Manager: S9G
Item Name: CLEANER,LUBRICANT AND PRESERVATIVE
Specification Number: MIL-L-63460
Type/Grade/Class: NONE
Unit of Issue: BT
Quantitative Expression: 00000000004OZ
UI Container Qty: Q
Type of Container: PPPC186,A,2

Ingredients

==

Name: *** PROPRIETARY ***

=====

Health Hazards Data

=====

LD50 LC50 Mixture: ORAL LD50 (RAT) = >5 MG/KG

Route Of Entry Inds - Inhalation: YES

Skin: YES

Ingestion: YES

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: WHILE EXPECTED TO BE NON-IRRITATING, PROLONGED/REPEATED CONTACT WITH SKIN COULD CAUSE IRRITATION & POSSIBLE DERMATITIS.

THE

SYNTHETIC OILS & ADDITIVES COULD ALSO BE ABSORBED THRU ABRADED SKIN BUT INFORMATION FROM DERMAL TOXICITY TESTS SUGGEST THAT NO ACUTE SYSTEMIC EFFECTS WOULD BE EXPECTED IN HEALTHY INDIVIDUALS.

Explanation Of Carcinogenicity: PER MFG'S MSDS MATERIAL IS NOT KNOWN TO CONTAIN ANY CARCINOGEN REQUIRED TO BE LISTED UNDER NTP, IARC, OR HAZ COMM STD.

Signs And Symptoms Of Overexposure: INHALE: RESPIRATORY IRRITATION/DISCOMFORT.

EXCESSIVE EXPOSURE WILL CAUSE CNS EFFECTS-DIZZINESS, WEAKNESS, FATIGUE,

NAUSEA, HEADACHE, UNCONSCIOUSNESS. INGEST: MINIMAL TOXICITY. SMALL AMTS ASPIRATED BY INGESTION/VOMIT MAY CAUSE PULMONARY EDEMA OR BRONCHOPNEUMONIA.

SKIN: SLIGHT TO MODERATE REDNESS. EYE: POSSIBLE TRANSIENT IRRITATION

Medical Condition Aggravated By Exposure: NONE SPECIFIED BY MANUFACTURER.

First Aid: EYE: FLUSH W/ WATER FOR 15 MINS. SKIN: REMOVE SOILED CLOTHING. WASH SKIN W/ SOAP & WATER. INGEST: DON'T INDUCE VOMITING. IF CONSCIOUS DRINK LARGE QUANTITIES OF WATER. GET MEDICAL ATTENTION. INHALE: REMOVE TO FRESH AIR.

ANESTHETIC OR NARCOTIC EFFECTS COULD OCCUR FROM OVEREXPOSURE TO VAPORS SO CALL PHYSICIAN. IF AVAILABLE GIVE OXYGEN. IF BREATHING STOPS GIVE MOUTH-TO-MOUTH RESUSCITATION.

=====

Handling and Disposal

=====

Spill Release Procedures: FOR SMALL SPILLS VACUUM INTO WASTE CONTAINERS OR ABSORB WITH DRY SAND OR ABSORBENT CLOTH.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER

RER.

Waste Disposal Methods: RECOVERED LIQUID MAY BE REPORCESSED/INCINERATED/TREATED IN PERMITTED HAZARDOUS WASTE MANAGEMENT FACILITY. PREVENT ENVIRONMENTAL CONTAMINATION. DISPOSE OF IN ACCORDANCE WITH CLEAN AIR ACT, CLEAN WATER ACT, RCRA, & RELEVANT FEDERAL, STATE & LOCAL REGS.

Handling And Storage Precautions: KEEP AWAY FROM OPEN FLAME & OTHER IGNITION SOURCES. DO NOT STORE ABOVE 120F. MAINTAIN ADEQUATE VENTILATION & KEEP FROM CHILDREN.

Other Precautions: NOTE THAT SOME VAPORS ARE HEAVIER THAN AIR;CAN DISPLACE AIR IN LOW AREAS/CONFINED SPACES(PITS,TANKS).DON'T ENTER THOSE AREAS WHERE LG AMT OF VAPORS ARE SUSPECTED OF COLLECTING TIL EXCHANGING AIR OR USING SPECIAL BREATH APPARATUS W/OBSERVER.

=====

Fire and Explosion Hazard Information

=====

Flash Point Method: PMCC

Flash Point Text: 174F,79C

Extinguishing Media: CARBON DIOXIDE, FOAM, DRY CHEMICAL.

Fir

e Fighting Procedures: FIREFIGHTERS SHOULDED WEAR NIOSH APPROVED + PRESS SCBA TO AVOID EXPOSURE FROM DECOMPOSITION PRODUCTS & PROPER EYE/SKIN PROTECTION.USE WATER SPRAY TO DISPERSE VAP

Unusual Fire/Explosion Hazard: AFTER IGNITION THE USE OF WATER CAN SCATTER LIQUID THEREBY POSSIBLY SPREADING FIRE. IGNITON MAY ALSO PRODUCE DESNE BLACK SMOKE.

=====

Control Measures

=====

Respiratory Pro

tection: NONE REQUIRED FOR NORMAL WORK SITUATIONS WHERE ADEQUATE VENTILATION IS PROVIDED. USE NIOSH APPROVED SELF-CONTAINED + PRESSURE RESP FOR EMERGENCIES & IN SITUATIONS WHERE AIR MAY BE DISPLACED BY VAPORS/ CONFINED AREAS W/LOW AIREXCHANGE RATES.

Ventilation: USE LOCAL EXHAUST AT FILLING ZONES & WHERE LEAKAGE IS PROBABLE. USE MECHANICAL VENTILATION FOR STORAGE AREAS.

Protective Gloves: POLYETHYLENE, NEOPRENE, PVC.

Eye Protection: SPLASH PROOF GOGGLES FOR PROBABLE SPLASH

Other

Protective Equipment: CONTACT LENSES SHOULD NOT BE WORN UNDER PROBABLE SPLASHING. SAFETY SHOWER & EYEWASH FOUNTAIN IN MANUFACTURING AREA.

Work Hygienic Practices: DON'T SMOKE/EAT/DRINK WHEN USING MATERIAL. WASH HANDS W/SOAP/WATER BEFORE SMOKE/EAT/DRINK/USEING TOILET.WASH SOIL CLOTHS

Supplemental Safety and Health: POUR POINT:-75F(-59.0C). FOLLOW OSHA STD 29DFR1910.133 FOR RESPIRATORY PROTECTION. FOR GENERAL DILUTION OR LOCAL EXHAUST VENTILATION, MAINTAIN ADEQUATE AIR EXCHANGE TO AVOID VA

POR BUILDUP.
PERSONNEL P ROTECTIVE CLOTHING & USE OF EQUIPMENT MUST BE IAW
29DF41910.132 & 29CFR1910.133.

Physical/Chemical Properties

HCC: V4
B.P. Text: 374F,190C
Spec Gravity: 0.88
Solubility in Water: NIL
Appearance and Odor: LIGHT AMBER COLOR, MILD ODOR.
Percent Volatiles by Volume: 40

Reactivity Data

Stability Indicator: YES
Stability Condition To Avoid: AVOID SOURCES OF IGNITION SUCH AS SPARKS, HOT
SPOTS, WELDING, FLAMES AND CIGARETTES.
Materials To Avoid: AVOID STRONG OXIDIZING AGENTS.
Hazardous Decomposition Products: OXIDES OF CARBON, SULFUR, NITROGEN AND PTFE
POWDER.
Hazardous Polymerization Indicator: NO
Conditions To Avoid Polymerization: NOT RELEVANT.

Toxicological Information

Ecological Information

MSDS Transport Information

Regulatory Information

Other Information

Transportation Information

Responsible Party Cage: MO849
Trans ID NO: 105712
Product ID: BREAK-FREE CLP-NC
MSDS Prepared Date: 03/24/1994
Review Date: 12/05/1995
MFN: 6
Net Unit Weight: UNKNOWN
AF MMAC Code: NR
Multiple KIT Number: 0
Review IND: Y
Unit Of Issue: BT
Container QTY: Q
Type Of

Container: PPPC186,A,2
=====

Detail DOT Information
=====

DOT PSN Code: ZZZ
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

Detail IMO Information
=====

IMO PSN Code: ZZZ
IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION
=====

Detail IATA Information
=====

IATA PSN Code: ZZZ
IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

Detail AFI Information
=====

AFI PSN Code: ZZZ
AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

HAZCOM Label
=====
=====

Product ID: BREAK-FREE CLP-NC
Cage: MO849
Assigned IND: Y
Company Name: BREAK FREE DIV OF SAN/BAR CORP
Street: 1035 S LINWOOD AVE
PO Box: 25020
City: SANTA ANA CA
Zipcode: 92799-5020
Health Emergency Phone: 714-953-1900
Label Required IND: Y
Date Of Label Review: 12/05/1995
Status Code: C
Label Date: 12/05/1995
Origination Code: F
Chronic Hazard IND: Y
Eye Protection IND: YES
Skin Protection IND: YES
Signal Word: CAUTION
Respiratory Protection

IND: YES
Health Hazard: Slight
Contact Hazard: Slight
Fire Hazard: Slight
Reactivity Hazard: None

Hazard And Precautions: KEEP AWAY FROM OPEN FLAME & OTHER IGNITION SOURCES. DO NOT STORE ABOVE 120F. MAINTAIN ADEQUATE VENTILATION & KEEP FROM CHILDREN. IN CASE OF SPILL: FOR SMALL SPILLS VACUUM INTO WASTE CONTAINERS OR ABSORB WITH DRY SAND OR ABSORBENT CLOTH. FIRST AID: EYE:FLUSH W/WATER FOR 15 MINS. SKIN:REMOVE SOILED CLOTHING. WASH SKIN W/SOAP & WATER. INGEST:DON'T INDUCE VOMITING. IF CONSCIOUS DRINK LARGE QUANTITIES OF WATER. GET MEDICAL ATTN. INHALE:REMOVE TO FRESH AIR. ANESTHETIC OR NARCOTIC EFFECTS COULD OCCUR FROM OVEREXPOSURE TO VAPORS SO CALL PHYSICIAN. IF AVAILABLE GIVE OXYGEN. IF BREATHING STOPS GIVE MOUT H-TO-MOUTH RESUSCITATION.

=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.